



EDITION C

**FOTODIASTASI**

ILLUMINATION & DECORATION

## Chairman's Word

"Your passion for beauty wherever metal shape meets light is something we share at FOTODIASTASI Illumination.

Since 1987 we have created thousands of lights and projects for towns, cities and shopping malls throughout the world.

Each project, whether a cross street or column motif, or a chandelier, is a result of our unique mix of wonder and precision.

Each one of the lights we create is not only unique innovative and exciting, it also captures the essence of the forward thinking nature of the projects.

Our company owns a batch of professional technicians skilled in led semiconductor illumination, mainly developing and manufacturing indoor and outdoor led decorative lighting which can conserve the energy and protect the environment.

What makes FOTODIASTASI unique among our competitors is that we are able and willing to make special jobs in very big or very small quantities, no matter how challenging or how complex our client's requirements are.

What makes FOTODIASTASI leader on this market is our flexibility to manufacture more than 90% of the products we sell in our own facilities in BULGARIA and GREECE.

When you choose to work with FOTODIASTASI, you can be assured of receiving nothing but the absolute finest decorative lighting system available.

We welcome the opportunity to discuss your lighting needs....."

**FOTODIASTASI**

*Paleochorinos Giannis*

*President & Managing Director*



# contents...

## PRESENTATION

- » Company Profile page.....2-15
- » Fotodiaslasi & Environment page.....16-21
- » Projects page.....22-35
- » Photos around the world page.....36-47



## PLEXI GLASS COLLECTION

- » Column motifs page.....154-163
- » Across street motifs page.....164-171

B2  
+  
A2



## THREE DIMENSIONAL MOTIFS

- » Three dimensional motifs page....48-117

3B



## ACROSS STREET MOTIFS

- » Technical Data page.....172-173
- » Classic Collection page.....174-221
- » Christmas Collection page.....222-267

A2



## THREE DIMENSIONAL PLASTIC FIGURES

- » Plastic figures page....118-143

3B



## MOTIFS WITH SOCKETS

- » Across street motifs page.....268-277
- » Column motifs page.....278-281

A1  
+  
B1



## FACADE DECORATION

- » Facade collection page....144-151



## COLUMN MOTIFS

- » Technical Data page...282-283
- » Column base support page...284-289
- » Classic Collection page...290-327
- » Christmas Collection page...328-369

B2



## CHILDHOOD COLLECTION

- » Childhood collection page....152-153

B2  
+  
A2



## ELECTRICAL MATERIALS & ACCESSORIES

page...370-435



# Leader in prestige and quality

**FOCUS ON OUR JOB...**to offer you complete and competitive decoration like nobody else do!

**THE CUSTOMER SATISFACTION...**our target!


**MORE THAN QUALITY...**to make your life easier!

**INNOVATIVE...**to surprise you continuously!

**FAST AND FLEXIBLE...**to find always the right solution for you!

**The overview of Fotodiasiasi's  
manufacturing base in Greece**

**Our production facilities  
all over Europe installed  
in over 700.000 square  
feet surface area**



**FOTODIASTASI®**

*Festive Illumination Manufacturer since 1987*



## Company profile

FOTODIASTASI's seasonal luminaries have been manufactured since 1987, the year Paleohorinos Giannis founded the company.

The company now operates from the Group's modern 350.000 sqft factory in Thessaloniki, North Greece and also in another 350.000 sqft factory in Marikostinovo, South Bulgaria.

FOTODIASTASI is well known throughout the world and provides a comprehensive range of professional decorative lighting for outdoor or indoor use.

Innovations introduced from FOTODIASTASI ILLUMINATION have been recognized around the world and have won numerous awards from leading institutions.

In our facilities, the future is full of ambitions plans and ideas.

FOTODIASTASI continues to focus on designing and producing well engineered products utilising the very latest available technology to meet the creative, technical and practical demands of our wide range of users and investors.




## FOTODIASTASI's production facilities in Greece

One of the largest decorative lighting manufacturing facilities in the world. With over 30 horizontal and vertical injection molding machines, CNC and laser cutting machines occupying our manufacturing facility, its no wonder that we have a track record for being very exceptional at working with plastics. Our facilities are second to none. Aside from the spotlessly clean environment, we have the latest and most advanced industrial machinery, allowing us to replace third-party suppliers whilst maintaining and even improving efficiency in the production.





**PLEXI GLASS  
LASER CUTTING MACHINES**



## FOTODIASTASI's production facilities in Bulgaria

With facilities to built and test designs in house, the development process of a project at FOTODIASTASI BULGARIA is quick and efficient. All our staff members enjoy a clean and safe working environment that would embarrass most high-technology manufacturers. Food and uniforms are provided for all employees, as well as the health and safety equipment required for their job and full training to use it effectively. All line employees are trained in advanced production techniques and taught all of the skills required to meet our high quality standards. We pride ourselves on the high quality and attention to detail that we maintain throughout all stages of production.





# eco



# web site

We are proud to announce the launch of our website's new design!  
We have redesigned the site, so you could more clearly see everything  
we have to offer and also a way to stay in touch and keep the  
communication going between us.

Connecting with us on **Facebook & twitter**, will help you keep up with  
everything that's going on at **fotodiastasi.com**

## www.fotodiastasi.com



[www.facebook.com/fotodiastasi](http://www.facebook.com/fotodiastasi)



[www.youtube.com/fotodiastasi](http://www.youtube.com/fotodiastasi)



[www.twitter.com/fotodiastasi](http://www.twitter.com/fotodiastasi)



online videos



online catalogues



online photo gallery

# FOTODIASTASI

## illumination editions

2011-2012



For 26 years now, FOTODIASTASI releases every year its new catalogues helping to find really great ideas about decorative lighting, styles, colors and many more...



## Catalogues

2012-2014

### General Catalogue Illumination & Decoration



Our general "Catalogue 2012-2014" is an easy-to-use reference guide with more than 440 pages full of FOTODIASTASI lighting ideas. It will inspire you to find your unique style and is a must-have for all major companies in lighting and decorative market.

### Decoration Art & Design



FOTODIASTASI's "Art & Design Decoration" catalogue offers an extensive selection of indoor and outdoor illuminated proposals for shopping centers, hotels and casinos. Our unique and diverse range of lighting products, offers you the ultimate solutions for spectacular decoration.

### Art & Illumination Light Magazine



FOTODIASTASI's "Art & Illumination Light Magazine" is issued twice a year and is including photos around the world of the most spectacular and avant-garde projects carried out every year.



# TV channels



# Newspapers



view in website  
[www.fotodiastasi.com](http://www.fotodiastasi.com)



# International events



UNITED ARABIAN EMIRATES



ITALY



GERMANY



RUSSIA



FRANCE

## INTERNATIONAL AWARDS

2007

FOTODIASTASI has achieved a remarkable success winning the International Award :

**"LEADER IN PRESTIGE AND QUALITY FOR THE YEAR 2007"**




2009

FOTODIASTASI has achieved a new remarkable success winning the International Award :

**"EXCELLENT IMAGE OF ENTERPRISE FOR THE YEAR 2009"**

## PATENTS & REGISTRATIONS



## Certificates - Patents Quality Management System

FOTODIASTASI's policies and procedures are compliant with the standards developed by ISO 9001:2008 to ensure the highest quality products design, development, manufacturing and servicing. FOTODIASTASI began adding the CE Mark to all products in September 1996. Our quality management system assures that our products conform to the directives established by the European Economic Union and comply with the essential requirements including safety, health, environment and consumer protection. To safeguard an appropriate return on investment, FOTODIASTASI places great value in protecting its innovations through intellectual property rights.

## EN ISO 9001:2008



## CE CERTIFICATES



## Our commitment to success

Over the years, our customers have come to rely on FOTODIASTASI for our quality lighting products, quick delivery, competitive prices and most of all for our personalized service. We provide that service through our different departments: Sales, Marketing, Purchasing, Shipping & Receiving and Quality control, all structured to work together to provide prompt, efficient and courteous service our customers have come to expect, no matter how big or small the company, or the request.

Because all our customers are important, satisfaction is FOTODIASTASI's number one priority. Our regional offices are staffed with professionals who are dedicated to making your experience a pleasant one and help you to find the right solution to your lighting needs.

At FOTODIASTASI your needs and your service are our personal responsibility.



## Our distributors and representatives all over the world

**NORTH AMERICA & CANADA**



**AFRICA**



**AUSTRALIA**



**EUROPE & RUSSIA**



**SOUTH AMERICA**



**ASIA**



**MIDDLE EAST**



# Testimonials

*"We have been looking for strong and reliable manufacturer of Christmas illumination for huge Russian market and we found all we'd been looking for in FOTODIASTASI! Excellent quality goes together with professional customer service and competitive prices. It's our second season together and we are very positive about our cooperation for many years"*

Lidia Simonova / RUSSIA

*"FOTODIASTASI is an inspiration to our clients in Southern Africa. Their superior service, extensive range of world class products and extremely competitive pricing will ensure our joint growth. Forward thinking in all aspects of the profession is what sets FOTODIASTASI apart from other manufacturers"*

Jannie de Wet / SOUTH AFRICA

*"For our Christmas Decoration plan 2011, we wanted something original that would produce a great impact. We had an idea of making a decoration based on a classical Christmas lighted landscape, composed of beautiful hanging snowflake figures, mixed with lighted garlands in cold light, together with big luminous trees. This was only possible through the huge variety of items offered by FOTODIASTASI. The result had a huge impact which was very welcomed and appreciated by our customers throughout our 35 Paris stores along Chile.*

*We greatly appreciate your service and professionalism with product selection throughout the complete import process.*

*We hope to work together during 2012 and congratulations for your new catalogue"*

Peggy Olmedo / CHILE

*"I work with FOTODIASTASI's products for the last 8 years. FOTODIASTASI is the largest European company which designs and produces its own products with the highest quality. The company has over 300 employees and representatives all over the world. As for the quality and product breath of unique I find it refreshing to find such a robust and beautiful product being made in Europe at a consumer price point. Due to knowledge, high quality products and unique design input, FOTODIASTASI has assisted me in improving our decorative lighting solutions and increase our sales in Swedish market"*

Kostas Ioannou / SWEDEN

*"On behalf of our company in Albania, I am very glad for having the opportunity to co-operate with FOTODIASTASI. It is since year 2011 that we have been working with FOTODIASTASI which was approached in order to produce all Christmas Decoration for our capital city of Tirana.*

*We have been extremely satisfied with the services rendered, being always performed in a qualitative, fast, businesslike and reliable manner"*

Rajuela Rica / ALBANIA

*"For over 10 years we are now buying from FOTODIASTASI. In these 10 years FOTODIASTASI grew as the main leader in the Festive illumination market. We are very satisfied about the outstanding quality compared to the most best prices on the market today. Also the fast delivery even in high season and very good service makes FOTODIASTASI a steady supplier and partner.*

*Not forget to mention the staff which is always friendly and helpful with all our questions.*

*FOTODIASTASI...keep up the good work!*

*We look out for another 10 years in business and partnership"*

Roy Bolder / HOLLAND

SUCCESS WAY

FOTODIASTASI  
1987-2014  
27  
YEARS  
Quality Products



# Testimonials

*"We have had the pleasure of working with FOTODIASTASI for several years now and have found their product range and service to be outstanding. Our clients are continually looking for high impact Christmas displays that are cost effective and the FOTODIASTASI range is this and more. It is refreshing to work with a company that is focused on quality and providing unique Christmas solutions to the commercial market. We are proud to be associated with FOTODIASTASI and look forward to working together on many more exciting projects in the future"*

Tim Clarkson / AUSTRALIA

*"The quality of the products, the esthetic of the motifs, excellent services are the realities which everyone knows who works with FOTODIASTASI. But for me the most impressive thing is different. FOTODIASTASI is working with the western discipline but with the mediterranean intimacy. And this makes FOTODIASTASI the number one of illumination firm worldwide. And this make us a big family. FOTODIASTASI family"*

Mehmed Ozfatura / TURKEY

*"We are proud to have been UK distributors for FOTODIASTASI for over 12 years. The hallmark of our success in the UK has been our commitment to our customers. To achieve and consistently maintain this, product quality, price, availability and customer service especially in such a seasonal environment is essential. FOTODIASTASI share the same level of commitment to all of these critical elements. Everyone at FOTODIASTASI has a genuine passion for this industry and their strength as a world class manufacturer comes from consistent investment in purpose built factories with the latest machinery and processes. Together with continual new product design and development, consistent manufacture of quality products and delivery, competitive pricing, marketing support with integrity, efficient structured customer service routes with an effective communication process and a short harmonious command chain makes FOTODIASTASI for us good business sense and also a great pleasure to work and partner with"*

Paul Taylor / ENGLAND

*"We are representing FOTODIASTASI for the last 16 years in the Belgium market. When I place an order with FOTODIASTASI whether it is large or small for my local or national customers, I rest assured that I will be completely 100% pleased. I have high standards for myself and my clients and I know I can trust FOTODIASTASI to keep these standards high. I can honestly and confidently give my seal of approval to FOTODIASTASI. I have been buying from you for many, many years and will happily continue to do so in the future. Thanks FOTODIASTASI for your hard work and dedication to your customers.*

*We value our relationship and see a continued bright future"*

Guido Van Belle / BELGIUM

*"For many years now we have had business together with FOTODIASTASI. A company who is working after the device of being a reliable, quality company and is also living up to it! The products we are ordering is being used in Sweden, with high demands on quality since in Christmas time, our country is both rainy, windy and sometimes blessed with a lot of snow. The demands on the products being used here are very high and we really do believe that FOTODIASTASI has achieved to produce quality products to meet up to our expectations"*

Carina Göransson / SWEDEN

*"We have been working closely with FOTODIASTASI over the last number of years. We have always found them to be efficient and understanding of our needs for the Irish market. Product quality and service is first class and their pricing structure is extremely competitive"*

Paul Byrne / IRELAND



# FOTODIASTASI & ECOLOGY



# Responsibility to protecting the environment



- ✓ environmental responsibility
- ✓ energy saving
- ✓ sustainable development
- ✓ recycling



FOTODIASTASI does not limit its environmental actions to only accomplish with the binding environmental laws.

In order to promote a sustainable development, FOTODIASTASI keeps studying materials and procedures in order to develop new improvements for a better care of the environment and introduce them in our manufacturing process.



# Our facilities in Greece

Environmental protection



# FOTODIASTASI & ECOLOGY

## Committed to protecting the environment

With great enthusiasm and strong social responsibility, FOTODIASTASI GREECE aspires in the illumination field for energy conservation and environmental protection. Protecting the environment is not just sound business practice and part of our duty as a good corporate citizen, but it is also a key success factor for our company. In our global operations, featuring a great diversity of processes, products and services, our company is concerned with sustaining the natural resources essential to life. By employing innovative manufacturing methods, improving LED products and maintaining high environmental standards, we work to overcome environmental challenges all over the world.

In a similar way to ensuring our products meet the toughest standards, our factories and several sales points around the world, are certified according to ISO 14001, the internationally recognized Environmental Management Standard.


The comprehensive quality management system ensures that FOTODIASTASI lighting systems offer certified quality from the development phase to the materials used and the end product itself.

Individual components, plastics and metals can be re-used when a light has reached the end of its lifecycle.

Our knowledge and our solutions are helping to create a better world.

We have a responsibility to the wider community and we are committed to environmental protection.

At FOTODIASTASI GREECE just because of the benefits that our planet and ourselves get from trees, at 2011 we have planted over 200 palm trees in our Greek facilities.



# Environmental Policy



At FOTODIASTASI BULGARIA we believe that we have a moral obligation to preserve our rural environment. We believe that a continued focus on good environmental management is positive not only from a sustainability and good business practice point of view, but will also help us to create a better and more healthy product.

FOTODIASTASI BULGARIA is committed to high standards of environmental performance across all of our lighting business.



We use efficient and renewable energy technologies and offer energy saving lighting products that are compliant with environmental protection laws.

Our aim is to significantly reduce environmental pollution as well as protect people from exposure to hazardous materials.

Trees being oxygen filters, providing shelter and food for humans as well as animals and their influence on the climate.

In order to help the environment, at FOTODIASTASI BULGARIA last year we have planted over 300 trees in our facilities in South part of the country.

Apart from our lighting business, our staff and specialized agronomists helping us to grow grapes and make our own wine, a wine that will be offered free of charge to FOTODIASTASI family and its clients worldwide.



# Our facilities in Bulgaria

Environment protection is our responsibility...



# GIANT FLOATING CHRISTMAS STAR TREE

## The sky is the limit.....

The gulf of Thermaikos played host to the event with the 5-tonne structure taking centre stage, decorated with just over 200.000 led lights and floating on the water.

The giant floating star tree, standing at 20 metres, was first erected in 2011 and has since become one of Thessaloniki's biggest tourist attractions alongside Christmas.



Design and project phase



Creation of the aluminium structure



Test of the aluminium structure



Rope light and LED lights assembling



Final control test before shipment





**...project**  
**...design**  
**...manufacture**  
**...installation**



view project video in web site



**THERMAIKOS GULF**

# Across Street Project

Our participation in large-scale projects is usually through collaborations with our clients and external architects, working side by side on the assignment. The designer proposes a concept and we develop it on the basis of the project sponsor's art direction. At FOTODIASTASI not only do we provide our experience, but all the tools that may be required, such as comprehensive colour charts, material and quality samples.



Design and project phase



Design and project phase



Creation of the aluminium structure



Test of the aluminium structure





...project  
...design  
...manufacture  
...installation

# Christmas train in Berlin

Known for our design and our capacity to create outdoor lighting products that are made to order, FOTODIASTASI is often approached for special projects that are particular in style and demand attention.

Since 1996, FOTODIASTASI was approached by BOEHLKE ILLUMINATION, a German lighting company who was part of a vast project to light up for Christmas the main streets in Berlin.

Among the other projects, the giant Christmas train in Kurfürstendamm shines like a diamond in the city night and attracts Berliners and tourists at Christmas.



Design and project phase



Creation of the aluminium structure




Rope light assembling



Final control test before shipment

**...project**  
**...design**  
**...manufacture**  
**...installation**




# The Biggest

## light castle in Europe

### 20m high with 100.000 LEDs

We pride ourselves in exceeding high expectations. Creativity, ingenuity and integrity - that's what we bring to every project and customer relationship. With knowledge of every step of the manufacturing process, our designers, manufacturing engineers and talented staff and their determination to overcome any challenge to make your project work, bring expertise and experience to any job.




Design and project phase



Design and project phase



Creation of the aluminium structure



Final control test before shipment



...project  
...design  
...manufacture  
...installation



Changing a shopping center  
In to a "Magic Light Castle"


**BELGIUM**

# Custom made projects

Custom lighting projects are a specialty of FOTODIASTASI. We bring custom architectural and decorative lighting fixtures to life. As a custom lighting manufacturer with over 26 years of experience in the lighting industry, FOTODIASTASI has the experience and expertise to make your custom lighting fixture concept a reality. Combining the latest 3D CAD Technology with a mastery of classic metal working, joinery and finishing, our design and fabrication teams work together to produce custom lighting fixtures of unparalleled quality, elegance and durability.



Design and project phase



Creation of the aluminium structure



Test of the aluminium structure



Final control test before shipment







...project  
...design  
...manufacture



# Thessaloniki's Best Light Displays

It's that time again, when the seasonal mood in Thessaloniki is set by celebrities of various calibres ceremoniously pushing the button on Christmas lights around town.

And thanks to classic light displays, even after Christmas has passed, Thessaloniki will remain lit up for every festival celebration.



**...project**  
**...design**  
**...manufacture**  
**...installation**



# GIANT TREES

## More than just steel and plastic...

At FOTODIASTASI, we understand the importance and significance of the Christmas Tree. All of our trees are designed with the utmost care and precision to give our clients something that will not only look amazing, but be trouble free for years to come. All of our tree designs are engineered in such a way so that they are safe and easily assembled before the holiday season and then quickly removed when the time comes. Just as importantly, we design each tree so that it can be stored away in the smallest possible space.

### Giant Christmas Trees feature:

- Available in sizes from 10m to 23m
- All electrical components are indoor or outdoor, CE or UL listed
- All frames nest together for compact storage
- Wind load Certificate for Wind Speed up to 160km/h



**...project**  
**...design**  
**...manufacture**  
**...installation**




Feliz Navidad



NONO

TODO PARA EL HOGAR













Chelmsford - ENGLAND



Chelmsford - ENGLAND



Bristol - ENGLAND







Belgrade - SERBIA



Belgrade - SERBIA



Belgrade - SERBIA



Belgrade - SERBIA













CHILE


GERMANY

## Quality control & Guarantee

- *Environment protection*
- *Design & Innovation*
- *Low energy consumption*
- *Low heat emitting*
- *Long lifetime*
- *High luminous efficiency*
- *High quality LED rope light*
- *High quality LED light chains*
- *Certified & patented LED*
- *Registered European Patents*
- *CE European standards*
- *ISO 9001 : 2008*

3D

3D



# THREE-DIMENSIONAL

## Decoration



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

### Illumination & Decoration

#### 12950.400.LED

⬆ 4,40m\*  
⬅ 2,90m ➡ 1,60m  
LED 460W

\*4,40m with metal boxes  
as per photo

#### 12950.700.LED

⬆ 7m\*  
⬅ 4m ➡ 2,80m  
LED 855W

\*7m with metal boxes  
as per photo



METAL BOXES  
H=40cm

# Giant 3D Santa Claus with reindeer



#### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

# 3D



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

3D Motifs

# Reindeers

**12951.400.LED**

↕ 4,40m\*  
↔ 2,90m ↻ 0,75m  
LED 360W

\*4,40m with metal boxes as per photo

**12951.700.LED**

↕ 7m\*  
↔ 4m ↻ 1,20m  
LED 675W

\*7m with metal boxes as per photo



METAL BOXES  
H=40cm



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization). Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

3D



**PATENTED**

ISO 9001 IP44 CE



FOTODIESTASI®  
Festive Illumination Manufacturer

## 3D Motifs

Illumination  
&  
Decoration

# LED Fountains

12952 LED

 4,50m  
 3m  
 Ø 896W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH




DIAMETER



LED POWER





**12059.LED**

➔ 6,30m  
➔ 3,35m  
⏏ 1.168W

**PATENTED**

ISO 9001 IP44 CE



**LED**  
Fountains

FOTODIESTASI®  
Festive Illumination Manufacturer


3D Motifs

Illumination  
&  
Decoration

LED  
Fountains

12954.LED

- ▶ 6,10m
- ◄ 3,40m
- ⊗ 1.528W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH




DIAMETER



LED POWER

3D


**PATENTED**  
ISO 9001 IP44 CE



### 12953.LED

◆ 5,30m  
◆ 3m  
◆ 1.080W

**LED**  
*fountains  
with  
plexi glass*



**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
 &  
 Decoration*

**LED  
 Fountains**

**12957 LED**

⬆️ 5,50m  
 ⬅️ 3,20m  
 Ⓛ 880W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT




WIDTH



DIAMETER



LED POWER



#### 12958.LED

- ▶ 4,30m
- ⬇ 3m
- ⊞ 900W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
 &  
 Decoration*

**LED  
 Fountains**

**12955.1LED**

 4,60m  
 2,65m  
 784W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER



**PATENTED**

ISO 9001 IP44 CE




**12956.LED**

- 6,10m
- 3,50m
- 1,272W





plexi  
glass  
stars



#### 129 61.STAR

- ⬆ 2,50m
- ⬆ 0,73m
- ⬇ 74W

#### 129 62.STAR

- ⬆ 3,50m
- ⬆ 1m
- ⬇ 138W

#### 129 63.STAR

- ⬆ 4,50m
- ⬆ 1,32m
- ⬇ 193W

#### 129 64.STAR

- ⬆ 5,50m
- ⬆ 1,70m
- ⬇ 295W

#### 129 65.STAR

- ⬆ 6,50m
- ⬆ 2m
- ⬇ 368W

#### 129 66.STAR

- ⬆ 8,50m
- ⬆ 2,70m
- ⬇ 552W



#### 12971.LED

- ⬆ 2,50m
- ⬆ 0,73m
- ⬇ 74W

#### 12972.LED

- ⬆ 3,50m
- ⬆ 1m
- ⬇ 138W

#### 12973.LED

- ⬆ 4,50m
- ⬆ 1,32m
- ⬇ 193W

#### 12974.LED

- ⬆ 5,50m
- ⬆ 1,70m
- ⬇ 295W

#### 12975.LED

- ⬆ 6,50m
- ⬆ 2m
- ⬇ 368W

#### 12976.LED

- ⬆ 8,50m
- ⬆ 2,70m
- ⬇ 552W

PATENTED  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

### 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*

# 3D



**122576**

⬆️ 2,80m  
⬅️ 0,72m  
Ⓜ️ 95W

**122577**

⬆️ 4m  
⬅️ 1m  
Ⓜ️ 174W

**122578**

⬆️ 5m  
⬅️ 1,32m  
Ⓜ️ 239W

**122579**

⬆️ 6m  
⬅️ 1,70m  
Ⓜ️ 341W

**122580**

⬆️ 7,20m  
⬅️ 2m  
Ⓜ️ 422W

**122581**

⬆️ 9,20m  
⬅️ 2,70m  
Ⓜ️ 620W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER



3D cone tree



PATENTED  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



### 123055

⊕ 2,80m  
⊖ 0,72m  
⊞ 124W

### 123056

⊕ 4m  
⊖ 1m  
⊞ 267W

### 123057

⊕ 5m  
⊖ 1,32m  
⊞ 394W

### 123058

⊕ 6m  
⊖ 1,70m  
⊞ 592W

### 123059

⊕ 7m  
⊖ 2m  
⊞ 759W

### 123060

⊕ 9,20m  
⊖ 2,70m  
⊞ 1.324W



**3D**  
cone tree

#### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⊕ HEIGHT ⊖ WIDTH ⊞ DIAMETER ⊞ LED POWER



**122570**

↕ 2,50m  
↔ 0,72m  
⏻ 61Wh

**122571**

↕ 3,50m  
↔ 1m  
⏻ 100Wh

**122572**

↕ 4,50m  
↔ 1,32m  
⏻ 140Wh

**122573**


↕ 5,50m  
↔ 1,70m  
⏻ 203Wh

**122574**

↕ 6,20m  
↔ 2m  
⏻ 250Wh

**122575**

↕ 8,50m  
↔ 2,70m  
⏻ 370Wh



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

### 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



**124414**

⬆️ 2,80m  
⬅️ 0,72m  
⚡ 84W

**124415**

⬆️ 4m  
⬅️ 1m  
⚡ 152W

**124416**

⬆️ 5m  
⬅️ 1,32m  
⚡ 211W

**124417**

⬆️ 6m  
⬅️ 1,70m  
⚡ 302W

**124418**

⬆️ 7m  
⬅️ 2m  
⚡ 380W

**124419**

⬆️ 9,20m  
⬅️ 2,70m  
⚡ 602W



**3D**  
cone tree

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT ⬅️ WIDTH ⊗ DIAMETER ⚡ LED POWER



#### 124420

⊕ 4m  
 ⊖ 1m  
 Ⓜ 162W

#### 124421

⊕ 5m  
 ⊖ 1,32m  
 Ⓜ 230W

#### 124422

⊕ 6m  
 ⊖ 1,70m  
 Ⓜ 326W

#### 124423

⊕ 7m  
 ⊖ 2m  
 Ⓜ 402W

#### 124424

⊕ 9,20m  
 ⊖ 2,70m  
 Ⓜ 605W



**PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



**121503**

2,80m  
0,72m  
52W

**121504**

4m  
1m  
96W

**121505**

6m  
1,32m  
135W

**121840**

6m  
1,70m  
198W

**121841**

7m  
2m  
249W

**122582**

9,20m  
2,70m  
372W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



LED POWER



#### TREE.250.MAT

2,50m  
 0,72m  
 47W

#### TREE.550.MAT

5,50m  
 1,70m  
 187W

#### TREE.350.MAT

3,50m  
 1m  
 86W

#### TREE.650.MAT

6,50m  
 2m  
 234W

#### TREE.450.MAT

4,50m  
 1,32m  
 125W

#### TREE.850.MAT

8,50m  
 2,70m  
 351W



#### BOW.LED

0,35m  
 0,35m  
 10W



**PATENTED**

ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*

# 3D



**124400**

2,80m  
1m  
60W

**124401**

4m  
1,30m  
112W

**124402**

5m  
1,60m  
175W

**124403**

6m  
2m  
238W

**124404**

7m  
2,30m  
317W

**124405**

9,20m  
3m  
534W



3D GLITTER  
PLASTIC BALLS



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER



**PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*

# 3D



**124406**

2,80m  
1m  
60W

**124407**

4m  
1,30m  
112W

**124408**

5m  
1,60m  
175W

**124409**

6m  
2m  
238W

**124410**

7m  
2,30m  
317W

**124411**

9,20m  
3m  
534W



3D GLITTER  
PLASTIC BALLS



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



**SC161/260**

⬆ 2,60m  
⬅ 1m  
⚡ 51W

**SC161/360**

⬆ 3,60m  
⬅ 1,30m  
⚡ 94W

**SC161/460**

⬆ 4,60m  
⬅ 1,60m  
⚡ 156W

**SC161/560**

⬆ 5,60m  
⬅ 2m  
⚡ 218W

**SC162/260**

⬆ 2,60m  
⬅ 1m  
⚡ 51W

**SC162/460**

⬆ 4,60m  
⬅ 1,60m  
⚡ 156W

**SC162/360**

⬆ 3,60m  
⬅ 1,30m  
⚡ 94W

**SC162/560**

⬆ 5,60m  
⬅ 2m  
⚡ 218W

**SC160/260**

⬆ 2,60m  
⬅ 1m  
⚡ 51W

**SC160/360**

⬆ 3,60m  
⬅ 1,30m  
⚡ 94W

**SC160/460**

⬆ 4,60m  
⬅ 1,60m  
⚡ 156W

**SC160/560**

⬆ 5,60m  
⬅ 2m  
⚡ 218W



**ATTENTION**  
All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆ HEIGHT    ⬅ WIDTH    ⚡ LED POWER



**SC164/260**

- ◆ 260m
- ◆ 1m
- ◆ 51W

**SC164/360**

- ◆ 360m
- ◆ 130m
- ◆ 94W

**SC164/460**

- ◆ 460m
- ◆ 160m
- ◆ 159W

**SC164/560**

- ◆ 560m
- ◆ 2m
- ◆ 219W



**SC163/260**

- ◆ 260m
- ◆ 1m
- ◆ 51W

**SC163/360**

- ◆ 360m
- ◆ 130m
- ◆ 94W

**SC163/460**

- ◆ 460m
- ◆ 160m
- ◆ 159W

**SC163/560**

- ◆ 560m
- ◆ 2m
- ◆ 219W



*Can be made in any size...*



**FOTODIESTASI®**

Festive Illumination Manufacturer

**3D Motifs****Illumination  
&  
Decoration***All 3D  
motifs  
can be made  
in any size***123006.WH**

- ⬇ 3,90m
- ⬅ 2,10m
- Ⓛ 394W

**123007.WH**

- ⬇ 5,70m
- ⬅ 3,60m
- Ⓛ 834W

**123008.WH**

- ⬇ 7,30m
- ⬅ 4,85m
- Ⓛ 1.401W

**3D GLITTER PLASTIC BALLS**

RED



BLUE



GOLD



PURPLE



SILVER



BRONZE



GREEN



BLACK

**123001.BA.WH** with balls

- ⬇ 3,90m
- ⬅ 2,10m
- Ⓛ 394W

**123002.BA.WH** with balls

- ⬇ 5,70m
- ⬅ 3,60m
- Ⓛ 834W

**123003.BA.WH** with balls

- ⬇ 7,30m
- ⬅ 4,85m
- Ⓛ 1.401W



with or without  
plastic balls  
and decorative  
crystal chain

**3D****123006.WH**  
**123007.WH**  
**123008.WH****123006.BL**  
**123007.BL**  
**123008.BL****123006.GR**  
**123007.GR**  
**123008.GR****123006.RE**  
**123007.RE**  
**123008.RE****ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



LED POWER



*Branch Tree  
with LED's*



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**

Festive Illumination Manufacturer

**3D Motifs****Illumination  
&  
Decoration***All 3D  
motifs  
can be made  
in any size***123017.WH**

- ↕ 3,90m
- ↔ 2,20m
- LED 268W

**123018.WH**

- ↕ 5,70m
- ↔ 3,35m
- LED 519W

**123019.WH**

- ↕ 7,30m
- ↔ 4,55m
- LED 897W

**123011.BA.WH with balls**

- ↕ 3,90m
- ↔ 2,20m
- LED 268W

**123012.BA.WH with balls**

- ↕ 5,70m
- ↔ 3,35m
- LED 519W

**123014.BA.WH with balls**


- ↕ 7,30m
- ↔ 4,55m
- LED 897W

**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

with or without  
plastic balls  
and decorative  
crystal chain

**3D**  
line tree

**3D GLITTER  
PLASTIC BALLS****RED****GOLD****SILVER****GREEN****BLUE****PURPLE****BRONZE****BLACK**

↕ HEIGHT    ↔ WIDTH    LED LED POWER



123017.WW  
123018.WW  
123019.WW



123017.BL  
123018.BL  
123019.BL



123017.GR  
123018.GR  
123019.GR



123017.RE  
123018.RE  
123019.RE

**PATENTED**

ISO 9001 IP44 CE



FOTODIESTASI®

Festive Illumination Manufacturer

3D Motifs

Illumination & Decoration

All 3D motifs can be made in any size

123045 warm white-red LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 173W

123046 warm white-red LED


- ⊕ 4m
- ⊖ 2,80m
- ⊗ 293W

123041 white-red LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 173W

123042 white-red LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 293W



123043 white-blue LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 205W

123044 white-blue LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 346W

123047 white-pink LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 205W

123048 white-pink LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 346W

122555 white LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 197W

122558 white LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 338W

122556 warm white LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 197W


122559 warm white LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 338W



122555  
122558

122556  
122559



122557  
122560

122561  
122562

122557 pink LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 197W

122560 pink LED

- ⊕ 4m
- ⊖ 2,80m
- ⊗ 338W

122561 blue LED

- ⊕ 3m
- ⊖ 2m
- ⊗ 197W

122562 blue LED


- ⊕ 4m
- ⊖ 2,80m
- ⊗ 338W

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization). Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⊕ HEIGHT ⊖ WIDTH ⊗ DIAMETER LED LED POWER

**PATENTED**  
ISO 9001 IP44 CE



**3D**  
*Branch trees  
with leds*

**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*

**123035.250**

- ⬆ 2,50m
- ⬅ 1,25m
- Ⓜ 117W

**123035.350**

- ⬆ 3,50m
- ⬅ 1,75m
- Ⓜ 216W

**123035.450**

- ⬆ 4,50m
- ⬅ 2,25m
- Ⓜ 304W

**123035.WH**



with or without  
plastic balls

**123035.GLRE**



**123035.BLSI**



**3D GLITTER  
PLASTIC BALLS**



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK



**3D** led ring tree

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

# LED RING TREE



# 3D

**123250.RE**


3m  
1,45m  
78W

**123250.WH**

3m  
1,45m  
78W

**123250.BL**

3m  
1,45m  
78W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



**124432.RE**

**124433.RE**



**124432**

4,50m  
1,40m  
683W


**124433**

6,50m  
2m  
943W



**124432.NI**

**124433.NI**



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH




DIAMETER



LED POWER

**3D**

# 3D cone tree



## 124426

↕ 2,80m  
↔ 0,72m  
LED 99W

## 124427

↕ 4m  
↔ 1m  
LED 178W

## 124428

↕ 5m  
↔ 1,32m  
LED 261W

## 124429

↕ 6m  
↔ 1,70m  
LED 392W

## 124430

↕ 7m  
↔ 2m  
LED 487W

## 124431

↕ 9,20m  
↔ 2,70m  
LED 732W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

*Illumination  
&  
Decoration*

**122591**

↕	11m
▢	50
⚡	550W

**122592**


↕	11m
▢	100
⚡	1.100W

**122593**

↕	11m
▢	150
⚡	1.650W



*Park and square decoration using LED*



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



NUMBER OF LINES



LED POWER

*without stand*



*with stand*



LED



*with stand*



## LED COME TREE

*with or without star*

### CO.TR.150

⬇️	1,50m
⬅️	0,45m
⚡	46W

### CO.TR.250

⬇️	2,50m
⬅️	0,72m
⚡	74W

### CO.TR.350

⬇️	3,50m
⬅️	1m
⚡	138W



**PATENTED**  
ISO 9001 IP44 CE




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

Illumination  
&  
Decoration

All 3D  
motifs  
can be made  
in any size

# 3D Balls



124444

↕ 3m  
↔ 2,80m

with 8 3D balls



without lights

124445

↕ 1,50m  
↔ 1,20m



124446

↕ 1,20m  
↔ 0,90m



124447

↕ 0,95m  
↔ 0,70m



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

# 3D



*with  
mat carpet*

**BALL 30.MAT**

☑ 0,30m  
LED 9W

**BALL 50.MAT**

☑ 0,50m  
LED 18W

**BALL 70.MAT**

☑ 0,70m  
LED 36W

**BALL 90.MAT**

☑ 0,90m  
LED 54W

**BALL 120.MAT**

☑ 1,20m  
LED 90W

**BALL 150.MAT**




☑ 1,50m  
LED 126W




**SC122**

☑ 1m  
LED 44W

**3D balls with carpet**



**3D balls with branch garland**



*with  
metallic carpet*

**BALL 30.MET**

☑ 0,30m  
LED 9W

**BALL 50.MET**

☑ 0,50m  
LED 18W

**BALL 70.MET**

☑ 0,70m  
LED 36W

**BALL 90.MET**

☑ 0,90m  
LED 54W

**BALL 120.MET**

☑ 1,20m  
LED 90W

**BALL 150.MET**

☑ 1,50m  
LED 126W

**SC127**

☑ 1m  
LED 44W

**PATENTED**  
ISO 9001 IP44 CE




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*



3D ball

*Can be made in any color*



3D ball with decorative crystal chain

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

### 3D BALLS with static LED lights

**BALL 30**

⊗ 0,30m  
⊞ 9W

**BALL 50**

⊗ 0,50m  
⊞ 18W

**BALL 70**

⊗ 0,70m  
⊞ 36W

**BALL 90**

⊗ 0,90m  
⊞ 54W

**BALL 120**

⊗ 1,20m  
⊞ 90W

**BALL 150**

⊗ 1,50m  
⊞ 126W

### 3D BALLS with flash LED lights

**BALL 30.FL**

⊗ 0,30m  
⊞ 9W

**BALL 50.FL**

⊗ 0,50m  
⊞ 18W

**BALL 70.FL**

⊗ 0,70m  
⊞ 36W

**BALL 90.FL**

⊗ 0,90m  
⊞ 54W

**BALL 120.FL**

⊗ 1,20m  
⊞ 90W

**BALL 150.FL**

⊗ 1,50m  
⊞ 126W

### 3D BALLS with static LED lights & decorative crystal chain

**BALL 30.CR**

⊗ 0,30m  
⊞ 9W

**BALL 50.CR**

⊗ 0,50m  
⊞ 18W

**BALL 70.CR**

⊗ 0,70m  
⊞ 36W

**BALL 90.CR**

⊗ 0,90m  
⊞ 54W

**BALL 120.CR**

⊗ 1,20m  
⊞ 90W

**BALL 150.CR**

⊗ 1,50m  
⊞ 126W

### 3D BALLS with flash LED lights & decorative crystal chain

**BALL 30.FL.CR**

⊗ 0,30m  
⊞ 9W

**BALL 50.FL.CR**

⊗ 0,50m  
⊞ 18W

**BALL 70.FL.CR**

⊗ 0,70m  
⊞ 36W

**BALL 90.FL.CR**

⊗ 0,90m  
⊞ 54W

**BALL 120.FL.CR**

⊗ 1,20m  
⊞ 90W

**BALL 150.FL.CR**

⊗ 1,50m  
⊞ 126W



HEIGHT



WIDTH



DIAMETER



LED POWER

3D



# 3D Balls

with or without  
decorative  
crystal chain and  
flash LED

## 123085

- ⊕ 0,83m
- ⊕ 0,45m
- ⊖ 44W

## 123085.CR

- ⊕ 0,83m
- ⊕ 0,45m
- ⊖ 44W

## 123085.FL

- ⊕ 0,83m
- ⊕ 0,45m
- ⊖ 44W

## 123085.FL.CR

- ⊕ 0,83m
- ⊕ 0,45m
- ⊖ 44W

## 123085



## 123076

## 123076

- ⊕ 0,82m
- ⊕ 0,45m
- ⊖ 33W

## 123076.FL

- ⊕ 0,82m
- ⊕ 0,45m
- ⊖ 33W

## 123076.CR

- ⊕ 0,82m
- ⊕ 0,45m
- ⊖ 33W

## 123076.FL.CR

- ⊕ 0,82m
- ⊕ 0,45m
- ⊖ 33W



## 123088

- ⊕ 1,05m
- ⊕ 0,40m
- ⊖ 55W

## 123088.CR

- ⊕ 1,05m
- ⊕ 0,40m
- ⊖ 55W

## 123088.FL

- ⊕ 1,05m
- ⊕ 0,40m
- ⊖ 55W

## 123088.FL.CR

- ⊕ 1,05m
- ⊕ 0,40m
- ⊖ 55W



Can be made in any color

**PATENTED**

ISO 9001 IP44 CE




**FOTODIESTASI®**  
 Festive Illumination Manufacturer

## 3D Motifs

Illumination  
&  
Decoration

All 3D  
motifs  
can be made  
in any size



3D Balls  
with metal stands

### 3D BALLS with static LED lights

**BALLST30**  
 0,30m  
 9W

**BALLST50**  
 0,50m  
 18W

**BALLST70**  
 0,70m  
 36W

**BALLST90**  
 0,90m  
 54W

**BALLST120**  
 1,20m  
 90W

**BALLST150**  
 1,50m  
 126W

### 3D BALLS with flash LED lights

**BALLST30.FL**  
 0,30m  
 9W

**BALLST50.FL**  
 0,50m  
 18W

**BALLST70.FL**  
 0,70m  
 36W

**BALLST90.FL**  
 0,90m  
 54W

**BALLST120.FL**  
 1,20m  
 90W

**BALLST150.FL**  
 1,50m  
 126W

### 3D BALLS with static LED lights & decorative crystal chain

**BALLST30.CR**  
 0,30m  
 9W

**BALLST50.CR**  
 0,50m  
 18W

**BALLST70.CR**  
 0,70m  
 36W

**BALLST90.CR**  
 0,90m  
 54W

**BALLST120.CR**  
 1,20m  
 90W

**BALLST150.CR**  
 1,50m  
 126W

### 3D BALLS with flash LED lights & decorative crystal chain

**BALLST30.FL.CR**  
 0,30m  
 9W

**BALLST50.FL.CR**  
 0,50m  
 18W


**BALLST70.FL.CR**  
 0,70m  
 36W

**BALLST90.FL.CR**  
 0,90m  
 54W

**BALLST120.FL.CR**  
 1,20m  
 90W

**BALLST150.FL.CR**  
 1,50m  
 126W

3D Balls  
with metal stands



Can be made in any color

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT




WIDTH



DIAMETER



LED POWER



**3D**

**121776.LED**

- ◀ 1,45m
- ▶ 1,05m
- LED 187W



# Hanging Balls

*Can be made in any color*

**121770.LED**


- ◀ 1m
- ▶ 1m
- LED 126W

**121771.LED**

- ◀ 1m
- ▶ 1m
- LED 126W

**121772.LED**


- ◀ 1m
- ▶ 1m
- LED 126W



**121771.LED**  
*green*

**121772.LED**  
*blue*


**3D** **121770.LED**  
*red*



**2D**

**121777.LED**


- ◀ 1,35m
- ▶ 1m
- LED 82W



**2D**

**121778.LED**

- ◀ 1,35m
- ▶ 1m
- LED 87W



**2D**

**121779.LED**

- ◀ 1,35m
- ▶ 1m
- LED 73W

**PATENTED**  
ISO 9001 IP44 CE





FOTODIESTASI®

Festive Illumination Manufacturer


## 3D Motifs

Illumination  
&  
DecorationAll 3D  
motifs  
can be made  
in any size124440.BL.270  
blue led

⬆️ 2,70m  
 ⬅️ 2,70m  
 Ⓜ️ 357W

124440.BL.170  
blue led

⬆️ 1,70m  
 ⬅️ 1,70m  
 Ⓜ️ 157W



## 124440.WW.270

warm white led

⬆️ 2,70m  
 ⬅️ 2,70m  
 Ⓜ️ 357W

## 124440.WW.170

warm white led

⬆️ 1,70m  
 ⬅️ 1,70m  
 Ⓜ️ 157W



## 124440.WH.270


white led

⬆️ 2,70m  
 ⬅️ 2,70m  
 Ⓜ️ 357W

## 124440.WH.170

white led

⬆️ 1,70m  
 ⬅️ 1,70m  
 Ⓜ️ 157W



## 124440.RE.270

red led

⬆️ 2,70m  
 ⬅️ 2,70m  
 Ⓜ️ 357W

## 124440.RE.170

red led

⬆️ 1,70m  
 ⬅️ 1,70m  
 Ⓜ️ 157W



## ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forb (s.k.).



HEIGHT



WIDTH



DIAMETER



LED POWER



**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®

Festive Illumination Manufacturer

## 3D Motifs

Illumination  
&  
DecorationAll 3D  
motifs  
can be made  
in any size

123091.WH

⬆️ 0,80m  
 ⬅️ 0,80m  
 LED 29W



123094.WH

⬆️ 0,60m  
 ⬅️ 0,60m  
 LED 22W

with or without  
decorative  
crystal chain

123096.WH

⬆️ 1,50m  
 ⬅️ 1,50m  
 LED 74W

123096.WW

⬆️ 1,50m  
 ⬅️ 1,50m  
 LED 74W



## ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT ⬅️ WIDTH ⊗ DIAMETER LED LED POWER

**123076.WN**

⇄ 0,82m  
 ⇄ 0,45m  
 LED 33W

**123097.WN**

⇄ 0,80m  
 ⇄ 0,36m  
 LED 33W

**123094.WN**


⇄ 0,60m  
 ⇄ 0,60m  
 LED 22W

**123097.WW**

⇄ 0,80m  
 ⇄ 0,36m  
 LED 33W

**123100.WN**

⇄ 2m  
 ⇄ 0,73m  
 LED 99W



# 3D motifs

with or without decorative crystal chain

**PATENTED**

ISO 9001 IP44 CE



With or without decorative crystal chain

**123110.WN**

⇄ 4,15m  
 ⇄ 0,82m  
 LED 231W



With or without decorative crystal chain

**123111.WW**


⇄ 4,15m  
 ⇄ 0,80m  
 LED 231W



With or without decorative crystal chain

**123112.WN**

⇄ 4,15m  
 ⇄ 0,80m  
 LED 220W



# 3D

FOTODIESTASI®  
Festive Illumination Manufacturer

3D Motifs

Illumination  
&  
Decoration

Swags  
with LED's



123261.WH

- ⬇ 2,30m
- ⬇ 0,90m
- ⬅ 33W



123263.BL

- ⬇ 2,30m
- ⬇ 0,90m
- ⬅ 33W



123260.WW

- ⬇ 2,30m
- ⬇ 0,90m
- ⬅ 33W



123262.RE

- ⬇ 2,30m
- ⬇ 0,90m
- ⬅ 33W



ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER




# 3D swags

with led rope light and metallic carpet

**123130.WH**

0,80m  
0,37m  
19W



**123130.WW**

0,80m  
0,37m  
19W

**123133.WH**


0,82m  
0,45m  
19W



Can be made in any size

**123136.WH**

2m  
0,73m  
43W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*




**122551.WW**  
warm white led

⬆ 0,70m  
⬅ 1,30m  
Ⓜ 68W

**122553.WW**  
warm white led

⬆ 1m  
⬅ 1,25m  
Ⓜ 65W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

**3D**

# 3D

**12960.WH**  
white led



**12960.WH**  
white led

1,45m  
2m  
132W



**121814.WH**  
white led

1,90m  
1,20m  
86W

# 3D

**121814.WH**  
white led



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
&  
Decoration*

*All 3D  
motifs  
can be made  
in any size*

121743  
121744  
121745  
121746

⬇ 2m  
⬅ 1m  
⊞ 422W



**3D  
Chandelier**

**LED**

121747  
121748  
121749  
121750

⬇ 2m  
⬅ 1,50m  
⊞ 528W



121753  
121754

⬇ 0,75m  
⬅ 1,10m  
⊞ 150W



121757  
121758

⬇ 0,80m  
⬅ 1,40m  
⊞ 52W



121749  
green


121748  
pink

121750  
blue

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇ HEIGHT ⬅ WIDTH ⊞ DIAMETER ⊞ LED LED POWER




**121756**  
*in blue*

**121755**  
*warm white*


**121755**  
**121756**

↕ 1,50m  
↔ 1,50m  
⏏ 271W



**12980**

↕ 1,30m  
↔ 1,25m  
⏏ 96W



**12980.BA**

↕ 1,30m  
↔ 1,25m  
⏏ 96W



**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®

Festive Illumination Manufacturer

3D Motifs

Illumination  
&  
Decoration

All 3D  
motifs  
can be made  
in any size



123176.WW

1.45m  
2.10m  
192W

123177.WH

1.45m  
2.10m  
192W



123176.WW

warm white led

123177.WH  
white led

3D plastic  
glitter balls



121752.WW


1m  
1.30m  
92W

124450.WW

1.45m  
2.10m  
176W

124451.BI

1.45m  
2.10m  
176W



124450.WW

warm white led

124451.BI  
blue led

3D plastic  
glitter balls



3D



ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH




DIAMETER



LED POWER

Extendable in height



**123201**  
*red metallic carpet*

**123200**  
*blue metallic carpet*

### 123200

- ⊕ 1m
- ⊕ 0,45m
- ⊖ 22W

### 123201

- ⊕ 1m
- ⊕ 0,45m
- ⊖ 22W

# 3D Chandelier

### 123270.WH


- ⊕ 3,05m
- ⊕ 1,25m
- ⊖ 144W

### 123270.WW

- ⊕ 3,05m
- ⊕ 1,25m
- ⊖ 144W



**123270.WH**  
*white led*



**123270.WW**  
*warm white led*



**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®

Festive Illumination Manufacturer

3D Motifs

Illumination  
&  
Decoration

All 3D  
motifs  
can be made  
in any size

3D

122700  
3D snowman II

⬆ 2.25m  
⬅ 1m  
Ⓛ 66W

3D  
Snowman



122701  
3D Santa Claus

⬆ 2.25m  
⬅ 1m  
Ⓛ 66W

3D  
Santa Claus



ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER

**2D****12983****12981**

- ↕ 1,50m
- ↕ 0,30m
- LED 8W

**12982**

- ↕ 2,30m
- ↕ 0,48m
- LED 20W

**12983**

- ↕ 3m
- ↕ 0,60m
- LED 28W

**12986**

- ↕ 3m
- ↕ 0,60m
- LED 28W

**12981****12982****12984****12984**

- ↕ 1,50m
- ↕ 0,30m
- LED 8W

**12985**

- ↕ 2,30m
- ↕ 0,48m
- LED 20W

**12986**

- ↕ 3m
- ↕ 0,60m
- LED 28W

**2D****12985****121807**

- ↕ 1m
- ↕ 0,33m
- LED 19W

**121809**

- ↕ 1,50m
- ↕ 0,50m
- LED 24W

**121805**

- ↕ 0,70m
- ↕ 0,15m
- LED 10W

**121798**  
**121799**  
**121800**

- ↕ 0,55m
- ↕ 0,40m
- LED 14W

**121801**  
**121802**  
**121803**

- ↕ 0,70m
- ↕ 0,55m
- LED 24W

**3D****121799**  
**121802****121798**  
**121801****121800**  
**121803****3D****121804**

- ↕ 0,70m
- ↕ 0,15m
- LED 10W

**121806**

- ↕ 1m
- ↕ 0,33m
- LED 19W

**121808**

- ↕ 1,50m
- ↕ 0,50m
- LED 24W

**3D****121808****121804****121806****PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer


**3D Motifs**

*Illumination  
&  
Decoration*

*Park and square  
decoration  
using LED*

**124443**

⬆ 7m  
⬅ 8m  
Ⓛ 870W



**124442R right**

⬆ 3,50m  
⬅ 3m  
Ⓛ 199W

**124442L left**

⬆ 3,50m  
⬅ 3m  
Ⓛ 199W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER



LED POWER





12988

- ↕ 3,50m
- ↔ 3,10m
- 💡 150W


12987

- ↕ 3,50m
- ↔ 5,40m
- 💡 240W



12989

- ↕ 3,50m
- ↔ 5,70m
- 💡 294W



PATENTED

ISO 9001 IP44 CE





**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**3D Motifs**

*Illumination  
 &  
 Decoration*

*All 3D  
 motifs  
 can be made  
 in any size*

**3D**



122527

**3D**

122526



122525

**3D**

122526

- ⬆ 2m
- ⬅ 0,40m
- ⊗ 33W


122527

- ⬆ 4m
- ⬅ 0,70m
- ⊗ 88W



122525

- ⬆ 2,50m
- ⬅ 3m
- ⊗ 250W



**ATTENTION**

All our motifs are protected by the OS (or by the WIPO) (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written permission from us is strictly forbidden.

- ⬆ HEIGHT
- ⬅ WIDTH
- ⊗ DIAMETER
- ⊗ LED POWER

121502

↕ 4,70m  
↔ 3,30m  
LED 411W

Warm White LED




Park & square decoration



121836

↕ 2,60m  
↔ 2,90m  
LED 466W

121836



124455

↕ 7m  
↔ 8m  
LED 946W

124455



PATENTED  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Motifs**

**Illumination  
&  
Decoration**

*All 3D  
motifs  
can be made  
in any size*

**3D**



**121706** with mat carpet

↕ 2,20m  
↔ 1,60m  
⊗ 121W



**121707** with mat carpet

↕ 2,20m  
↔ 1,60m  
⊗ 121W



**121705** with mat carpet

↕ 2,20m  
↔ 1,60m  
⊗ 121W



**3D**  
angels  
with mat carpet

**121709** with mat carpet

↕ 2,20m  
↔ 1,60m  
⊗ 121W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

↕ HEIGHT

↔ WIDTH

⊗ DIAMETER

⊞ LED POWER



*Can be made in any color*

# 3D

## angels with metallic carpet

**122500**

2,20m  
 1,60m  
 LED 121W



*with metallic carpet*



*with metallic carpet*

**122501**

2,20m  
 1,60m  
 LED 121W

**122503**

2,20m  
 1,60m  
 LED 121W



*with metallic carpet*



*with metallic carpet*

**122504**

2,20m  
 1,60m  
 LED 121W

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Motifs

Illumination  
&  
Decoration

All 3D  
motifs  
can be made  
in any size



## Small Angels

### 3D



121712

121715

121711

121714

121717

121711-121712

121714-121715-121717

1,25m

1m

55W

#### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

HEIGHT

WIDTH

DIAMETER

LED POWER

with metallic carpet



122508  
122514

122519  
122521

122518  
122520

3D

122509  
122510  
122511  
122512

1,60m  
1,65m  
68W

122514  
122515  
122516  
122517

1m  
1,05m  
41W

122518  
122519

1,60m  
1,65m  
61W

122520  
122521

1m  
1,05m  
35W



122510  
122515

122511  
122516

122512  
122517

with metallic carpet

3D



3D

121721.WW

121723.GR

121722.BL


with mat carpet

121721.WW  
121722.BL  
121723.GR

1m  
1,05m  
41W

121718.GR  
121719.BL  
121720.WW

1,05m  
1,05m  
46W



with mat carpet

121719.BL

121720.WW

121718.GR

PATENTED  
ISO 9001 IP44 CE




3D

3D



# THREE-DIMENSIONAL PLASTIC FIGURES

3D





3D Figures

Illumination  
&  
Decoration

**NATIVITY SET IN GIANT SIZE WITH CRIB**

3D



**NATIVITY SET IN  
GIANT SIZE**



**PRODUCT No : FIG.SET.GIANT**

**DESCRIPTION : NATIVITY SET IN GIANT SIZE**  
Height of bigger figure : 1,84m



**PRODUCT No : CRIB.GIANT**

**DESCRIPTION : CRIB IN GIANT SIZE**  
**HEIGHT : 2,25m**  
**WIDTH : 2,70m**  
**LENGTH : 1,55m**

**WEIGHT: 70 Kg**

3D

## NATIVITY SET IN LARGE SIZE WITH CRIB

# 3D

### NATIVITY SET IN LARGE SIZE



**PRODUCT No : FIG.SET.LARGE**

**DESCRIPTION : NATIVITY SET IN LARGE SIZE**  
Height of bigger figure : 1,40m



**PRODUCT No : CRIB.LARGE**

**DESCRIPTION : CRIB IN LARGE SIZE**  
HEIGHT : 1,65m  
WIDTH : 2,25m  
LENGTH : 1m

**WEIGHT : 43Kgr**

### INSTALLATION OF CRIB.....in less than 30 seconds



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Figures

*Illumination  
&  
Decoration*



**PRODUCT No : HOUSE.RE**

**DESCRIPTION:**  
CHRISTMAS HOUSE IN RED METALLIC COLOR

**WEIGHT :** 70Kgr  
**HEIGHT :** 2,25m **WIDTH :** 2,70m **LENGTH :** 1,55m



**PRODUCT No : HOUSE.GO**

**DESCRIPTION:**  
CHRISTMAS HOUSE IN GOLD METALLIC COLOR

**WEIGHT :** 70Kgr  
**HEIGHT :** 2,25m **WIDTH :** 2,70m **LENGTH :** 1,55m

**3D**



**Installation of Christmas House ....**

*in less than 30 seconds*

step 1



step 2



step 3



step 4



step 5



**3D**

Create your Christmas House !!!



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## 3D Figures

*Illumination  
&  
Decoration*

# Santa Claus with gifts

PRODUCT CODE No : FIG.SANTA.GIFT.185

DESCRIPTION : SANTA CLAUS WITH GIFTS

HEIGHT : 1,85m

WIDTH : 0,33m

LENGTH : 1,33m

GROSS WEIGHT : 55Kgrs



# 3D



# 3D



PRODUCT CODE No : FIG.SANTA.WORK.148

DESCRIPTION : SANTA'S WORKSHOP

HEIGHT : 1,48m

WIDTH : 0,63m

LENGTH : 1,05m

GROSS WEIGHT : 58Kgrs

Santa's  
Workshop

3D



**FOTODIESTASI®**  
Festive Illumination Manufacturer

### 3D Figures

Illumination  
&  
Decoration

# 3D

Santa  
on throne

**PRODUCT CODE No : FIG.SANTA.THRO.135**

**DESCRIPTION : SANTA ON THRONE**

**HEIGHT : 1,35m**

**WIDTH : 0,68m**

**LENGTH : 1,98m**

**GROSS WEIGHT : 45Kgrs**



elf pulling  
reindeer



**PRODUCT CODE No : FIG.ELF.REIND.149**

**DESCRIPTION : ELF PULLING REINDEER**

**HEIGHT : 1,49m**

**WIDTH : 0,71m**

**LENGTH : 1,19m**

**GROSS WEIGHT : 27Kgrs**



# 3D



**PRODUCT CODE No : FIG.SA.RE.LAMP.186**

**DESCRIPTION : SANTA & REINDEER WITH LAMP POST**

**HEIGHT : 1,86m**

**WIDTH : 0,75m**

**LENGTH : 1,00m**

**GROSS WEIGHT : 46Kgrs**

*Santa  
and  
reindeer  
with  
lamp post*





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**3D Figures**

*Illumination  
&  
Decoration*

**3D**

## Santa sitting

**PRODUCT CODE No : FIG.SANTA.SIT.093**

**DESCRIPTION : SANTA SITTING**

**HEIGHT : 0.93m**

**WIDTH : 0.93m**

**LENGTH : 0.90m**

**GROSS WEIGHT : 15Kgrs**



not included

**3D**

**PRODUCT CODE No : FIG.SANTA.BEARD.096**

**DESCRIPTION : SANTA CLAUS SITTING WITH BEARD**

**HEIGHT : 0,96m**

**WIDTH : 1,03m**

**LENGTH : 0,65m**

**GROSS WEIGHT : 16Kgrs**

*Santa Claus  
sitting  
with beard*



not included

**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**3D Figures**

*Illumination  
 &  
 Decoration*



**PRODUCT CODE No : FIG.THRONE.132**

**DESCRIPTION : THRONE**

**HEIGHT : 1,32m**

**WIDTH : 0,78m**

**LENGTH : 0,50m**

**GROSS WEIGHT : 31Kgrs**

**3D**

**PRODUCT CODE No : FIG.SANTA.BOOK.117**

**DESCRIPTION : SANTA CLAUS SITTING WITH BOOK**

**HEIGHT : 1,17m**

**WIDTH : 1,00m**

**LENGTH : 0,50m**

**GROSS WEIGHT : 18Kgrs**



not included

**3D**

**PRODUCT CODE No : FIG.SANTA.KNEE.123**


**DESCRIPTION : SANTA CLAUS KNEELING**

**HEIGHT : 1,23m**

**WIDTH : 0,78m**

**LENGTH : 0,70m**

**GROSS WEIGHT : 23Kgrs**



**3D**



**PRODUCT CODE No : FIG.SANTA.ICE.103**

**DESCRIPTION : SANTA ON ICE**

**HEIGHT : 1,03m**

**WIDTH : 0,68m**

**LENGTH : 0,65m**

**GROSS WEIGHT : 32Kgrs**



FOTODIESTASI®  
Festive Illumination Manufacturer

3D Figures

Illumination  
&  
Decoration

3D

3D

PRODUCT CODE No : FIG.SANTA.STAND.190

DESCRIPTION : SANTA CLAUS WITH BELL

HEIGHT : 1,90m

WIDTH : 0,82m

LENGTH : 0,84m

GROSS WEIGHT : 42Kgrs



**PRODUCT CODE No : FIG.BENCH.104**

**DESCRIPTION : CHRISTMAS BENCH**

**HEIGHT : 1,04m**

**WIDTH : 0,93m**

**LENGTH : 1,94m**

**GROSS WEIGHT : 70Kgrs**



**PRODUCT CODE No : FIG.SANTA.BENCH.087**


**DESCRIPTION : SANTA SITTING ON X'MAS BENCH**

**HEIGHT : 0,87m**

**WIDTH : 0,07m**

**LENGTH : 1,69m**

**GROSS WEIGHT : 35Kgrs**



**CHRISTMAS BENCH  
&  
SANTA SITTING ON X'MAS BENCH**

**FOTODIESTASI®**  
Festive Illumination Manufacturer

3D Figures

Illumination  
&  
Decoration



PRODUCT CODE No : FIG.SANTAOCHIM.154

DESCRIPTION : SANTA COMING OUT A CHIMNEY


HEIGHT : 1,54m

WIDTH : 0,42m

LENGTH : 1,19m

GROSS WEIGHT : 47Kgrs

3D



PRODUCT CODE No : FIG.SANTANCHIM.105

DESCRIPTION : SANTA STANDING BESIDE A CHIMNEY

HEIGHT : 1,05m

WIDTH : 0,50m

LENGTH : 1,30m

GROSS WEIGHT : 43Kgrs



3D



with lamp

with lamp



3D

**PRODUCT No : FIG.SANTA.LAMP.209**

**DESCRIPTION : SANTA CLAUS WITH LAMP POST**

**HEIGHT : 2,09m**

**WIDTH : 0,93m**

**LENGTH : 0,80m**

**GROSS WEIGHT : 33,5kgrs**

**PRODUCT CODE No : FIG.LAMP.POST.204**

**DESCRIPTION : LAMP POST WITH SNOW**

**HEIGHT : 2,04m**

**WIDTH : 0,45m**

**LENGTH : 0,45m**

**GROSS WEIGHT : 14Kgrs**





**FOTODIESTASI®**  
Festive Illumination Manufacturer

### 3D Figures

*Illumination  
&  
Decoration*

# 3D



**PRODUCT CODE No : FIG.REIND.ELVES.136**

**DESCRIPTION : REINDEER STANDING WITH ELVES**

**HEIGHT : 1,36m  
WIDTH : 0,55m  
LENGTH : 1,12m**

**GROSS WEIGHT : 31Kgrs**

**PRODUCT CODE No : FIG.SANTA.REIN.127**

**DESCRIPTION : REINDEER STANDING WITH SANTA**

**HEIGHT : 1,27m  
WIDTH : 0,80m  
LENGTH : 1,15m**

**GROSS WEIGHT : 20Kgrs**



# 3D

# 3D

**PRODUCT CODE No : FIG.CANDLE.177**

**DESCRIPTION : CANDLE WITH RIBBON**

**HEIGHT : 1,77m**

**WIDTH : 0,67m**

**LENGTH : 0,67m**

**GROSS WEIGHT : 16Kgrs**

**PRODUCT CODE No : FIG.CANDLE.122**

**DESCRIPTION : CANDLE WITH RIBBON**

**HEIGHT : 1,22m**

**WIDTH : 0,47m**

**LENGTH : 0,47m**

**GROSS WEIGHT : 12Kgrs**

*with lamp*

*with lamp*

**PRODUCT CODE No : FIG.SANTA.CAND.186**

**DESCRIPTION : SANTA SITTING WITH CANDLE**

**HEIGHT : 1,86m**

**WIDTH : 0,85m**

**LENGTH : 1,32m**

**GROSS WEIGHT : 36Kgrs**



FOTODIESTASI®

Festive Illumination Manufacturer

## 3D Figures

Illumination  
&  
Decoration

PRODUCT CODE No : FIG.SNOWMAN.098

DESCRIPTION : SNOWMAN

HEIGHT : 0,98m

WIDTH : 0,58m

LENGTH : 0,58m

GROSS WEIGHT : 16Kgrs

3D



PRODUCT CODE No : FIG.CHRIS.TREE.192

DESCRIPTION : CHRISTMAS TREE WITH CANDLE HOLDER

HEIGHT : 1,92m

WIDTH : 0,45m

LENGTH : 1,25m

GROSS WEIGHT : 36Kgrs



candle

3D



**PRODUCT No : FIG.SNOW.CHILD.154**

**DESCRIPTION : SNOWMAN WITH CHILD & BIRD**

**HEIGHT : 1,54m**

**WIDTH : 1,05m**

**LENGTH : 0,91m**

**GROSS WEIGHT : 37Kgrs**

*candle*



**PRODUCT CODE No : FIG.CHRIS.TREE.091**

**DESCRIPTION : CHRISTMAS TREE WITH CANDLE HOLDER**

**HEIGHT : 0,91m**

**WIDTH : 0,63m**

**LENGTH : 0,23m**

**GROSS WEIGHT : 8Kgrs**



**3D**

**FOTODIAGNOSTI®**  
Festive Illumination Manufacturer

3D Figures

*Illumination  
&  
Decoration*

3D

**PRODUCT CODE No : FIG.SLEDGE.095**


**DESCRIPTION : SLEDGE WITH RIBBON**

**HEIGHT : 0,95m**

**WIDTH : 1,60m**

**LENGTH : 0,62m**

**GROSS WEIGHT : 66Kgrs**



**PRODUCT No : FIG.REINDEER.110**

**DESCRIPTION : REINDEER LONG HORN**

**HEIGHT : 1,10m**

**WIDTH : 1,30m**

**LENGTH : 0,60m**

**GROSS WEIGHT : 22Kgrs**

3D



**PRODUCT No : FIG.BAMBI.096**

**DESCRIPTION : BAMBI**

**HEIGHT : 0,96m**

**WIDTH : 0,34m**

**LENGTH : 1,10m**

**GROSS WEIGHT : 13Kgrs**



**3D**



**PRODUCT CODE No : FIG.SANTA.FLY.071**

**DESCRIPTION : SANTA FLYING**

**HEIGHT : 0,71m**

**WIDTH : 1,93m**

**LENGTH : 0,48m**

**GROSS WEIGHT : 27Kgrs**

**FOTODIASTASI®**  
Festive Illumination Manufacturer

3D Figures

Illumination  
&  
Decoration

3D



**PRODUCT CODE No : FIG.CLOWN.BOY.102**

**DESCRIPTION : CLOWN BOY WITH VIOLIN**

**HEIGHT : 1,02m**

**WIDTH : 0,53m**

**LENGTH : 0,42m**

**GROSS WEIGHT : 12Kgrs**



**FIG.CLOWN.102**

**CLOWN WITH BOARD**

**HEIGHT : 1,02m**

**WIDTH : 0,02m**

**LENGTH : 0,62m**

**GROSS WEIGHT : 29Kgrs**



3D

3D

**PRODUCT CODE No : FIG.CLOWN.VIOL.162**

**DESCRIPTION : CLOWN WITH VIOLIN**

**HEIGHT : 1,62m**

**WIDTH : 0,49m**

**LENGTH : 0,56m**

**GROSS WEIGHT : 19Kgrs**



**FIG.CLOWN.SAXO.100**

**CLOWN WITH SAXOPHONE**

**HEIGHT : 1,00m**

**WIDTH : 0,46m**

**LENGTH : 0,39m**

**GROSS WEIGHT : 5Kgrs**





# FACADE DECORATION...





## FACADE DECORATION *with LED mini lights*



FOTODIESTASI®  
Festive Illumination Manufacturer

Facade

**FACADE**

Collection



**12911.RE.200.LED**

- ⊕ 2m
- ⊕ 2m
- ⊕ 106W

**12911.RE.300.LED**

- ⊕ 3m
- ⊕ 3m
- ⊕ 151W

**12911.RE.400.LED**

- ⊕ 4m
- ⊕ 4m
- ⊕ 244W

**12912.RE.60.LED**

- ⊕ 0,60m ⊕ 2m ⊕ 18W

**12912.RE.75.LED**

- ⊕ 0,75m ⊕ 2m ⊕ 22W

**12912.RE.90.LED**

- ⊕ 0,90m ⊕ 2m ⊕ 27W

**12911.G0.200.LED**

- ⊕ 2m
- ⊕ 2m
- ⊕ 106W

**12911.G0.300.LED**

- ⊕ 3m
- ⊕ 3m
- ⊕ 151W

**12911.G0.400.LED**

- ⊕ 4m
- ⊕ 4m
- ⊕ 244W

**12912.G0.60.LED**


- ⊕ 0,60m ⊕ 2m ⊕ 18W

**12912.G0.75.LED**

- ⊕ 0,75m ⊕ 2m ⊕ 22W

**12912.G0.90.LED**

- ⊕ 0,90m ⊕ 2m ⊕ 27W

**12914.RE.LED****12914.150.LED**

- ⊕ 1,50m ⊕ 45W

**12914.200.LED**

- ⊕ 2m ⊕ 63W

**12914.250.LED**

- ⊕ 2,50m ⊕ 90W

**12914.300.LED**

- ⊕ 3m ⊕ 112W

**12914.400.LED**

- ⊕ 4m ⊕ 168W

**12914.BL.LED****12914.G0.LED****12914.SI.LED****PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**

Festive Illumination Manufacturer

**Facade**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12918.150.LED**

⊕ 1,50m ⊕ 1,55m **LED** 65W

**12918.200.LED**

⊕ 2m ⊕ 2,05m **LED** 80W

**12918.250.LED**

⊕ 2,50m ⊕ 2,55m **LED** 98W

**12918.300.LED**

⊕ 3m ⊕ 3,05m **LED** 112W

**12918.400.LED**

⊕ 4m ⊕ 4,05m **LED** 150W

**12918.500.LED**

⊕ 5m ⊕ 5,07m **LED** 195W



**12921.150.LED**

⊕ 1,50m ⊕ 1,30m **LED** 60W

**12921.200.LED**

⊕ 2m ⊕ 1,75m **LED** 85W

**12921.250.LED**

⊕ 2,50m ⊕ 2,15m **LED** 105W

**12921.300.LED**

⊕ 3m ⊕ 2,60m **LED** 125W

**12921.400.LED**

⊕ 4m ⊕ 3,50m **LED** 160W

**12921.500.LED**

⊕ 5m ⊕ 4,35m **LED** 220W



**12919.150.LED**

⊕ 1,50m ⊕ 1,55m **LED** 40W

**12919.250.LED**

⊕ 2,50m ⊕ 2,55m **LED** 70W

**12919.400.LED**

⊕ 4m ⊕ 4,05m **LED** 110W



**12920.150.LED**

⊕ 1,50m ⊕ 1,55m **LED** 24W

**12920.240.LED**

⊕ 2,40m ⊕ 2,50m **LED** 39W

**12920.375.LED**

⊕ 3,75m ⊕ 3,90m **LED** 60W

**12919.200.LED**

⊕ 2m ⊕ 2,05m **LED** 54W

**12919.300.LED**

⊕ 3m ⊕ 3,05m **LED** 90W

**12919.500.LED**

⊕ 5m ⊕ 5,07m **LED** 150W

**12920.200.LED**

⊕ 2m ⊕ 2,10m **LED** 33W

**12920.280.LED**

⊕ 2,80m ⊕ 2,90m **LED** 45W

**12920.465.LED**

⊕ 4,65m ⊕ 4,80m **LED** 75W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization). Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.




HEIGHT



LENGTH



LED POWER



#### 12922.150.LED

1,50m 1,15m 15W

#### 12922.200.LED

2m 1,55m 18W

#### 12922.250.LED

2,50m 1,90m 22W

#### 12922.300.LED

3m 2,20m 30W

#### 12922.400.LED

4m 3m 36W

#### 12922.500.LED

5m 3,80m 48W



**PATENTED**

ISO 9001 IP44 CE



FOTODIESTASI®  
Festive Illumination Manufacturer

Facade


Illumination  
&  
Decoration

All motifs  
can be made  
in any size

Welkom in

Create your message...

de Steenstraat



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER






**PATENTED**

ISO 9001 IP44 CE



## FACADE DECORATION



First Christmas  
*by Rosenau*




FOTODIESTASI®  
Festive Illumination Manufacturer




## Childhood Motifs childhood collection

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



3D  
motifs



**B2+A2**  
Column motifs  
and  
Across street motifs

## Quality control to Guarantee

- *Environment protection*
- *Design & Innovation*
- *Low energy consumption*
- *Low heat emitting*
- *Long lifetime*
- *High luminous efficiency*
- *High quality LED rope light*
- *High quality LED light chains*
- *Certified & patented LED*
- *Registered European Patents*
- *CE European standards*
- *ISO 9001 : 2008*



# A2+B2




# PLEXI GLASS *Collection*

## Column motifs

.....page 156-163

## Across street motifs

.....page 164-171





**FOTODIESTASI®**  
 Festive Illumination Manufacturer

# PLEXI GLASS COLLECTION

## Column Motifs

Illumination  
 &  
 Decoration

All motifs  
 can be made  
 in any size




**12862.B2.02**

⬆️ 2,50m  
 ⬅️ 0,65m  
 ⚡️ 34W

**12861.B2.02**

⬆️ 2,50m  
 ⬅️ 0,80m  
 ⚡️ 48W

*All motifs  
 can be made  
 in any color*



**12863.B2.02**

⬆️ 2,50m  
 ⬅️ 0,90m  
 ⚡️ 58W

**12898.B2.02**

⬆️ 1,20m  
 ⬅️ 0,60m  
 ⚡️ 24W

**12860.B2.02**

⬆️ 2,50m  
 ⬅️ 0,65m  
 ⚡️ 34W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.


⬆️ HEIGHT

⬅️ LENGTH

⚡️ LED POWER

# B2

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12864.B2.02**

⬆	2,20m
⬅	0,70m
⚡	27W



**12865.B2.02**

⬆	2,20m
⬅	0,95m
⚡	21W



**12866.B2.02**


⬆	2,25m
⬅	1m
⚡	31W



**12867.B2.02**


⬆	2,20m
⬅	0,70m
⚡	35W

All motifs can be made  
in any color



**12868.B2.02**

⬆	2,20m
⬅	1,20m
⚡	54W



**12869.B2.02**

⬆	2m
⬅	0,70m
⚡	44W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**PATENTED**  
ISO 9001 IP44 CE



**12870.B2.02**

⊕ 2,20m  
⊖ 0,75m  
⊞ 40W



**12871.B2.02**

⊕ 2,30m  
⊖ 0,80m  
⊞ 40W



**12872.B2.02**

⊕ 2,50m  
⊖ 0,75m  
⊞ 33W



**12873.B2.02**

⊕ 2m  
⊖ 0,80m  
⊞ 36W



**12874.B2.02**

⊕ 2,50m  
⊖ 1m  
⊞ 51W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12875.B2.02**

↕	2,25m
↔	0,80m
LED	24W



**12876.B2.02**

↕	2,20m
↔	1m
LED	21W



**12877.B2.02**


↕	2,25m
↔	0,85m
LED	36W



**12878.B2.02**

↕	2m
↔	0,85m
LED	21W

All motifs can be made  
in any color



**12879.B2.02**

↕	2,20m
↔	1m
LED	30W



**12880.B2.02**

↕	2,55m	↕	1,50m
↔	1,05m	↔	0,60m
LED	62W	LED	40W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**12881.B2.02**

± 2,30m  
± 0,95m  
LED 45W



**12882.B2.02**

± 2,20m  
± 0,65m  
LED 39W



**12883.B2.02**

± 2,30m  
± 0,80m  
LED 36W



**12884.B2.02**

± 2,20m  
± 1m  
LED 18W



**12885.B2.02**

± 2,20m  
± 1m  
LED 44W



**12886.B2.02**

± 2,30m  
± 1m  
LED 50W




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



All motifs can be made  
in any color



**12887.B2.02**

⊕ 2,20m  
⊕ 0,95m  
LED 36W



**12888.B2.02**

⊕ 2m  
⊕ 1,10m  
LED 45W



**12889.B2.02**

⊕ 2m  
⊕ 0,85m  
LED 36W



**12890.B2.02**

⊕ 2,70m  
⊕ 1,40m  
LED 44W



**12891.B2.02**

⊕ 2,20m  
⊕ 0,85m  
LED 21W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**12892.B2.02**

⊕	2,20m
⊕	1m
⊖	21W

**12893.B2.02**

⊕	2,20m
⊕	0,94m
⊖	27W

**12894.B2.02**

⊕	2,50m	⊕	2m
⊕	1,10m	⊕	0,90m
⊖	42W	⊖	27W

**12895.B2.02**


⊕	2m
⊕	0,75m
⊖	20W

**12896.B2.02**

⊕	1,40m
⊕	1,40m
⊖	42W

**12897.B2.02**

⊕	1,40m
⊕	1,40m
⊖	24W

**PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

*Across Street  
Motifs*



*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*




**12640A2**

◀ 5m  
⬇ 0,65m  
LED 68W



**12641A2**

◀ 5m  
⬇ 0,80m  
LED 96W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER


**A2**

**PATENTED**  
ISO 9001 IP44 CE



**12642.A2**

5m  
0,90m  
116W



**12643.A2**

5m  
0,65m  
68W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Across Street Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12644.A2**

◀ 4,60m  
⬇ 0,80m  
LED 80W



**12645.A2**

◀ 4,40m  
⬇ 0,70m  
LED 54W



**12646.A2**

◀ 5m  
⬇ 1m  
LED 102W

All motifs can be made  
in any color

# A2

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER




**12647.A2**

↔ 4,40m  
⊕ 0,95m  
Ⓜ 42W



**12648.A2**

↔ 4,50m  
⊕ 1m  
Ⓜ 62W



**12649.A2**

↔ 4,40m  
⊕ 0,70m  
Ⓜ 70W



**12650.A2**

↔ 5m  
⊕ 0,75m  
Ⓜ 66W




**12651.A2**

↔ 4,40m  
⊕ 0,75m  
Ⓜ 80W



**12652.A2**

↔ 4m  
⊕ 0,80m  
Ⓜ 72W





**FOTODIESTASI®**  
 Festive Illumination Manufacturer

## Across Street Motifs

 Illumination  
&  
 Decoration

*All motifs  
can be made  
in any size*


**12653.A2**

 4,50m  
 0,80m  
 48W

**12654.A2**

 4,40m  
 1m  
 42W

**12655.A2**

 4m  
 0,85m  
 42W

**12656.A2**

 3m  
 0,80m  
 80W

 5,10m  
 1m  
 138W

\*FALLING TUBES INCLUDED


**12657.A2**

 4,40m  
 1m  
 60W

**ATTENTION**

 All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

LENGTH

HEIGHT

LED POWER

# A2




**12658.A2**

⊕ 4,40m  
⊖ 0,65m  
LM 78W




**12659.A2**

⊕ 4,60m  
⊖ 1m  
LM 100W



**12660.A2**

⊕ 4,60m  
⊖ 0,95m  
LM 90W



**12661.A2**

⊕ 4,50m  
⊖ 0,85m  
LM 72W




**12662.A2**

⊕ 4,40m  
⊖ 1m  
LM 36W



**12663.A2**

⊕ 4,60m  
⊖ 0,80m  
LM 72W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12664.A2**

◀	4m
⬇	1,10m
Ⓜ	90W



**12665.A2**

◀	4,40m
⬇	0,94m
Ⓜ	54W




**12666.A2**

◀	5m	◀	4m
⬇	1,10m	⬇	0,90m
Ⓜ	84W	Ⓜ	54W




**12667.A2**

◀	4,40m
⬇	0,85m
Ⓜ	42W



**12668.A2**

◀	4,40m
⬇	1m
Ⓜ	42W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



LENGTH




HEIGHT




LED POWER

**A2**



#### 12669.A2

 4,40m  
 0,95m  
 72W



#### 12670.A2

 4m  
 0,75m  
 40W



#### 12671.A2

 4m  
 0,85m  
 72W

**PATENTED**  
ISO 9001 IP44 CE



## Quality control & Guarantee

- Environment protection
- Design & Innovation
- Low energy consumption
- Low heat emitting
- Long lifetime
- High luminous efficiency
- High quality LED rope light
- High quality LED light chains
- Certified & patented LED
- Registered European Patents
- CE European standards
- ISO 9001 : 2008



# A2

# Across Street Motifs

PATENTED

ISO 9001 IP44 CE



## Classic Collection

.....page 174-221

## Christmas Collection

.....page 222-267

Aluminium across street motifs with rope light

### TECHNICAL DATA

Voltage:	220-240V
Construction:	Aluminium 100%
Structure material:	FOTODIASTASI rope light K' quality
Conductors:	Waterproof boxes IP55 with embossed cable glands and earth Rubber wires VDE approved
Wires:	HOSRN - FZX1mm <sup>2</sup> HOSRN - FZX1mm <sup>2</sup>
IP:	IP44 - IP54
Licensed:	CE

Aluminium Motivketten mit Leuchtkabel

### TECHNISCHE SPEZIFIKATIONEN

Betriebsspannung:	220-240V
Konstruktion:	100% Aluminium
Material:	Kompaktes Leuchtkabel von FOTODIASTASI erster Qualität
Stromanschlüsse:	Wasserdichte Gehäuse IP55 mit integrierter Stopfbuchse und Erdung
Anschlusskabel:	Gummikabel, VDE-geprüft, HOSRN - FZX1mm <sup>2</sup> HOSRN - FZX1mm <sup>2</sup>
Dichtigkeit:	IP44 - IP54
Zertifizierung:	CE

Décors à cordon lumineux pour traversées de rue

### CARACTERISTIQUES TECHNIQUES

Tension :	220-240V
Fabrication :	Aluminium 100%
Matériau de fabrication :	Cordon lumineux compact FOTODIASTASI de qualité supérieure
Raccordements :	Boltes étanches IP55 avec presse-étoupes et câble incorporés et mise à la terre
Fils de raccordement :	Fils à gaine de caoutchouc, normes VDE, HOSRN - FZX1mm <sup>2</sup> HOSRN - FZX1mm <sup>2</sup>
Indice d'étanchéité :	IP44 - IP54
Certification :	CE

Guimaldas de aluminio con hilo luminoso para calles

### CARACTERÍSTICAS TÉCNICAS

Tensión:	220-240V
Construcción:	Aluminio 100%
Material de fabricación:	Hilo luminoso sólido de primera calidad de FOTODIASTASI
Conductores:	A cables estancos IP55 con prensaetapas incorporados en las bornas y toma de tierra
Cables de conexión:	Cable con homologación VDE HOSRN - FZX1mm <sup>2</sup> HOSRN - FZX1mm <sup>2</sup>
Grado de estanqueidad:	IP44 - IP54
Certificado:	CE



أنوار زينة مضيئة معلقة عبر الشارع  
على هيكل الألمنيوم ويكرا بل إنارة مضيئة

### المواصفات الفنية:

توتر التشغيل:	220 - 240 فولت
المواد:	ألمنيوم 100%
المواد:	كابل مضيء من شركة FOTODIASTASI
التوصيلات:	من النوع الأول توصيلات الخلق علية وصل معلقة IP55 مع حاجت داخل الكابل وكابل أرضي
الكابلات:	كابل أرضي HOSRN - FZX1mm <sup>2</sup> HOSRN - FZX1mm <sup>2</sup>
مستوى الحماية:	IP54 - IP44
الشهادات:	CE

Уличные гирлянды из алюминия со световым шнуром

### ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Напряжение:	220-240V
Конструкция:	100% алюминий
Материал:	световой шнур FOTODIASTASI высшего качества
Соединения:	водонепроницаемые радиораспределительные коробки IP55 с интегрированным уплотнением для кабелей и заземления
Провода:	резина VDE по стандарту HOSRN - FZX1 mm <sup>2</sup> HOSRN - FZX1 mm <sup>2</sup>
Уровень герметичности:	IP44 - IP54
Сертификация:	CE



FOTODIESTASI®  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12501A2 ◀ 12m ▶ 2m LED 496W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

▶ HEIGHT

LED LED POWER

A2



**12503.A2** 13m 1,85m 476W



**12504.A2** 12m 2,40m 526W



**12505.A2** 12m 2,35m 496W





**FOTODIESTASI®**  
 Festive Illumination Manufacturer

## Across Street Motifs

*Illumination  
 &  
 Decoration*

*All motifs  
 can be made  
 in any size*



**1261LA2** 12m 2m 496W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

LENGTH

HEIGHT

LED POWER




**12612.A2** 12m 1,40m 624W



**12614.A2** 11,10m 1,50m 700W



**12615.A2** 12m 1,80m 576W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Across Street Motifs

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12506.A2** ◀ 12m ▶ 2,25m LED 520W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.





**12507.A2** 12m 2m 452W



**12508.A2** 12m 1,65m 480W



**12509.A2** 12m 1,70m 360W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



*Across Street Motifs  
with falling tube & icicle lights*

**12510.A2** ⬅️ 12.60m ➡️ 2m **LED** 495W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



LENGTH



HEIGHT



LED POWER



**12511.A2** ◀ 14,80m ▶ 2m LED 524W



**12512.A2** ◀ 17m ▶ 2m LED 652W



**12514.A2** ◀ 12,60m ▶ 2m LED 404W



**12515.A2** ◀ 14,40m ▶ 2m LED 444W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12564.A2**

4,50m  
1,10m  
88W



**Across Street Motifs**  
*...with falling tube!*



**12565.A2**

4m  
1,30m  
174W



**12566.A2**

4,50m  
0,96m  
52W



**12567.A2**

4m  
1,30m  
174W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

LENGTH

HEIGHT

LED POWER

**A2**



### 12131.A2

◀ 6,50m  
 ⊕ 1,20m  
 LED 261W





### 12133.A2

◀ 6,50m  
 ⊕ 1,70m  
 LED 295W



### 12107.A2

◀ 5m  
 ⊕ 1,30m  
 LED 143W



### 12106.A2

◀ 5m  
 ⊕ 1,50m  
 LED 178W



### 12568.A2

◀ 6m  
 ⊕ 0,90m  
 LED 114W

**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12533.A2**

◀ 6,30m  
⬇ 2m  
LED 202W



**12534.A2**

◀ 6,30m  
⬇ 2m  
LED 184W




**12535.A2**

◀ 7,40m  
⬇ 2m  
LED 262W



**12536.A2**

◀ 6,30m  
⬇ 2m  
LED 194W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



LENGTH



HEIGHT



LED POWER



12537.A2

7,20m  
2m  
220W

\*FALLING TUBES INCLUDED



## Across Street Motifs

....with falling tubes and icicle lights



12538.A2

7,20m  
2m  
220W

\*FALLING TUBES INCLUDED



12539.A2

7m  
2m  
220W

\*FALLING TUBES INCLUDED



12540.A2

8,50m  
2m  
320W

\*FALLING TUBES INCLUDED

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**12526.A2**

◀ 6m  
⬇ 1,40m  
Ⓜ 312W



**12527.A2**

◀ 6m  
⬇ 1,20m  
Ⓜ 196W



**12528.A2**

◀ 6m  
⬇ 1,20m  
Ⓜ 250W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

Ⓜ LED POWER

**A2**



**12529.A2**

6m  
1,40m  
277W

*Across Street Motifs  
with 3D*

**PATENTED**  
ISO 9001 IP44 CE




**3D**




**12530.A2**

6m  
1,20m  
198W



**12531.A2**


6m  
1,20m  
212W



**12532.A2**

6m  
1,20m  
214W

**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**Across Street  
Motifs**
**Illumination  
&  
Decoration**
*All motifs  
can be made  
in any size*

**12516.A2**

 ◀ 4m  
 ⬇ 0,85m  
 Ⓛ 42W

**12517.A2**

 ◀ 4m  
 ⬇ 1,40m  
 Ⓛ 132W



**12518.A2**

 ◀ 4,50m  
 ⬇ 0,85m  
 Ⓛ 92W

**12519.A2**

 ◀ 6m  
 ⬇ 1,10m  
 Ⓛ 228W

**12520.A2**

 ◀ 4,50m  
 ⬇ 0,85m  
 Ⓛ 76W

**ATTENTION**

 All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH


⬇ HEIGHT

Ⓛ LED POWER



#### 12521.A2

4m  
 0,85m  
 72W



#### 12522.A2

6m  
 1,50m  
 264W



#### 12523.A2

6m  
 2m  
 228W




#### 12524.A2

4,50m  
 1m  
 162W



#### 12525.A2

6m  
 1,70m  
 180W



Across Street  
 Motifs

**PATENTED**  
 ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**124249.A2**

◀▶ 5m  
⬆️ 0,75m  
LED 80W



**12541.A2**

◀▶ 4m  
⬆️ 1,10m  
LED 151W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀▶ LENGTH

⬆️ HEIGHT

LED LED POWER

A2

**12542.A2**

↔ 4m  
⬇ 1m  
LED 117W

**123390.A2**

↔ 5m  
⬇ 1,05m  
LED 86W

**123348.A2**


↔ 5m  
⬇ 1,20m  
LED 141W

**12066.A2**

↔ 4,60m  
⬇ 0,83m  
LED 90W

**12062.A2**

↔ 4,60m  
⬇ 1m  
LED 70W



**PATENTED**  
ISO 9001 IP44 CE






**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12543.A2**

◀ 6m  
⬇ 1,60m  
LED 195W

**12084.A2**

◀ 4,60m  
⬇ 1m  
LED 136W

**123315.A2**

◀ 4m  
⬇ 1m  
LED 86W

**12544.A2**


◀ 4m  
⬇ 1,15m  
LED 155W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH ⬇ HEIGHT LED LED POWER

**A2**



**123326.A2**

- 4m
- 1,10m
- 86W


plaid glass



**124248.A2**

- 4m
- 0,90m
- 130W

- 5m
- 1,07m
- 172W



**A2**


**12092.A2**

- 4,60m
- 0,90m
- 114W



**12545.A2**

- 4m
- 1,25m
- 237W



**12546.A2**

- 4,50m
- 1m
- 162W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**12086.A2**

▶ 4,60m  
⬇ 0,83m  
LED 84W



**12002.A2**

▶ 5,20m  
⬇ 0,82m  
LED 90W



**123303.A2**

▶ 4m  
⬇ 0,58m  
LED 90W

▶ 5m  
⬇ 0,73m  
LED 120W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

▶ LENGTH

⬇ HEIGHT

LED LED POWER

A2



**121071.A2**


4m  
0,30m  
150W



**124254.A2**

4m  
0,55m  
112W

5m  
0,65m  
144W




**124250.A2**

4,60m  
0,75m  
152W



**12609.A2**

4,50m  
0,85m  
54W



**124231.A2**

4m  
0,55m  
72W  
5m  
0,70m  
112W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12583.A2**

◀ 4,50m  
⬆ 1m  
Ⓜ 162W



**12584.A2**

◀ 4,50m  
⬆ 1m  
Ⓜ 106W



**12078.A2**

◀ 4,60m  
⬆ 0,80m  
Ⓜ 116W



**123389.A2**

◀ 4m  
⬆ 0,66m  
Ⓜ 70W

◀ 5m  
⬆ 0,85m  
Ⓜ 112W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

Ⓜ LED POWER



**12585.A2**


4m  
1,50m  
109W



**124244.A2**


4m  
0,60m  
120W

5m  
0,70m  
152W



**12586.A2**

4m  
0,95m  
144W



**12587.A2**

6,50m  
1,85m  
238W



**12588.A2**

4m  
0,95m  
105W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Across Street Motifs

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12061A2**

◀▶ 4,80m  
⬆️ 1m  
Ⓛ 114W



**123302.A2**

◀▶ 4m  
⬆️ 0,80m  
Ⓛ 52W

◀▶ 5m  
⬆️ 1m  
Ⓛ 72W




## classic across street motifs



**12089.A2**

◀▶ 4,80m  
⬆️ 1m  
Ⓛ 102W



**124251A2**

◀▶ 5m  
⬆️ 0,80m  
Ⓛ 118W

◀▶ 6m  
⬆️ 0,92m  
Ⓛ 148W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀▶ LENGTH

⬆️ HEIGHT

Ⓛ LED POWER

**12047.A2**

4m  
0,90m  
80W


**12036.A2**

4m  
0,90m  
70W

**124256.A2**

4m  
0,55m  
110W

5m  
0,65m  
152W

**123330.A2**

4m  
0,65m  
48W

5m  
0,80m  
68W

**12094.A2**

4,60m  
0,70m  
100W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**124219.A2**

◀ 5m  
⬆ 1,10m  
LED 110W



**121095.A2**

◀ 5,50m  
⬆ 1m  
LED 110W



**124257A2**

◀ 4,80m  
⬆ 0,75m  
LED 124W

**A2**



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER



**12547.A2**

↔ 4m  
⬇ 1m  
LED 138W




**12548.A2**

↔ 4,50m  
⬇ 0,90m  
LED 100W



**123380.A2**

↔ 5m  
⬇ 1,45m  
LED 248W



**12549.A2**

↔ 6m  
⬇ 1,10m  
LED 228W



**123384.A2**

↔ 5m  
⬇ 1,45m  
LED 182W



**12550.A2**

↔ 6m  
⬇ 1,10m  
LED 228W

**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**Across Street  
 Motifs**

*Illumination  
 &  
 Decoration*

*All motifs  
 can be made  
 in any size*



**124238.A2**

◀ 6m  
 ▶ 1,10m  
 LED 115W



**12551A2**

◀ 5m  
 ▶ 1m  
 LED 150W



**12068.A2**

◀ 4,60m  
 ▶ 0,85m  
 LED 90W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

▶ HEIGHT


LED LED POWER

**A2**




**121067.A2**

6m  
1,20m  
178W



**123376.A2**

6m  
1m  
110W



**12552.A2**

5,30m  
0,80m  
130W



**12553.A2**

4m  
1,50m  
167W




**124255.A2**

5m  
0,75m  
110W

**FOTODIESTASI®**  
 Festive Illumination Manufacturer


**Across Street  
Motifs**
**Illumination  
&  
Decoration**
*All motifs  
can be made  
in any size*

**12601.A2**

 ◀ 4,40m  
 ▶ 0,70m  
 ⚡ 52W

**12602.A2**

 ◀ 4,50m  
 ▶ 1,10m  
 ⚡ 54W

**12603.A2**

 ◀ 6m  
 ▶ 1,20m  
 ⚡ 130W

**ATTENTION**


 All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

▶ HEIGHT

⚡ LED POWER

**A2**



**12604.A2**

6m  
 1,20m  
 180W



**12605.A2**

4,50m  
 0,70m  
 78W




**12606.A2**

4,50m  
 0,60m  
 84W



**12607.A2**

4,50m  
 0,80m  
 76W



**12608.A2**

4,40m  
 1m  
 56W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



A2



12554.A2

4,50m  
1,20m  
157W



123327.A2


4,60m  
1,10m  
106W



123310.A2

4m  
0,65m  
60W

5m  
0,80m  
92W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

LENGTH

HEIGHT

LED POWER




**123341.A2**

↔	4m
⬇	0,92m
LED	76W
↔	5m
⬇	1,10m
LED	96W



**12101.A2**

↔	4,60m
⬇	0,73m
LED	104W



**12555.A2**

↔	6,10m
⬇	1,55m
LED	241W



**123338.A2**

↔	4m
⬇	0,60m
LED	42W
↔	5m
⬇	0,73m
LED	72W



**12098.A2**

↔	4,60m
⬇	0,85m
LED	120W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12037.A2**

◀ 5m  
⬇ 1m  
⚡ 154W



**12079.A2**

◀ 4,60m  
⬇ 0,80m  
⚡ 108W



**12556.A2**

◀ 4,50m  
⬇ 1m  
⚡ 84W



**12557.A2**

◀ 4m  
⬇ 1m  
⚡ 89W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH ⬇ HEIGHT ⚡ LED POWER

**A2**



**12558.A2**

4m  
1,05m  
99W



**124230.A2**

4m  
0,90m  
86W  
5m  
1,07m  
106W



**12038.A2**

5m  
1m  
154W



**121094.A2**

5m  
1,40m  
96W



**PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**122333.A2**

◀ 6m  
⬆ 1,45m  
LED 266W



**122334.A2**

◀ 6m  
⬆ 1,45m  
LED 212W



**123400.A2**

◀ 6m  
⬆ 1,50m  
LED 268W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER

**A2**



**123402.A2**

↔ 6m  
 ↓ 1,15m  
 LED 144W



**123407.A2**

↔ 6m  
 ↓ 1,40m  
 LED 204W



**12028.A2**

↔ 6m  
 ↓ 1,30m  
 LED 140W



**123324.A2**

↔ 6m  
 ↓ 1,15m  
 LED 112W



**121096.A2**

↔ 6m  
 ↓ 1,10m  
 LED 110W

**PATENTED**  
 ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Across Street Motifs

### Illumination & Decoration

All motifs can be made in any size




**122048.A2**

◀ 6m  
⬇ 1,30m  
LEB 200W



**12021.A2**

◀ 6m  
⬇ 1,60m  
LEB 177W




**12024.A2**

◀ 6m  
⬇ 1,30m  
LEB 137W



**12559.A2**

◀ 6m  
⬇ 1,45m  
LEB 140W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LEB LED POWER



**12022.A2**

6m  
1,40m  
250W



**121079.A2**

6m  
1,60m  
198W



**12023.A2**

6m  
1,40m  
200W



**121061.A2**

6m  
1,60m  
220W



**12560.A2**

6m  
1,60m  
140W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**


*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**121049.A2**

◀ 6m  
⬇ 1,40m  
LED 240W




**121128.A2**

◀ 6m  
⬇ 1,40m  
LED 225W



**121047.A2**

◀ 6m  
⬇ 1,20m  
LED 214W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

**A2**




**12561A2**

◀▶ 6m  
 ⬇️ 1,30m  
 Ⓜ 171W



**12562A2**

◀▶ 4,50m  
 ⬇️ 1m  
 Ⓜ 108W



**12563A2**

◀▶ 5,80m  
 ⬇️ 1,60m  
 Ⓜ 96W



**123329A2**

◀▶ 6m  
 ⬇️ 1,30m  
 Ⓜ 66W



**121055A2**

◀▶ 6m  
 ⬇️ 1,50m  
 Ⓜ 216W

**PATENTED**  
ISO 9001 IP44 CE






**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**122355.A2**

↔ 6m  
⬆ 1,50m  
LED 223W



**123401.A2**

↔ 6m  
⬆ 1,40m  
LED 116W



**123405.A2**

↔ 6m  
⬆ 1,10m  
LED 154W



**121052.A2**


↔ 6m  
⬆ 1,55m  
LED 188W



**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

↔ LENGTH    ⬆ HEIGHT    LED LED POWER



**12593.A2**

4,90m  
0,85m  
66W



**12594.A2**

6m  
1,30m  
86W




**12595.A2**

4m  
1,10m  
126W



**12596.A2**

5m  
1,15m  
168W



**12598.A2**

4,50m  
0,80m  
102W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**12014.A2**

◀▶ 4m  
⬆️ 0,60m  
Ⓜ️ 66W



**12015.A2**

◀▶ 4m  
⬆️ 0,60m  
Ⓜ️ 82W





**12069.A2**

◀▶ 4,60m  
⬆️ 1,25m  
Ⓜ️ 108W



**12016.A2**

◀▶ 4m  
⬆️ 0,60m  
Ⓜ️ 88W




**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀▶ LENGTH

⬆️ HEIGHT


Ⓜ️ LED POWER

**12082.A2**




4,60m  
1,60m  
80W

**12077.A2**

4,60m  
1,35m  
100W

**124259.A2**

4m  
1,65m  
145W

**124260.A2**

5m  
1,65m  
175W

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12630.A2**

◀▶ 6,20m  
⬆️ 1,25m  
LED 196W



**12631.A2**

◀▶ 4m  
⬆️ 1,20m  
LED 110W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



LENGTH



HEIGHT



LED POWER



**12632.A2**

◀ 4m  
 ▶ 0,75m  
 LED 105W



**12633.A2**

▶ 6,45m  
 ▶ 1,10m  
 LED 156W



**12634.A2**

▶ 4m  
 ▶ 1,10m  
 LED 76W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12569.A2**

◄ 4m  
⬆ 0,95m  
LED 50W



**12126.A2**

◄ 4,60m  
⬆ 1,15m  
LED 114W



**12570.A2**

◄ 4m  
⬆ 0,95m  
LED 92W



**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◄ LENGTH

⬆ HEIGHT

LED LED POWER

A2




**12122.A2**

↔ 4,60m  
⬇ 0,75m  
LED 94W



**123352.A2**

↔ 5m  
⬇ 1,10m  
LED 144W



**12571.A2**

↔ 4,50m  
⬇ 0,70m  
LED 150W



**122002.A2**

↔ 5m  
⬇ 1,20m  
LED 146W



**12572.A2**

↔ 5m  
⬇ 0,80m  
LED 84W






**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**123361A2**

◀ 5m  
⬆ 1,70m  
LED 263W



**123336A2**

◀ 4m  
⬆ 0,80m  
LED 62W  
◀ 5m  
⬆ 0,75m  
LED 82W



**123363A2**

◀ 5m  
⬆ 1,70m  
LED 196W



**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER

A2



**123345.A2**

↔	4m
⬇	0,77m
Ⓜ	80W
↔	5m
⬇	0,97m
Ⓜ	108W



**121115.A2**

↔	5m
⬇	1,10m
Ⓜ	100W




**123333.A2**

↔	5m
⬇	1,35m
Ⓜ	134W



**12063.A2**

↔	4,60m
⬇	0,83m
Ⓜ	114W



**12090.A2**

↔	4,60m
⬇	0,88m
Ⓜ	94W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Across Street Motifs

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**124208.A2**

↔	4m
⬇	0,55m
LED	102W
↔	5m
⬇	0,65m
LED	134W



**124247.A2**

↔	4m
⬇	0,70m
LED	96W
↔	5m
⬇	0,85m
LED	124W



**124210.A2**

↔	4m
⬇	0,55m
LED	114W
↔	5m
⬇	0,65m
LED	164W



**124246.A2**

↔	4m
⬇	0,95m
LED	106W
↔	5m
⬇	1,15m
LED	134W



**12573.A2**

↔	4,50m
⬇	0,95m
LED	156W




**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



**A2**




**124209.A2**

4,60m  
0,80m  
70W



**124206.A2**

4m  
0,70m  
76W  
5m  
0,90m  
94W



**123381.A2**

4m  
0,75m  
56W  
5m  
0,90m  
88W



**123357.A2**

4m  
0,68m  
70W  
5m  
0,83m  
112W



**12111.A2**

5m  
0,80m  
103W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12056.A2**

◀ 5m  
⬆ 1,30m  
LED 100W



**123367.A2**

◀ 5m  
⬆ 1,50m  
LED 169W



**122331A2**

◀ 5m  
⬆ 1,50m  
LED 215W



**123334.A2**

◀ 5m  
⬆ 1,20m  
LED 144W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER

A2



**12046.A2**

5m  
0,90m  
84W



**122326.A2**

5m  
1,35m  
207W



**123350.A2**

5m  
1,10m  
144W

**12574.A2**

4,50m  
1,10m  
149W



**122325.A2**

5m  
1,30m  
149W

**PATENTED**  
ISO 9001 IP44 CE




**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**122023.A2**

◀ 5m  
⬆ 1,40m  
LED 134W



**124234.A2**

◀ 5m  
⬆ 0,90m  
LED 102W



**123331.A2**

◀ 5m  
⬆ 1,35m  
LED 178W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER

**A2**



**124225.A2**

4m
0,70m
130W
5m
0,88m
162W



**123316.A2**

4m
0,95m
68W
5m
1,20m
86W



**123306.A2**

5m
1m
130W



**12034.A2**

5m
0,90m
124W



**12575.A2**

5m
0,80m
102W

**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**121109.A2**

◀ 5m  
⬇ 1,10m  
LED 117W



**123319.A2**

◀ 4m  
⬇ 1,25m  
LED 115W



**124220.A2**

◀ 4m  
⬇ 1m  
LED 145W



**123359.A2**

◀ 5m  
⬇ 1,10m  
LED 86W



**12125.A2**

◀ 4,60m  
⬇ 0,80m  
LED 106W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2



**122323.A2**

↔ 5m  
 ⊕ 1,40m  
 LED 304W



**123351.A2**

↔ 4m  
 ⊕ 0,80m  
 LED 58W  
 ↔ 5m  
 ⊕ 1m  
 LED 76W

## across street motifs




**123323.A2**

↔ 5m  
 ⊕ 0,85m  
 LED 118W




**122000.A2**

↔ 4,80m  
 ⊕ 1,30m  
 LED 152W



**12040.A2**

↔ 4,80m  
 ⊕ 0,83m  
 LED 116W



**PATENTED**  
 ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123379.A2**

◀	4m
⬇	0,65m
LED	72W
◀	5m
⬇	0,80m
LED	92W



**123335.A2**

◀	5m
⬇	1m
LED	152W




**123301.A2**

◀	5m
⬇	1,10m
LED	116W



**123360.A2**

◀	4m
⬇	0,60m
LED	72W
◀	5m
⬇	0,75m
LED	92W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2

**12033.A2**

5m  
0,90m  
98W

**12009.A2**

5m  
1m  
102W

**123383.A2**

4m  
0,75m  
72W

5m  
0,95m  
92W

**123386.A2**

4m  
0,90m  
98W

5m  
1,10m  
130W

**123346.A2**

4m  
0,95m  
114W

5m  
1,20m  
156W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**124242.A2**

◀	4m
↕	0,56m
▶	100W
◀	5m
↕	0,70m
▶	130W



**122328.A2**

◀	5m
↕	1,50m
▶	192W



**122018.A2**

◀	5m
↕	1,10m
▶	100W



**124240.A2**

◀	4m
↕	0,70m
▶	108W
◀	5m
↕	0,88m
▶	146W



**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

↕ HEIGHT

▶ LED POWER

A2



**12049.A2**

4,60m  
0,95m  
104W




**122363.A2**

5m  
1,10m  
134W



**124245.A2**

4,60m  
0,75m  
98W



**12104.A2**

4m  
1,25m  
126W



**123356.A2**

5m  
1,10m  
108W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123340.A2**

◀ 4m	▶ 5m
⬇ 0,60m	⬇ 0,73m
Ⓜ 46W	Ⓜ 70W



**123349.A2**

◀ 4m
⬇ 1,80m
Ⓜ 160W



**ATTENTION**


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

Ⓜ LED POWER

A2




**12030.A2**

↔ 5m  
⬇ 1m  
⚡ 160W





**122368.A2**

↔ 4,40m  
⬇ 1,20m  
⚡ 134W



**123371.A2**

↔ 4m  
⬇ 1,25m  
⚡ 130W



**124212.A2**

↔ 4m  
⬇ 0,90m  
⚡ 92W



**123337.A2**

↔ 4,60m  
⬇ 1,15m  
⚡ 125W





**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12074.A2**

◀ 4,60m  
⬇ 0,80m  
LED 84W




**124228.A2**

◀ 4m  
⬇ 0,60m  
LED 86W  
◀ 5m  
⬇ 0,76m  
LED 106W




**123354.A2**

◀ 4m  
⬇ 0,60m  
LED 84W  
◀ 5m  
⬇ 0,73m  
LED 98W



**124226.A2**

◀ 3,60m  
⬇ 0,60m  
LED 58W  
◀ 5m  
⬇ 0,79m  
LED 76W



**123347.A2**

◀ 4m  
⬇ 0,75m  
LED 70W  
◀ 5m  
⬇ 0,92m  
LED 112W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2




**121089.A2**

↔ 5,50m  
⬇ 1,10m  
⚡ 77W



**12103.A2**

↔ 5m  
⬇ 1,30m  
⚡ 167W




**12048.A2**

↔ 4m  
⬇ 0,60m  
⚡ 60W



**123332.A2**

↔ 5m  
⬇ 1,35m  
⚡ 178W



**124217.A2**

↔ 5m  
⬇ 1,10m  
⚡ 115W

FOTODIESTASI®

Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



124229.A2

4m  
0,60m  
140W  
5m  
0,78m  
180W



12053.A2

5,50m  
0,90m  
95W



123375.A2

5m  
0,82m  
76W



123322.A2

5m  
1m  
118W

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

LENGTH

HEIGHT

LED POWER

A2




#### 12050.A2

◀▶ 4,80m  
 ⬇️ 0,80m  
 LED 90W



#### 12052.A2

◀▶ 5m  
 ⬇️ 0,80m  
 LED 80W



#### 124214.A2

◀▶ 4m  
 ⬇️ 0,95m  
 LED 104W



#### 124235.A2

◀▶ 4m  
 ⬇️ 0,80m  
 LED 89W



#### 124253.A2

◀▶ 4m  
 ⬇️ 0,72m  
 LED 76W  
 ◀▶ 5m  
 ⬇️ 0,95m  
 LED 96W

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**121114.A2**

◀ 5m  
⬇ 1,10m  
LED 104W




**123314.A2**

◀ 5m  
⬇ 1,70m  
LED 154W



**122350.A2**

◀ 5m  
⬇ 1,70m  
LED 208W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2


**12109.A2**

▶ 5m  
 ⊕ 0,80m  
 Ⓛ 139W


**12006.A2**

▶ 5m  
 ⊕ 1m  
 Ⓛ 102W


**12003.A2**


▶ 5m  
 ⊕ 1,10m  
 Ⓛ 162W


**122343.A2**

▶ 5m  
 ⊕ 1,30m  
 Ⓛ 173W


**12576.A2**

▶ 4,50m  
 ⊕ 0,80m  
 Ⓛ 110W


**PATENTED**

ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123320.A2**

◀	5m
⬇	0,90m
Ⓛ	124W
◀	8m
⬇	1,10m
Ⓛ	154W



**122054.A2**

◀	5m
⬇	1,10m
Ⓛ	124W



**12577.A2**

◀	4,50m
⬇	1,15m
Ⓛ	129W



**123355.A2**

◀	5m
⬇	0,95m
Ⓛ	106W



**124241.A2**

◀	4m
⬇	0,77m
Ⓛ	90W
◀	5m
⬇	0,97m
Ⓛ	120W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

Ⓛ LED POWER

A2



**12578.A2**

4,50m  
0,60m  
LED 98W



**123300.A2**


4m  
1,40m  
LED 91W



**123368.A2**

4m  
0,70m  
LED 82W

5m  
0,85m  
LED 102W



**PATENTED**  
ISO 9001 IP44 CE



**12579.A2**

3,60m  
0,85m  
LED 84W



**122366.A2**

4,40m  
1,20m  
LED 122W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**12035.A2**

4m  
0,80m  
112W



**124211.A2**

4m  
1,15m  
152W




**124243.A2**

4m  
0,65m  
152W



5m  
0,80m  
192W



**124261.A2**

4m  
1,20m  
96W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

⬇ LED POWER

**A2**



### 12580.A2

4,50m  
 1m  
 120W



### 123305.A2

4m  
 0,90m  
 99W



### 124215.A2

4m  
 1,05m  
 91W




### 122330.A2

4m  
 1,35m  
 177W



### 121157.A2

4m  
 1m  
 96W



**PATENTED**  
 ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size

A2



**121188.A2**

↔ 5m  
↕ 0,55m  
LED 53W



**124237.A2**

↔ 4m  
↕ 0,75m  
LED 75W



**124221.A2**

↔ 4m  
↕ 0,65m  
LED 102W

↔ 5m  
↕ 0,78m  
LED 138W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

↔ LENGTH

↕ HEIGHT

LED LED POWER



**T24216.A2**

- ➦ 4m
- ➦ 1,35m
- LED 75W



**T24252.A2**

- ➦ 4m
- ➦ 0,60m
- LED 100W
- ➦ 5m
- ➦ 0,75m
- LED 132W



**T21170.A2**

- ➦ 4m
- ➦ 1,20m
- LED 82W



**T23317.A2**

- ➦ 4m
- ➦ 1m
- LED 92W



**T21171.A2**

- ➦ 4m
- ➦ 1,60m
- LED 88W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12205LA2**

◀ 5m  
⬆ 1,40m  
LED 224W



**122012.A2**

◀ 5,40m  
⬆ 1m  
LED 192W



**12112.A2**

◀ 4,80m  
⬆ 0,90m  
LED 112W



**122019.A2**

◀ 5m  
⬆ 1,40m  
LED 235W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER



**121166.A2**

↔ 5m  
⬇ 0,80m  
LED 57W



**124224.A2**


↔ 4m  
⬇ 0,67m  
LED 98W

↔ 5m  
⬇ 0,80m  
LED 130W



**122336.A2**

↔ 5m  
⬇ 1,25m  
LED 170W



**12072.A2**

↔ 4,60m  
⬇ 0,82m  
LED 64W



**12114.A2**

↔ 4m  
⬇ 1,35m  
LED 100W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12043.A2**

◀ 4,60m  
⬇ 0,63m  
LED 104W



**12128.A2**

◀ 5m  
⬇ 0,90m  
LED 106W



**12031A2**

◀ 5m  
⬇ 1m  
LED 144W



**12124.A2**

◀ 4,60m  
⬇ 0,65m  
LED 72W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2



**123370.A2**

↔ 5,10m  
⬇ 0,95m  
⚡ 114W



**123307.A2**

↔ 5m  
⬇ 0,78m  
⚡ 134W



**123309.A2**

↔ 5m  
⬇ 1m  
⚡ 106W



**124258.A2**

↔ 4m  
⬇ 0,55m  
⚡ 96W

↔ 5m  
⬇ 0,70m  
⚡ 116W



**123353.A2**

↔ 4m  
⬇ 0,67m  
⚡ 76W

↔ 5m  
⬇ 0,84m  
⚡ 96W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123304.A2**

◀ 4m  
⬇ 1,40m  
LW 139W



**123343.A2**

◀ 4m  
⬇ 1,20m  
LW 95W



**12119.A2**

◀ 4m  
⬇ 0,70m  
LW 100W



**121159.A2**

◀ 4m  
⬇ 1,25m  
LW 83W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LW LED POWER

A2

**1201LA2**

4m  
0,80m  
103W

**124232.A2**

4m  
0,85m  
86W

**124222.A2**

4m  
1,25m  
142W

**123362.A2**

4m  
1,15m  
128W

**121131.A2**

4,50m  
0,80m  
96W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**124218.A2**

◀ 4m  
⬆ 0,90m  
LED 136W




**123392.A2**

◀ 4m  
⬆ 1,50m  
LED 130W



**123374.A2**

◀ 3,70m  
⬆ 1,07m  
LED 66W



**123377.A2**

◀ 3,50m  
⬆ 1,03m  
LED 88W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬆ HEIGHT

LED LED POWER

A2

**12581A2**


▶ 3,40m  
◄ 0,95m  
⚡ 78W

**123394.A2**

▶ 3m  
◄ 1,55m  
⚡ 152W

**121106.A2**

▶ 3,10m  
◄ 0,86m  
⚡ 29W

**12582.A2**

▶ 5,60m  
◄ 1,35m  
⚡ 278W

**124233.A2**

▶ 4m  
◄ 0,80m  
⚡ 80W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**123369.A2**

◀ 6m  
⬇ 1,50m  
LED 247W



**121088.A2**

◀ 6m  
⬇ 1,30m  
LED 130W



**121091.A2**

◀ 6m  
⬇ 1,10m  
LED 165W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

**A2**

**124236.A2**

6m  
1,10m  
242W

**12019.A2**


6m  
1,10m  
167W

**121062.A2**

6m  
1,30m  
196W

**123325.A2**

6m  
0,85m  
69W

**123385.A2**

6m  
0,95m  
152W

5m  
0,80m  
112W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**121100.A2**

◀ 8m  
⬇ 1,70m  
LED 190W



**121102.A2**

◀ 8m  
⬇ 1,70m  
LED 190W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2

**121143.A2**

◀ 6m  
⬇ 1,60m  
Ⓛ 244W

**122021.A2**

◀ 6m  
⬇ 1,30m  
Ⓛ 314W

**122017.A2**

◀ 6m  
⬇ 1,20m  
Ⓛ 180W

**122310.A2**

◀ 6m  
⬇ 1,35m  
Ⓛ 253W

**123406.A2**

◀ 6m  
⬇ 1,30m  
Ⓛ 188W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**124239.A2**


◀ 6m  
⬇ 1m  
LED 116W



**124263.A2**

◀ 6m  
⬇ 0,80m  
LED 96W

◀ 5m  
⬇ 0,64m  
LED 86W



**122042.A2**

◀ 6m  
⬇ 2,20m  
LED 321W



**122335.A2**

◀ 6m  
⬇ 2m  
LED 247W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

A2



**122031A2**

↔ 7m  
 ↓ 1,50m  
 LED 244W



**122036.A2**

↔ 7m  
 ↓ 1,90m  
 LED 278W

**PATENTED**

ISO 9001 IP44 CE



**123382.A2**

↔ 6m  
 ↓ 1m  
 LED 134W




**122341A2**

↔ 6m  
 ↓ 1,50m  
 LED 274W



**124265.A2**

↔ 7m  
 ↓ 1,03m  
 LED 176W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Across Street  
Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123391A2**

◀ 4m  
⬇ 1,30m  
LED 144W



**12592.A2**

◀ 4,40m  
⬇ 1,50m  
LED 117W



**121184.A2**

◀ 5m  
⬇ 1,40m  
LED 130W



**123395.A2**

◀ 5m  
⬇ 1,10m  
LED 200W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

LED LED POWER

**A2**



**121183.A2**

↳ 5m  
 ↴ 1m  
 LED 121W



**12591A.2**

↳ 4m  
 ↴ 0,90m  
 LED 119W



**12032.A2**

↳ 4m  
 ↴ 0,90m  
 LED 105W



**12610.A2**

↳ 4m  
 ↴ 1,10m  
 LED 140W



**124266.A2**

↳ 5m  
 ↴ 1,40m  
 LED 154W



**124262.A2**

↳ 5m  
 ↴ 1,20m  
 LED 130W

**PATENTED**  
 ISO 9001 IP44 CE




## Quality control to Guarantee

- *Environment protection*
- *Design & Innovation*
- *Low energy consumption*
- *Low heat emitting*
- *Long lifetime*
- *High luminous efficiency*
- *High quality LED lamps*
  - *Certified & patented LED*
  - *Registered European Patents*
  - *CE European standards*
  - *ISO 9001 : 2008*



# Across Street Motifs & Column Motifs with sockets



across street motifs with lamps

FOTODIASTASI®

Festive Illumination Manufacturer

Across Street  
Motifs with lamps

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12851A1

- ◀ 8m
- ⬇ 1,10m
- ⬆ 174



A1



121005.A1

- ◀ 8m
- ⬇ 1,80m
- ⬆ 244



121002.A1

- ◀ 8,40m
- ⬇ 1,65m
- ⬆ 252



A1

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

⬆ NUMBER OF SOCKETS

Across Street  
Motifs  
with LED lamps




**121007.A1**

- 6m
- 1,30m
- 58




**121010.A1**

- 6m
- 2m
- 104



**12852.A1**

- 6,60m
- 1,40m
- 116



**12853.A1**

- 6,10m
- 1,35m
- 64

**PATENTED**

ISO 9001:2015 - CE





across street motifs with lamps

FOTODIASTASI®

Festive Illumination Manufacturer

Across Street  
Motifs with Lamps

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



121008.A1

- ◀ 6,60m
- ⬇ 1,40m
- ⬆ 116



121004.A1

- ◀ 7m
- ⬇ 1,40m
- ⬆ 195



121006.A1

- ◀ 7m
- ⬇ 1,30m
- ⬆ 204



A1

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

⬆ NUMBER OF SOCKETS



**121003.A1**

↔ 7m  
↕ 1,70m  
⤴ 285



**121009.A1**

↔ 7m  
↕ 1,80m  
⤴ 154



**121017.A1**

↔ 6,10m  
↕ 1,35m  
⤴ 64

*Across Street  
Motifs  
with LED lamps*



**FOTODIASTASI®**  
Festive Illumination Manufacturer

**Across Street  
Motifs with Lamps**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**A1**



**121011.A1**

◀ 5,50m  
⬇ 1,10m  
⊕ 128



**121015.A1**

◀ 5,50m  
⬇ 1,10m  
⊕ 116



**121014.A1**

◀ 5,50m  
⬇ 1,10m  
⊕ 107



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

◀ LENGTH

⬇ HEIGHT

⊕ NUMBER OF SOCKETS



121019.A1

5,50m  
1,10m  
105



121018.A1

5,50m  
1,10m  
109

Across Street  
Motifs  
with LED lamps



121016.A1

5,50m  
1,10m  
83



across street motifs with lamps


FOTODIASTASI®

Festive Illumination Manufacturer

## Across Street Motifs with Lamps

Illumination & Decoration

All motifs can be made in any size



# A1



121020.A1

- ◀ 5,50m
- ⬇ 1,10m
- ⬆ 123



121023.A1

- ◀ 5,50m
- ⬇ 1,10m
- ⬆ 109



121022.A1

- ◀ 5,50m
- ⬇ 1,10m
- ⬆ 114



# A1

### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization). Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



LENGTH



HEIGHT



NUMBER OF SOCKETS



**121028.A1**

↔ 4m  
 ↓ 1,10m  
 ⬆ 88



**121030.A1**

↔ 3,15m  
 ↓ 1,10m  
 ⬆ 70



**121029.A1**

↔ 3,75m  
 ↓ 1,40m  
 ⬆ 112



**121021.A1**

↔ 4m  
 ↓ 1,10m  
 ⬆ 84



**121025.A1**

↔ 4,20m  
 ↓ 1,65m  
 ⬆ 126



**PATENTED**  
 ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturing

**Column Motifs  
with lamps**

*Illumination  
&  
Decoration*



*All motifs  
can be made  
in any size*

B1



**121211.B1.02**

⬆️ 2,80m  
⬅️ 1,30m  
⬆️ 29



**121221.B1.02**

⬆️ 2,50m  
⬅️ 1,25m  
⬆️ 58



**12841.B1.02**

⬆️ 2,80m  
⬅️ 1,30m  
⬆️ 29




**121215.B1.02**

⬆️ 3m  
⬅️ 1,35m  
⬆️ 32



**12843.B1.02**

⬆️ 3m  
⬅️ 1,20m  
⬆️ 50



**12844.B1.02**

⬆️ 2,50m  
⬅️ 1,25m  
⬆️ 58

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT

⬅️ LENGTH


⬆️ NUMBER OF SOCKETS

B1



**121219.B1.02**

↕	2,50m
↔	0,80m
⬆	50



**121227.B1.02**

↕	1,80m
↔	0,60m
⬆	36



**121218.B1.02**

↕	2,50m
↔	1,20m
⬆	44



**121226.B1.02**

↕	2,20m
↔	0,80m
⬆	35



**12842.B1.02**

↕	2,50m
↔	1,20m
⬆	44

**PATENTED**  
ISO 9001 IP44 CE






**FOTODIASTASI®**  
Festive Illumination Manufacturer

**Column Motifs  
with lamps**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**121210.B1.02**

⬇ 3m  
⬅ 1,50m  
⬆ 54



**121212.B1.02**

⬇ 3m  
⬅ 1,30m  
⬆ 46



**121214.B1.02**

⬇ 3m  
⬅ 1,20m  
⬆ 50



**121216.B1.02**

⬇ 2,50m  
⬅ 1,20m  
⬆ 51



**121222.B1.02**

⬇ 2,20m  
⬅ 0,70m  
⬆ 38



**121220.B1.02**

⬇ 2,50m  
⬅ 1,60m  
⬆ 70



**121223.B1.02**

⬇ 2,50m  
⬅ 1,25m  
⬆ 58



**121217.B1.02**

⬇ 2,50m  
⬅ 0,95m  
⬆ 32

**B1**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇ HEIGHT

⬅ LENGTH

⬆ NUMBER OF SOCKETS



121231.B1.02

⊕ 1,55m  
⊖ 1,02m  
⬆ 22



121224.B1.02

⊕ 2,20m  
⊖ 1m  
⬆ 35



121228.B1.02

⊕ 1,68m  
⊖ 0,60m  
⬆ 24



121225.B1.02

⊕ 2,20m  
⊖ 0,70m  
⬆ 35



121229.B1.02

⊕ 1m  
⊖ 0,90m  
⬆ 33



121230.B1.02

⊕ 1,03m  
⊖ 1,08m  
⬆ 30



## Quality control & Guarantee

- Environment protection
- Design & Innovation
- Low energy consumption
- Low heat emitting
- Long lifetime
- High luminous efficiency
- High quality LED rope light
- High quality LED light chains
- Certified & patented LED
- Registered European Patents
- CE European standards
- ISO 9001 : 2008



# Column Motifs

PATENTED  
ISO 9001 IP44 CE



## Column Base Support

.....page 284-289

## Classic Collection

.....page 290-327

## Christmas Collection

.....page 328-369

### Aluminium column motifs with rope light

#### TECHNICAL DATA

Voltage:	220-240V
Construction:	Aluminium 100%
Structure material:	FOTODIASTASI rope light A' quality
Conductors:	Weatherproof bases IP56 with embedded cable glands and Rubber wires VDE approval
Wires:	H05RN - F/ZX1mm <sup>2</sup> H05RN - F/ZX1mm <sup>2</sup> IP44 - IP54 CE
IP:	
License:	CE

### Aluminium Säulenmotive mit Leuchtkabel

#### TECHNISCHE SPEZIFIKATIONEN

Betriebsspannung:	220-240V
Konstruktion:	100% Aluminium
Material:	Komplexes Leuchtkabel von FOTODIASTASI erster Qualität
Stromanschluss:	Wasserdichtes Gehäuse IP56 mit integrierter Stopfbuchse und Erdung
Anschlusskabel:	Qualitätskabel VDE-geprüft, H05RN - F/ZX1mm <sup>2</sup> H05RN - F/ZX1mm <sup>2</sup>
Dichtigkeit:	IP44 - IP54
Zertifizierung:	CE

### Motifs en aluminium en cordon lumineux sur poteau

#### CARACTERISTIQUES TECHNIQUES

Tension :	220-240V
Fabrication:	Aluminium 100%
Matériau de fabrication :	Cordon lumineux compact FOTODIASTASI de qualité supérieure
Raccordements :	Boltes étanches IP56 avec presse- étoupes de câble incorporés et mise à la terre
Fils de raccordement :	Fils à gaine de caoutchouc, normes VDE, H05RN - F/ZX1mm <sup>2</sup> H05RN - F/ZX1mm <sup>2</sup>
Indice d'étanchéité :	IP44 - IP54
Certification :	CE

### Decoraciones de aluminio con hilo luminoso para columnas

#### CARACTERÍSTICAS TÉCNICAS

Tensión:	220-240V
Construcción:	Aluminio 100%
Material de fabricación:	Hilo luminoso sólido de primera calidad de FOTODIASTASI
Conductores:	A cajas estancas IP56 con prensaetapas incorporadas en la borne y toma de tierra
Cables de conexión:	Cable con certificación VDE H05RN - F/ZX1mm <sup>2</sup> H05RN - F/ZX1mm <sup>2</sup>
Grado de estanqueidad:	IP44 - IP54
Certificado:	CE



### أتوار زينة مضيئة معلقة على أعمدة الإنارة على هيكل الألمنيوم ويكوايل إنارة مضيئة

#### المواصفات الفنية:

توتر 240 - 220	نوع التشييل
100% كورنيوم	الهيكل المصنوع
كابل مضيء من شركة	كابل الإنارة المصنوع
FOTODIASTASI	فوتودياستاسي
من النوع الأول	
قوسلات داخل حبله وصل مغرولة IP56	وسلات القوابل
مع حبات داخلي القوابل وكابل أرضي	قوابل التوسيل
قوابل القوسيل VDE المواصفات:	
H05RN - F / ZX1mm <sup>2</sup>	
H05RN - F / ZX1mm <sup>2</sup>	
IP54 - IP44	
CE	

### Иллюминация колонн из алюминия со световым шнуром

#### ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Напряжение:	220-240V
Конструкция:	100% алюминий
Материал:	световой шнур FOTODIASTASI высшего качества
Соединение:	водонепроницаемые распределители с кабелем
Производство:	резина VDE по стандарту
H05RN - F/ZX1 mm <sup>2</sup>	
H05RN - F/ZX1 mm <sup>2</sup>	
Уровень герметичности:	IP44 - IP54
Сертификация:	CE



**FOTODIESTASI®**  
 Festive Illumination Manufacturer

## Polycarbonate and aluminium column base support with embodied column protection rubber rings

**BRA.05**

ΠΟΛΥΚΑΡΜΠΟΝΙΚΗ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΕΠΙΣΤΥΛΟΥ ΣΕ ΚΟΛΩΝΑ  
 POLYCARBONATE POLE MOUNTING SYSTEM  
 SUPPORT DE MONTAGE DE MOTIF SUR POTEAU EN POLYCARBONATE  
 BEFESTIGUNGSVORRICHTUNG AUS POLYCARBONAT FÜR DIE ANBRINGUNG VON MOTIVEN AN SÄULEN  
 BASE DE POLICARBONO PARA LA FIJACIÓN DE DECORACIÓN SOBRE COLUMNA  
 BASE IN POLICARBONATO PER ANCORAGGIO DI DECORO SU SUPPORTO VERTICALE

Κάθε βάση επιστύλου κατασκευάζεται από λήδες αλουμινίου που επενδύονται από πολυκαρμπονаты, παρέχοντας απόλυτη ασφάλεια ως μονωτήρας ενέργειας στο φωτιστικό και την κολώνα. Η επένδυση της βάσης από διάφανο πολυκαρμπονаты την καθιστά αόρατη στην κολώνα.

All our brackets are aluminium made, covered with high quality transparent polycarbonate material. This method offers high safety, even if electric shock comes in the main power supply. Due to the transparency of the polycarbonate material, the pole mounting system is almost invisible on the column.

Les supports de montage sont fabriqués en aluminium à revêtement en polycarbonate qui offre une sécurité absolue, fonctionnant comme isolant entre le dispositif lumineux et le poteau. Le revêtement du support en polycarbonate transparent le rend quasi-invisible sur le poteau.

Jede Befestigungsvorrichtung wird aus Aluminium, mit Polycarbonat beschichteten Platten hergestellt. Dies gewährleistet eine sichere Isolation zwischen dem Leuchtkörper und der Säule.

Die Polycarbonat-Verkleidung der Befestigungsvorrichtung sorgt außerdem für eine unsichtbare Anbringung an der Säule.

Las bases de fijación están formadas por aluminio y revestidas con policarbonato y garantizan plenamente el aislamiento entre la luminaria y la columna. Gracias al revestimiento de policarbonato, la base de fijación apenas es visible en la columna.

Le basi del decori sono in alluminio rivestito di policarbonato che offre un'assoluta sicurezza grazie alle sue proprietà isolanti. Il rivestimento in policarbonato trasparente rende il sistema di ancoraggio quasi invisibile.



**PATENTED**  
 PATENTA

**1** Τρόπος στήριξης επιστύλου.  
 Column motif suspension.  
 Montage de motif sur poteau.  
 Motiv-Aufhängung.  
 Método de fijación sobre columna.  
 Ancoraggio al supporto verticale.

**2** Βάση στήριξης επιστύλου με κολάρο σύσφιξης.  
 Pole fastener with jubilee banded clip.  
 Système de montage sur poteau à collier de fixation.  
 Motiv-Befestigungsvorrichtung mit Klemming.  
 Base de fijación sobre columnas con zuncho de sujeción.  
 Base di ancoraggio di decoro con fascetta di stringimento.

**3** Κολάρα σύσφιξης για κολώνες διαμέτρου από 90mm έως 205mm.  
 Jubilee banded clips for column diameter from 90mm to 205mm.  
 Collier de fixation pour poteaux de diamètre de 90mm à 205mm.  
 Klemming für Säulen mit einem Durchmesser von 90mm bis 205mm.  
 Zunchos de sujeción para columnas de 90mm a 205mm de diámetro.  
 Fascetta di stringimento per supporto verticale di diametro 90-205mm.

**4** Ανάρτηση επιστύλου σε κολώνα.  
 Suspension of motif on the column.  
 Montage de motif sur poteau.  
 Aufhängung des Motivs an der Säule.  
 Montaje de luminosa sobre columna.  
 Ancoraggio del decoro al supporto verticale.

- Βάση στήριξης επιστύλου σε κολώνα κοιλιά (1 επιστύλου mín. 2 τεμάχια BRA.05)  
 Column base support (1 column motif min. 2 pcs of BRA.05)  
 Système de montage sur poteau complet (1 motif sur poteau, minimum deux pièces BRA.05)  
 Komplett Befestigungsvorrichtung für Säulen (1r ein Motiv min. 2 Stück BRA.05)  
 Base completa de fijación sobre columna (mínimo 2 piezas BRA.05 para cada luminosa para columna).  
 Depósito di ancoraggio di decoro per ciascun supporto verticale: min. 2 pezzi BRA.05.



Βάση στήριξης επιστύλου  
 Motif base support  
 Système de montage sur poteau  
 Motiv-Befestigungsvorrichtung  
 Base de fijación sobre columna  
 Base di ancoraggio di decoro



Κολάρα σύσφιξης  
 Jubilee banded clip  
 Collier de fixation  
 Klemming  
 Zunchos de sujeción  
 Fascetta di stringimento



# NEW BRA.05

ΤΡΟΠΟΣ ΑΝΑΡΤΗΣΗΣ ΕΠΙΣΤΥΛΟΥ ΣΕ ΚΟΛΩΝΑ  
 INSTALLATION OF POLE MOUNTING SYSTEM  
 INSTALLATION DU SYSTEME DE MONTAGE SUR POTEAU  
 ANBRINGUNG EINES MOTIVS AN EINER SÄULE  
 MÉTODO DE MONTAJE DE LUMINOSO SOBRE COLUMNA  
 ANCORAGGIO DI DECORO SU SUPPORTO VERTICALE

**1** Αφού τοποθετήσουμε τη βάση του επιστύλου ανάμεσα στις δύο βίδες, τοποθετούμε την ειδική λάμα ασφαλείας.  
 Position the pole base between the two screws then slide on the special safety plate.  
 Après avoir placé le support de motif entre les deux vis, placez la lame spéciale de verrouillage.  
 Die Motiv-Halterung wird zwischen den zwei Schrauben platziert, danach wird die spezielle Sicherungsplatte angebracht.  
 Una vez colocada la base del luminoso entre los dos tornillos, colocamos la placa especial de seguridad.  
 Inserita la base del decoro tra le due viti, applicare l'apposita piastrina di sicurezza.


**2** Τοποθετούμε τις ασφάλειες και τις πεταλούδες.  
 Apply the locknuts followed by the wing nuts.  
 Placez les rondelles plates et les écrous à oreilles.  
 Die Sicherungsleisten und die Schmetterlingschrauben anbringen.  
 Colocamos los seguros y las mariposas.  
 inserire le rondelle e avvitare i dadi a farfalla

**3** Βιδώνουμε κατά το δυνατό σφιχτά ώστε να ασφαλίσει το επιστύλο.  
 Screw as tightly as possible to secure the Pole.  
 Vissez aussi fermement que possible pour que le motif soit immobilisé.  
 Die Schrauben möglichst fest ziehen, so dass das Motiv sicher angebracht ist.  
 Atornillamos con firmeza para que el luminoso quede bien fijado.  
 Avvitare con forza i dadi a farfalla.

**4** Η πρώτη βάση στήριξης είναι έτοιμη.  
 The first base support is ready.  
 Le premier support de montage est prêt.  
 Die erste Befestigungsvorrichtung ist fertig.  
 La primera base de fijación está lista.  
 La prima base di ancoraggio è pronta.



**5** Την ίδια διαδικασία ακολουθούμε και για τη δεύτερη βάση στήριξης.  
 Repeat the process for the second base support.  
 Suivez la même procédure pour le second support de montage.  
 Den gleichen Vorgang für die zweite Befestigungsvorrichtung wiederholen.  
 Seguimos el mismo procedimiento con la segunda base de fijación.  
 Seguire lo stesso procedimento anche per la seconda base di sostegno.

**6** Το φωτιστικό μας είναι έτοιμο προς λειτουργία.  
 Your light motif is ready for use.  
 Votre motif est prêt à être illuminé.  
 Unser Leuchtmotiv ist betriebsbereit.  
 Nuestro luminoso ya puede funcionar.  
 Il decoro luminoso è pronto.



Συναρμολόγηση επιστύλου γρήγορα και εύκολα χωρίς τη χρήση εργαλείων.  
 Enables the motif to be assembled with the minimum effort and time.  
 Montage rapide et facile du motif sur poteau, sans outils.  
 Einfache Anbringung des Motivs ohne die Verwendung von Werkzeugen.  
 Montaje de luminoso rápida y fácilmente sin necesidad de utilizar herramientas.  
 Sistema facile e veloce per ancorare il decoro al supporto senza dover utilizzare attrezzi.

**With embodied rubber rings for column protection**



**FOTODIESTASI®**  
Festive Illumination Manufacturer

# Aluminium column base support

# BRA.03

ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΕΠΙΣΤΥΛΟΥ ΣΕ ΚΟΛΩΝΑ  
POLE MOUNTING SYSTEM  
SYSTEME DE MONTAGE SUR POTEAU  
SYSTEM FÜR DIE ANBRINGUNG VON MOTIVEN AN SÄULEN  
BASE DE FIJACIÓN DE DECORACIÓN SOBRE COLUMNA  
BASE PER ANCORAGGIO DI DECORI SU SUPPORTO VERTICALE

Με τη νέα μας πατέντα, μπορείτε να στηρίξετε οποιαδήποτε παράσταση στυλού η οποία θα έχει βάση από 5mm έως 30mm σε δευτερόλεπτα βιδώνοντας απλά τις πεταλούδες με το χέρι χωρίς τη χρήση εργαλείων και κυρίως χωρίς να χρειάζονται ειδικές γωνίες στην κεντρική βάση στηρίξης του επιστύλου.

With our new patent, you can support any type of motif of base 5mm to 30mm in mere seconds by simply tightening the wing nuts by hand, without the need for any tools or special bends in the central base support.

Grâce à notre nouveau dispositif breveté, il vous suffit de quelques secondes pour monter tout motif à support de 5mm à 30mm sur poteau en vissant simplement les écrous à oreilles à la main, sans avoir besoin d'outils et, surtout, sans avoir besoin de cornières spéciales pour le support central du motif.

Mit unserem neuen Patent können Sie jedes Motiv mit einer Basis von 5mm bis 30mm innerhalb von Sekunden anbringen. Sie brauchen dazu lediglich die Schnellringsschrauben manuell festziehen, ohne dass Sie dazu ein spezielles Werkzeug oder spezielle Eckplatten an der zentralen Befestigungsvorrichtung des Motivs benötigen.

Con nuestra nueva patente, puede fijar cualquier decoración para columnas que tenga una base de 5mm a 30mm en pocos segundos, simplemente atornillando las mariposas con la mano, sin necesidad de utilizar ninguna otra herramienta y sin necesidad de utilizar angulares especiales con la base de fijación central sobre columnas.

Grazie al nostro dispositivo brevettato, qualsiasi figura che abbia una base di 5-30mm può essere applicata al supporto verticale in pochi secondi. I dadi a farfalla si avvitano a mano, non occorrono né attrezzi né speciali supporti ad angolo.



**PATENTED**  
**PATENTA**

Ap. Αριθμός Πατέντας:  
20050100212 / 25-04-2005

Deposit No:  
20050100212 / 25-04-2005

Numero de demande de brevet:  
20050100212 / 25-04-2005

Patentantrags-Nr.:  
20050100212 / 25-04-2005

Núm. de solicitud de patente  
20050100212 / 25-04-2005

Richiesta di Brevetto  
20050100212 / 25-04-2005

1 Τρόπος στήριξης επιστύλου.  
Column motif suspension.  
Montage de motif sur poteau.  
Motiv-Aufhängung  
Método de fijación sobre columna.  
Ancoraggio al supporto verticale.



2 Βάση στήριξης επιστύλου με κολάρο σύσφιξης.  
Pole fastener with jubilee banded clip.  
Système de montage sur poteau à collier de fixation.  
Motiv-Befestigungsvorrichtung mit Klemmring.  
Base de fijación sobre columnas con zuncho de sujeción.  
Base di ancoraggio di decoro con fascetta di stringimento.




3 Κολάρο σύσφιξης για κολώνες διαμέτρου από 90mm έως 205mm.  
Jubilee banded clips for column diameter from 90mm to 205mm.  
Collier de fixation pour poteaux de diamètre de 90mm à 205mm.  
Klemmring für Säulen mit einem Durchmesser von 90mm bis 205mm.  
Zunchos de sujeción para columnas de 90mm a 205mm de diámetro.  
Fascetta di stringimento per supporto verticale di diametro 90-205mm.



4 Ανάρτηση επιστύλου σε κολώνα.  
Suspension of motif on the column.  
Montage de motif sur poteau.  
Aufhängung des Motivs an der Säule.  
Montaje de luminoso sobre columna.  
Ancoraggio del decoro al supporto verticale.



Βάση στήριξης επιστύλου σε κολώνες κομπίλε (1 επιστύλιος min. 2 τεμάχια BRA.03).  
Column base support (1 column motif min. 2 pcs of BRA.03).  
Système de montage sur poteau complet (1 motif sur poteau, minimum deux pièces BRA.03).  
Komplette Befestigungsvorrichtung für Säulen (für ein Motiv min. 2 Stück BRA.03).  
Base completa de fijación sobre columna (mínimo 2 piezas BRA.03 para cada luminoso para columnas).  
Dispositivo di ancoraggio di decoro (per ciascun supporto verticale: min. 2 pezzi BRA.03).



# BRA.03

ΤΡΟΠΟΣ ΑΝΑΡΤΗΣΗΣ ΕΠΙΣΤΥΛΟΥ ΣΕ ΚΟΛΩΝΑ  
 INSTALLATION OF POLE MOUNTING SYSTEM  
 INSTALLATION DU SYSTEME DE MONTAGE SUR POTEAU  
 ANBRINGUNG EINES MOTIVS AN EINER SÄULE  
 MÉTODO DE MONTAJE DE LUMINOSO SOBRE COLUMNA  
 ANCORAGGIO DI DECORO SU SUPPORTO VERTICALE


- 1 Αφού τονωθεί η βάση τη βάση του επιστύλου ανάμεσα στις δύο βίδες, τοποθετούμε την ροδέλα της ασφαλείας.  
 Position the pole base between the two screws then slide on the special safety plate.  
 Après avoir placé le support de motif entre les deux vis, placez la lame spéciale de verrouillage.  
 Die Motiv-Halterung wird zwischen den zwei Schrauben platziert, danach wird de spezielle Sicherungsplatte angebracht.  
 Una vez colocada la base del luminoso entre los dos tornillos, colocamos la placa especial de seguridad.  
 Inserite la base del decoro tra le due viti, applicare l'apposita piastrina di sicurezza.
- 2 Τοποθετούμε τις ασφαλείες και τις πεταλούδες.  
 Apply the locknuts followed by the wing nuts.  
 Placez les rondelles plates et les écrous à oreilles.  
 Die Sicherungsleisten und die Schmetterlingsschrauben anbringen.  
 Colocamos los seguros y las mariposas.  
 Inserite le rondelle e avvitare i dadi a farfalla.
- 3 Βιδώνουμε κατά το δυνατό ορατά ώστε να ασφαλίσει το επιστύλω.  
 Screw as tightly as possible to secure the Pole.  
 Vissez aussi fermement que possible pour que le motif soit immobilisé.  
 Die Schrauben möglichst fest ziehen, so dass das Motiv sicher angebracht ist.  
 Atornillamos con firmeza para que el luminoso quede bien fijado.  
 Avvitare con forza i dadi a farfalla.
- 4 Η πρώτη βάση στήριξης είναι έτοιμη.  
 The first base support is ready.  
 Le premier support de montage est prêt.  
 Die erste Befestigungsvorrichtung ist fertig.  
 La primera base de fijación está lista.  
 La prima base di ancoraggio è pronta.
- 5 Την ίδια διαδικασία ακολουθούμε και για τη δεύτερη βάση στήριξης.  
 Repeat the process for the second base support.  
 Suivez la même procédure pour le second support de montage.  
 Den gleichen Vorgang für die zweite Befestigungsvorrichtung wiederholen.  
 Seguimos el mismo procedimiento con la segunda base de fijación.  
 Seguire lo stesso procedimento anche per la seconda base di sostegno.
- 6 Το φωτιστικό μας είναι έτοιμο προς λειτουργία.  
 Your light motif is ready for use.  
 Votre motif est prêt à être illuminé.  
 Unser Leuchtmotiv ist betriebsbereit.  
 Nuestro luminoso ya puede funcionar.  
 Il decoro luminoso è pronto.

# OMEGA SYSTEM

with rubber protection



- |                            |                              |
|----------------------------|------------------------------|
| 1 OMEGA.48 for pole Ø 48mm | 4 OMEGA.88 for pole Ø 88mm   |
| 2 OMEGA.60 for pole Ø 60mm | 5 OMEGA.100 for pole Ø 100mm |
| 3 OMEGA.76 for pole Ø 76mm | 6 OMEGA.114 for pole Ø 114mm |



**PATENTED**  
 ISO 9001 IP44 CE



# BRA.02

ΠΟΛΥΚΑΡΜΠΟΝΙΚΗ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΕΠΙΣΤΥΛΟΥ ΣΕ ΚΟΛΩΝΑ  
 POLYCARBONATE POLE MOUNTING SYSTEM  
 SUPPORT DE MONTAGE DE MOTIF SUR POTEAU EN POLYCARBONATE  
 BEFESTIGUNGSVORRICHTUNG AUS POLYCARBONAT FÜR DIE ANBRINGUNG VON MOTIVEN AN SÄULEN  
 BASE DE POLICARBONO PARA LA FIJACIÓN DE DECORACIÓN SOBRE COLUMNA  
 BASE IN POLICARBONATO PER ANCORAGGIO DI DECORI SU SUPPORTO VERTICALE

Κάθε βάση επιστύλου κατασκευάζεται από άμιξες αλουμινίου που επενδύονται από πολυκαρμπονát, παρέχοντας απόλυτη ασφάλεια ως μονωτήρας ανάμεσα στο φωτιστικό και την κολώνα. Η επένδυση της βάσης από διάφανο πολυκαρμπονát την καθιστά άδραστη στην κολώνα.

All our brackets are aluminium made, covered with high quality transparent polycarbonate material. This method offers high safety, even if electric shock comes in the main power supply. Due to the transparency of the polycarbonate material, the pole mounting system is almost invisible on the column.

Les supports de montage sont fabriqués en aluminium à revêtement en polycarbonate qui offre une sécurité absolue, fonctionnant comme isolant entre le dispositif lumineux et le poteau. Le revêtement du support en polycarbonate transparent le rend quasi-invisible sur le poteau.

Jede Befestigungsvorrichtung wird aus Aluminium, mit Polycarbonat beschichteten Platten hergestellt. Dies gewährleistet eine sichere Isolierung zwischen dem Leuchtkörper und der Säule.


Die Polycarbonat-Verkleidung der Befestigungsvorrichtung sorgt außerdem für eine unsichtbare Anbringung an der Säule.

Las bases de fijación están formadas por aluminio y revestidas con policarbono y garantizan plenamente el aislamiento entre la luminaria y la columna. Gracias al revestimiento de policarbono, la base de fijación apenas es visible en la columna.

Le basi dei decori sono in alluminio rivestito di policarbonato che offre un'assoluta sicurezza grazie alle sue proprietà isolanti. Il rivestimento in policarbonato trasparente rende il sistema di ancoraggio quasi invisibile.



## Polycarbonate and aluminium column base support



**ΑΝΤΙΑΝΕΜΙΚΟ ΣΥΣΤΗΜΑ ΕΝΙΣΧΥΣΗΣ ΦΩΤΙΣΤΙΚΩΝ ΠΑΡΑΣΤΑΣΕΩΝ ΣΤΥΛΩΝ ΚΑΙ ΔΡΟΜΩΝ**  
**WIND SUPPORT SYSTEM FOR COLUMN AND ACROSS STREET MOTIFS**  
**SYSTEME DE RENFORCEMENT ANTI-VENT POUR CANDELABRES ET LUMINAIRES DES RUES**  
**WINDSCHUTZSYSTEM ZUR VERSTÄRKUNG VON SÄULEN- UND STRASSEN-LEUCHTSCHMUCK**  
**SISTEMA DE REFUERZO QUE PROTEGE DEL VIENTO PARA ALUMBRADO DE POSTES Y CALLES**  
**SISTEMA DI SUPPORTO ANTIVENTO SU ADDOBBI LUMINOSI PER PALI E STRADE**

## WSS.C

Γωνιακή κόλληση / Corner joint / Fixation aux angles / Eckverbindung / Conexión angular / Soldatura angolare

Τοποθέτηση γωνιακού συστήματος WSS.C / Installation of WSS.C corner system / Pose d'un système d'angle WSS.C / Anbringung eines WSS.C-Eckstücks / Colocación del sistema angular WSS.C / Installazione sistema WSS.C angolare



Γωνιακό σύστημα WSS.C τοποθετούμενο / Installed WSS.C corner system / Système d'angle WSS.C posé / WSS.C-Eckstück installiert / Sistema angular WSS.C colocado / Sistema WSS.C angolare installato

Γωνιακό σύστημα ενίσχυσης κατασκευών / Corner bracing system component / Système d'angle pour le renforcement des structures / Eckstück für die Verstärkung der Konstruktionen / Sistema angular de refuerzo de las construcciones / Sistema angolare di supporto per strutture

Υποδοχή τοποθέτησης αγκυρώτη-ροπαί / Slot for insertion of mounting band / Point de fixation du collier de serrage / Vorrichtung für die Anbringung eines Klemmringes / Base de colocación de zunchos de sujeción / Base de colocación de zunchos de sujeción / Alloggiamento per fascetta di stringimento.

## WSS.T

Ενδιάμεση κόλληση / T-joint / Fixation intermédiaire / Zwischenklebung / Conexión intermedia / Soldatura intermedia

Το όριζ γωνι ενδιάμεσου συστήματος WSS.T / Installation of WSS.T T-joint system / Pose du système intermédiaire WSS.T / Anbringung eines WSS.T-Zwischensystems / Colocación del sistema intermedio WSS.T / Installazione sistema WSS.T intermedio



Εξόχιστο σύστημα ενίσχυσης κατασκευών / Top of bracing system component / Système intermédiaire de renforcement des structures / Zwischenstück

für die Verstärkung der Konstruktionen / Sistema intermedio de refuerzo de las construcciones / Sistema intermedio di supporto per strutture

Ενδιάμεσο σύστημα WSS.T τοποθετούμενο / Installed WSS.T T-joint system / Système intermédiaire WSS.T posé / WSS.T-Zwischensstück installiert / Sistema intermedio WSS.T colocado / Sistema WSS.T intermedio installato

**NEW WSS**

**PATENTED**  
BREVETÉ

Wind support system

Η νέα μας εφεύρεση, το WSS, είναι το πλέον καινοτομικό και πρωτότυπο σύστημα προστασίας των φωτιστικών στύλων και δρόμων από πλάγμεντοπικους ανέμους. Με το σύστημα αυτό, επιτυγχάνουμε 100% προστασία των φωτιστικών παραστάσεων, εφόσον οι ράβδοι στα σημεία των κολλήσεων παραμένουν ασφαλισμένες, δηλαδή προστατευμένες και ακίνητες κάτω από οποιαδήποτε καιρικές συνθήκες.

Our latest invention – WSS – is a revolutionary new system for the protection of pole-mounted and across-street lighting motifs from side and front winds. With the system, lighting motifs are 100% protected, given that the rods remain secure at joints; in other words, the rods are protected and motionless under any weather conditions.

Notre nouvelle invention, le système de renforcement anti-vent (WSS), constitue désormais un système original de protection des candélabres et des luminaires de rues face aux vents frontaux et latéraux. Avec ce système, nous atteignons une protection 100% des décorations lumineuses, les branches demeurant assurées au niveau des fixations, ce qui signifie qu'elles demeurent protégées et immobiles, quelles que soient les conditions du temps.

Unsere neue Erfindung, das WSS, ist ein revolutionäres und innovatives System zum Schutz von Leuchtsäulen und Leuchtketten gegen Front- und Seitenwind. Mit diesem System lässt sich ein 100-%iger Schutz der Säulen und Ketten erzielen, da die Stäbe an den Verbindungsstellen gesichert und somit unter allen Wetterbedingungen geschützt und stabil bleiben.

Nuestro nuevo invento, el WSS, es el sistema más revolucionario y original de protección de los sistemas de alumbrado de postes y de calles contra vientos de costado y frontales. Con este sistema logramos la protección al 100% de los sistemas de alumbrado, ya que las barras en los puntos de unión permanecen aseguradas, es decir, protegidas e inmóviles bajo cualquier condición climática.

La nostra nuova invenzione, il WSS, è il più rivoluzionario sistema innovativo per la protezione dai venti diretti e laterali degli addobbi luminosi per pali e strade. Con questo sistema, gli addobbi luminosi sono protetti al 100% poiché le barre nei punti di ancoraggio rimangono sicure cioè protette e fisse con qualsiasi condizione atmosferica.



**PATENTED**  
ISO 9001 IP44 CE

FOTODIESTASI®

Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
DecorationAll motifs  
can be made  
in any size

124000.B2.WW.270

 2,70m  
 357W

124000.B2.WW.170

 1,70m  
 157W

124000.B2.WH.270

 2,70m  
 357W

124000.B2.WH.170

 1,70m  
 157W

## 3D column motifs

124000.B2.BL



blue

124000.B2.RE



red

124000.B2.WH



white

124000.B2.WW

warm  
white


## ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

HEIGHT

LENGTH

LED POWER



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size

# 3D



without crystal chain

### 124001.B2.WW

<input checked="" type="checkbox"/> 0,70m LED 36W	<input checked="" type="checkbox"/> 0,90m LED 54W	<input checked="" type="checkbox"/> 1,20m LED 90W
--	--	--



without crystal chain

### 124001.B2.WH

<input checked="" type="checkbox"/> 0,70m LED 36W	<input checked="" type="checkbox"/> 0,90m LED 54W	<input checked="" type="checkbox"/> 1,20m LED 90W
--	--	--



without crystal chain

### 124001.B2.BI

<input checked="" type="checkbox"/> 0,70m LED 36W	<input checked="" type="checkbox"/> 0,90m LED 54W	<input checked="" type="checkbox"/> 1,20m LED 90W
--	--	--



without crystal chain

### 124001.B2.RE

<input checked="" type="checkbox"/> 0,70m LED 36W	<input checked="" type="checkbox"/> 0,90m LED 54W	<input checked="" type="checkbox"/> 1,20m LED 90W
--	--	--



#### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER




LED POWER

warm white led



with crystal chain



WARM WHITE  
**124001.CR.B2.WW**

Ø 0,70m  
LED 36W

Ø 0,90m  
LED 54W

Ø 1,20m  
LED 90W

RED  
**124001.CR.B2.RE**

Ø 0,70m  
LED 36W

Ø 0,90m  
LED 54W

Ø 1,20m  
LED 90W



**PATENTED**  
ISO 9001 IP44 CE



**FOTODIAGNOSI®**  
Festive Illumination Manufacturer

## Column Motifs

*Illumination  
&  
Decoration*

### 124002.B2.WW.150

- ⬇️ 1,50m
- ⬅️ 1,10m
- Ⓜ️ 132W

### 124002.B2.WW.200

- ⬇️ 2m
- ⬅️ 1,40m
- Ⓜ️ 169W

### 124002.B2.RE.150

- ⬇️ 1,50m
- ⬅️ 1,10m
- Ⓜ️ 132W

### 124002.B2.RE.200

- ⬇️ 2m
- ⬅️ 1,40m
- Ⓜ️ 169W



# 3D column chandelier

### 124002.B2.WH.150

- ⬇️ 1,50m
- ⬅️ 1,10m
- Ⓜ️ 132W

### 124002.B2.WH.200

- ⬇️ 2m
- ⬅️ 1,40m
- Ⓜ️ 169W

3D

### 124002.B2.BL.150

- ⬇️ 1,50m
- ⬅️ 1,10m
- Ⓜ️ 132W

### 124002.B2.BL.200

- ⬇️ 2m
- ⬅️ 1,40m
- Ⓜ️ 169W



#### ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT






LENGTH



LED POWER

# 3D column motifs

**PATENTED**  
ISO 9001 IP44 CE



# B2



FOTODIESTASI®  
Festive Illumination Manufacturer

## Column Motifs

...with falling tubes

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12710.B2.02**

⬇️ 2m  
⬅️ 3,15m  
Ⓜ️ 101W



**12711.B2.02**

⬇️ 2m  
⬅️ 3,15m  
Ⓜ️ 97W



**12712.B2.02**

⬇️ 2m  
⬅️ 3,70m  
Ⓜ️ 131W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT

⬅️ LENGTH

Ⓜ️ LED POWER

B2

# Horizontal Column Motifs

...with falling tubes and icicle lights



**12714.B2.02**

2m  
3,15m  
96W


FALLING TUBES INCLUDED

**12715.B2.02**

2m  
3,60m  
110W



FALLING TUBES INCLUDED



**12716.B2.02**

2m  
3,50m  
114W



FALLING TUBES INCLUDED



**12717.B2.02**

2m  
3,60m  
111W



FALLING TUBES INCLUDED



**B2**

**PATENTED**  
ISO 9001 IP44 CE




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

...with falling tubel

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**12718.B2.02**

⊕ 3m  
⊖ 1,15m  
⊞ 70W



**12719.B2.02**

⊕ 2,25m  
⊖ 0,90m  
⊞ 38W



**12720.B2.02**

⊕ 2,25m  
⊖ 0,90m  
⊞ 22W



**12721.B2.02**

⊕ 2,25m  
⊖ 1m  
⊞ 43W



**12722.B2.02**

⊕ 2,25m  
⊖ 1,10m  
⊞ 40W




**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⊕ HEIGHT


⊖ LENGTH

⊞ LED POWER



**12723.B2.02**

⬆ 2,25m  
 ⬆ 1m  
 ⬆ 44W



**12724.B2.02**

⬆ 2,25m  
 ⬆ 0,75m  
 ⬆ 22W




**12725.B2.02**

⬆ 3m  
 ⬆ 0,80m  
 ⬆ 57W




**12726.B2.02**

⬆ 2,25m  
 ⬆ 0,70m  
 ⬆ 47W



**12727.B2.02**

⬆ 2,25m  
 ⬆ 0,75m  
 ⬆ 26W



**12728.B2.02**

⬆ 2,30m  
 ⬆ 1,25m  
 ⬆ 30W



**12729.B2.02**

⬆ 3m  
 ⬆ 0,95m  
 ⬆ 63W



**12730.B2.02**

⬆ 3m  
 ⬆ 1,30m  
 ⬆ 103W



**12731.B2.02**

⬆ 2,25m  
 ⬆ 0,90m  
 ⬆ 30W

**FOTODIESTASI®**  
Festive Illumination Manufacturer


**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



*...with falling tubes!*



\*FALLING TUBES INCLUDED

**12407.B2.02**

- ⬆ 1,20m
- ⬅ 1,20m
- ⚡ 50W



\*FALLING TUBES INCLUDED

**12405.B2.02**

- ⬆ 2m
- ⬅ 1,60m
- ⚡ 107W



\*FALLING TUBES INCLUDED

**12408.B2.02**

- ⬆ 1,20m
- ⬅ 1,40m
- ⚡ 42W



\*FALLING TUBES INCLUDED

**12406.B2.02**

- ⬆ 1,70m
- ⬅ 1,10m
- ⚡ 70W



\*FALLING TUBES INCLUDED

**12401.B2.02**

- ⬆ 1,70m
- ⬅ 1,10m
- ⚡ 61W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization). Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆ HEIGHT    ⬅ LENGTH    ⚡ LED POWER

**PATENTED**

ISO 9001 IP44 CE



\*FALLING TUBES  
INCLUDED

**12732.B2.02**

⊕ 2,70m  
⊕ 1,40m  
⊖ 62W



\*FALLING TUBES  
INCLUDED

**12733.B2.02**

⊕ 3m  
⊕ 1,20m  
⊖ 51W



\*FALLING TUBES  
INCLUDED

**12734.B2.02**

⊕ 2,20m  
⊕ 0,70m  
⊖ 38W



\*FALLING TUBES  
INCLUDED

**12735.B2.02**

⊕ 3m  
⊕ 1,30m  
⊖ 52W



\*FALLING TUBES  
INCLUDED

**12736.B2.02**

⊕ 1,60m 2,55m  
⊕ 0,65m 1,05m  
⊖ 61W 75W



\*FALLING TUBES  
INCLUDED

**12737.B2.02**

⊕ 3m  
⊕ 1,30m  
⊖ 52W

FOTODIESTASI®

Festive Illumination Manufacturer

Column Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12816.B2.02

⬆️ 2,25m  
⬅️ 1m  
⚡ 54W



12817.B2.02

⬆️ 2,70m  
⬅️ 1,40m  
⚡ 44W



12818.B2.02

⬆️ 2,20m  
⬅️ 0,70m  
⚡ 26W



12819.B2.02

⬆️ 2,20m  
⬅️ 1m  
⚡ 28W



12820.B2.02

⬆️ 2,70m  
⬅️ 1,40m  
⚡ 44W



12821.B2.02

⬆️ 2,20m  
⬅️ 0,70m  
⚡ 26W



B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT

⬅️ LENGTH

⚡ LED POWER



**122130.B2.02**

⊕ 3m  
⊖ 1,20m  
⊞ 54W



**122129.B2.02**

⊕ 3m  
⊖ 1,20m  
⊞ 87W



**122110.B2.02**

⊕ 3m  
⊖ 1,30m  
⊞ 97W



**122114.B2.02**

⊕ 3m  
⊖ 1,30m  
⊞ 97W



**122111.B2.02**

⊕ 3m  
⊖ 1,30m  
⊞ 97W



**PATENTED**  
ISO 9001 IP44 CE





FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



123581.B2.02

⬇️ 2,50m	⬇️ 2m
⬅️ 0,85m	⬅️ 0,68m
⚡️ 56W	⚡️ 35W



126288.B2.02

⬇️ 3m
⬅️ 1,30m
⚡️ 80W




124050.B2.02

⬇️ 2,50m	⬇️ 2m
⬅️ 0,65m	⬅️ 0,50m
⚡️ 69W	⚡️ 53W



12745.B2.02

⬇️ 2,25m
⬅️ 0,75m
⚡️ 59W



12312.B2.02

⬇️ 2,30m
⬅️ 0,73m
⚡️ 52W



12746.B2.02

⬇️ 2,25m
⬅️ 0,75m
⚡️ 63W



12348.B2.02

⬇️ 2m
⬅️ 0,80m
⚡️ 35W

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**12740.B2.02**

⊕ 2m  
⊕ 0,85m  
LED 36W



**12741.B2.02**

⊕ 2m  
⊕ 1,20m  
LED 51W



**12742.B2.02**

⊕ 2m  
⊕ 0,85m  
LED 21W



**124046.B2.02**

⊕ 2,50m  
⊕ 0,75m  
LED 43W



**12743.B2.02**

⊕ 2,25m  
⊕ 1,10m  
LED 27W



**12744.B2.02**

⊕ 2,25m  
⊕ 0,72m  
LED 58W

**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




12320.B2.02

⬇️ 2,30m  
⬅️ 0,85m  
⚡️ 60W




121395.B2.02

⬇️ 2,50m  
⬅️ 0,90m  
⚡️ 48W



123518.B2.02

⬇️ 2m  
⬅️ 1,10m  
⚡️ 43W




12736.B2.02

⬇️ 2,25m  
⬅️ 1m  
⚡️ 32W



123558.B2.02

⬇️ 2,30m  
⬅️ 0,70m  
⚡️ 53W



124042.B2.02

⬇️ 2,50m  
⬅️ 0,70m  
⚡️ 56W

⬇️ 2m  
⬅️ 0,55m  
⚡️ 36W



12739.B2.02

⬇️ 2,25m  
⬅️ 0,75m  
⚡️ 18W

ATTENTION


All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT

⬅️ LENGTH

⚡️ LED POWER

B2

**12747.B2.02**

 2,25m  
 0,90m  
 50W

**12384.B2.02**

 2,50m  
 1m  
 77W

**124041.B2.02**

 2,50m  
 0,70m  
 76W

 2m  
 0,60m  
 60W

**123544.B2.02**

 2,50m  
 0,73m  
 60W

 2m  
 0,58m  
 45W

**124039.B2.02**

 2,50m  
 0,76m  
 53W

 2m  
 0,60m  
 43W

**12748.B2.02**

 2,25m  
 0,90m  
 39W

**12383.B2.02**

 2,50m  
 1m  
 77W

**PATENTED**  
ISO 9001 IP44 CE

FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




12319.B2.02

⬇️ 2,30m  
⬅️ 0,85m  
⚡️ 60W



12301.B2.02

⬇️ 2,30m  
⬅️ 0,83m  
⚡️ 45W



124015.B2.02

⬇️ 2,50m  
⬅️ 0,65m  
⚡️ 72W

⬇️ 2m  
⬅️ 0,55m  
⚡️ 56W



12381.B2.02

⬇️ 2,50m  
⬅️ 0,90m  
⚡️ 40W




12332.B2.02

⬇️ 2,30m  
⬅️ 0,85m  
⚡️ 45W



12749.B2.02

⬇️ 2,25m  
⬅️ 0,70m  
⚡️ 38W



12750.B2.02

⬇️ 2m  
⬅️ 0,50m  
⚡️ 37W

B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT ⬅️ LENGTH ⚡️ LED POWER

**PATENTED**

ISO 9001 IP44 CE

**12751.B2.02**

⊕	2,25m
⊖	0,70m
⊞	50W

**12308.B2.02**

⊕	2,30m
⊖	1m
⊞	35W

**123545.B2.02**

⊕	2,50m	⊕	2m
⊖	0,70m	⊖	0,56m
⊞	46W	⊞	30W

**123584.B2.02**

⊕	2m
⊖	1m
⊞	43W

**124026.B2.02**

⊕	2,50m	⊕	2m
⊖	1m	⊖	0,80m
⊞	69W	⊞	54W

**123510.B2.02**

⊕	2,50m	⊕	2m
⊖	1m	⊖	0,80m
⊞	36W	⊞	25W

**12752.B2.02**

⊕	2,25m
⊖	0,60m
⊞	49W

FOTODIESTASI®

Festive Illumination Manufacturer

## Column Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size



124048.B2.02

⬆️ 2,50m	⬆️ 2m
⬆️ 1,07m	⬆️ 0,90m
⬆️ 86W	⬆️ 65W



12822.B2.02

⬆️ 2,25m
⬆️ 0,60m
⬆️ 38W



12753.B2.02

⬆️ 2,25m
⬆️ 0,75m
⬆️ 14W



124012.B2.02

⬆️ 2,30m
⬆️ 0,75m
⬆️ 62W




12343.B2.02

⬆️ 2,30m
⬆️ 1,60m
⬆️ 40W



12351.B2.02

⬆️ 2,30m
⬆️ 0,65m
⬆️ 46W



12349.B2.02

⬆️ 2m
⬆️ 0,60m
⬆️ 20W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**PATENTED**

ISO 9001 IP44 CE

**123512.B2.02**

⬆️	2,50m	⬆️	2m
⬇️	1,05m	⬆️	0,60m
⚡	43W	⚡	21W

**123546.B2.02**

⬆️	2,50m	⬆️	2m
⬇️	0,73m	⬆️	0,60m
⚡	36W	⚡	21W

**124054.B2.02**

⬆️	2,50m	⬆️	2m
⬇️	1,07m	⬆️	0,90m
⚡	53W	⚡	43W

**12350.B2.02**

⬆️	2,30m
⬇️	0,70m
⚡	50W

**123538.B2.02**

⬆️	2,50m	⬆️	2m
⬇️	0,80m	⬆️	0,65m
⚡	34W	⚡	24W

**124036.B2.02**

⬆️	2,50m	⬆️	1,85m
⬇️	0,70m	⬆️	0,53m
⚡	31W	⚡	21W

**122170.B2.02**

⬆️	2,30m
⬇️	1,20m
⚡	53W

**12346.B2.02**

⬆️	2,30m
⬇️	1,35m
⚡	50W




FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12327.B2.02

⊕ 2,30m  
⊕ 1m  
⊖ 68W




12361.B2.02

⊕ 2,30m  
⊕ 1,25m  
⊖ 54W



12754.B2.02

⊕ 2,25m  
⊕ 0,70m  
⊖ 39W



124004.B2.02

⊕ 2,50m  
⊕ 0,78m  
⊖ 90W

⊕ 2m  
⊕ 0,80m  
⊖ 70W



12755.B2.02

⊕ 2,25m  
⊕ 0,70m  
⊖ 58W




12338.B2.02

⊕ 2,30m  
⊕ 0,80m  
⊖ 58W



12756.B2.02

⊕ 2m  
⊕ 0,50m  
⊖ 42W



124011.B2.02

⊕ 2,30m  
⊕ 0,75m  
⊖ 76W

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**124033.B2.02**

↕ 2,50m	↕ 2m
↔ 0,85m	↔ 0,68m
LED 64W	LED 48W



**12363.B2.02**

↕ 2m
↔ 1,15m
LED 70W



**12827.B2.02**

↕ 2,25m
↔ 0,95m
LED 33W




**12826.B2.02**

↕ 2,25m
↔ 0,85m
LED 27W



**123534.B2.02**

↕ 2,50m	↕ 2m
↔ 0,80m	↔ 0,65m
LED 46W	LED 30W



**121431.B2.02**

↕ 2m
↔ 0,70m
LED 22W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12757.B2.02**

⬇️ 2,25m  
⬅️ 1m  
⚡ 40W



**12310.B2.02**

⬇️ 2,30m  
⬅️ 1m  
⚡ 57W



**12304.B2.02**

⬇️ 2,30m  
⬅️ 0,90m  
⚡ 57W



**12758.B2.02**

⬇️ 2,25m  
⬅️ 0,60m  
⚡ 42W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT

⬅️ LENGTH

⚡ LED POWER



**124040.B2.02**

⊕	2,50m	⊕	2m
⊖	0,85m	⊖	0,55m
LMW	76W	LMW	55W



**123555.B2.02**

⊕	2,50m	⊕	2m
⊖	1,10m	⊖	0,92m
LMW	48W	LMW	38W



**12759.B2.02**

⊕	2,30m
⊖	0,85m
LMW	33W



**12323.B2.02**

⊕	2,30m
⊖	0,83m
LMW	42W



**12760.B2.02**

⊕	2,25m
⊖	1m
LMW	53W



**12306.B2.02**

⊕	2,30m
⊖	0,90m
LMW	35W



**12761.B2.02**

⊕	2m
⊖	1,10m
LMW	63W



**12762.B2.02**

⊕	2,25m
⊖	0,65m
LMW	26W



**12362.B2.02**

⊕	2,30m
⊖	0,88m
LMW	40W


**FOTODIESTASI®**  
 Festive Illumination Manufacturer

**Column Motifs**

 Illumination  
 &  
 Decoration

*All motifs  
 can be made  
 in any size*

**12315.B2.02**

 ⊕ 2,30m  
 ⊖ 1m  
 ⚡ 51W

**12763.B2.02**

 ⊕ 2,20m  
 ⊖ 1,10m  
 ⚡ 138W

**12764.B2.02**

 ⊕ 2,20m  
 ⊖ 1,20m  
 ⚡ 98W

**12765.B2.02**

 ⊕ 2,50m  
 ⊖ 1m  
 ⚡ 75W

**12360.B2.02**

 ⊕ 2m  
 ⊖ 0,90m  
 ⚡ 43W

**12767.B2.02**

 ⊕ 2m  
 ⊖ 1,50m  
 ⚡ 84W

**12768.B2.02**

 ⊕ 2m  
 ⊖ 1m  
 ⚡ 69W

**ATTENTION**

 All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.


HEIGHT




LENGTH



LED POWER

**B2**



**12769.B2.02**

⬆ 3m  
 ⬅ 0,95m  
 LED 50W



**124016.B2.02**

⬆ 2,50m  
 ⬅ 0,95m  
 LED 57W



**12770.B2.02**

⬆ 3m  
 ⬅ 1,10m  
 LED 114W



**124056.B2.02**

⬆ 2,30m  
 ⬅ 0,80m  
 LED 35W



**124044.B2.02**

⬆ 2,50m  
 ⬅ 0,75m  
 LED 55W



**124055.B2.02**

⬆ 2,30m  
 ⬅ 0,80m  
 LED 35W

**PATENTED**  
ISO 9001 IP44 CE




FOTODIESTASI®

Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12771.B2.02

↕ 1,60m  
↔ 1m  
Ⓛ 87W



12825.B2.02

↕ 2,25m  
↔ 1,10m  
Ⓛ 45W



12773.B2.02

↕ 3m  
↔ 1,30m  
Ⓛ 60W



12774.B2.02

↕ 3m  
↔ 0,80m  
Ⓛ 49W



12775.B2.02

↕ 3m  
↔ 1,30m  
Ⓛ 43W



123592.B2.02

↕ 3m  
↔ 1,50m  
Ⓛ 134W



12776.B2.02

↕ 2m  
↔ 1,15m  
Ⓛ 99W



12823.B2.02

↕ 2m  
↔ 0,90m  
Ⓛ 42W


ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

↕ HEIGHT

↔ LENGTH

Ⓛ LED POWER



**12777.B2.02**

⊕ 3m  
⊖ 1,15m  
Ⓜ 51W



**123595.B2.02**

⊕ 3m  
⊖ 1,40m  
Ⓜ 58W



**121325.B2.02**

⊕ 3m  
⊖ 2m  
Ⓜ 72W



**12824.B2.02**

⊕ 2m  
⊖ 1m  
Ⓜ 51W



**12778.B2.02**

⊕ 3m  
⊖ 1,40m  
Ⓜ 134W



**123593.B2.02**

⊕ 3m  
⊖ 1,15m  
Ⓜ 72W



FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



122101.B2.02

⊕ 3m  
⊖ 1,45m  
LED 139W



12779.B2.02

⊕ 3m  
⊖ 1,30m  
LED 95W



12780.B2.02

⊕ 3m  
⊖ 1,20m  
LED 99W



121293.B2.02

⊕ 3m  
⊖ 1,55m  
LED 94W



12781.B2.02

⊕ 3m  
⊖ 1,30m  
LED 78W



124003.B2.02

⊕ 3m  
⊖ 0,92m  
LED 74W

⊕ 2,50m  
⊖ 0,80m  
LED 59W




ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⊕ HEIGHT ⊖ LENGTH LED LED POWER

**PATENTED**

ISO 9001 IP44 CE

**12782.B2.02**


↕ 3m  
↔ 1,20m  
LED 91W

**121278.B2.02**

↕ 3m  
↔ 1,20m  
LED 89W

**12783.B2.02**

↕ 3m  
↔ 1,50m  
LED 169W

**123551.B2.02**

↕ 3m  
↔ 1m  
LED 67W

**12784.B2.02**

↕ 3m  
↔ 0,85m  
LED 57W

**122102.B2.02**

↕ 3m  
↔ 1,45m  
LED 106W

**12785.B2.02**

↕ 3m  
↔ 1,30m  
LED 84W

**12786.B2.02**

↕ 3m  
↔ 1,20m  
LED 90W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**124068.B2.02**

⊕ 3m  
↔ 1,20m  
⊞ 108W



**123597.B2.02**

⊕ 3m  
↔ 1,40m  
⊞ 102W



**123571.B2.02**

⊕ 3m  
↔ 1,15m  
⊞ 56W



**123591.B2.02**

⊕ 3m  
↔ 1,30m  
⊞ 94W



**123596.B2.02**

⊕ 3m  
↔ 1,10m  
⊞ 77W



**121284.B2.02**

⊕ 3m  
↔ 1,40m  
⊞ 120W



**B2**  
*big motifs*

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**123598.B2.02**

⊕ 3m  
⊖ 1,50m  
⊞ 91W




**121300.B2.02**

⊕ 3m  
⊖ 1,30m  
⊞ 104W




**12787.B2.02**

⊕ 2,25m  
⊖ 0,85m  
⊞ 46W



**12838.B2.02**

⊕ 2m  
⊖ 0,97m  
⊞ 34W



**12788.B2.02**

⊕ 2,25m  
⊖ 1m  
⊞ 58W



**12789.B2.02**

⊕ 2,25m  
⊖ 0,85m  
⊞ 38W

**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



124024.B2.02

⬆ 1,65m  
⬆ 0,60m  
⬆ 25W



124023.B2.02

⬆ 1,35m  
⬆ 0,50m  
⬆ 15W



12368.B2.02

⬆ 1,50m  
⬆ 1,40m  
⬆ 69W



12790.B2.02

1,20m  
1,20m  
39W



12791.B2.02

1,20m  
1,20m  
45W



B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.




HEIGHT



LENGTH



LED POWER



**12792.B2.02**

⊕ 0,85m  
⊖ 0,85m  
LUM 19W



**12793.B2.02**

⊕ 0,75m  
⊖ 0,70m  
LUM 17W




**12794.B2.02**

⊕ 0,80m  
⊖ 0,75m  
LUM 14W



**124057.B2.02**

⊕ 1,40m  
⊖ 1,40m  
LUM 65W



**12369.B2.02**

⊕ 1,40m  
⊖ 1,15m  
LUM 41W



**12365.B2.02**

⊕ 1,50m  
⊖ 0,50m  
LUM 38W



**12366.B2.02**

⊕ 1,50m  
⊖ 0,50m  
LUM 25W



**12795.B2.02**

⊕ 1,70m  
⊖ 1,50m  
LUM 139W



**12796.B2.02**

⊕ 1,10m  
⊖ 0,80m  
LUM 30W



**12797.B2.02**

⊕ 1,70m  
⊖ 1,50m  
LUM 123W



**PATENTED**  
ISO 9001 IP44 CE



FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12798.B2

⬆ 1,55m  
⬆ 0,75m  
⬆ 54W



12799.B2

⬆ 1,55m  
⬆ 0,75m  
⬆ 63W



124073.B2

⬆ 1,20m  
⬆ 1,40m  
⬆ 49W



123601.B2

⬆ 1m  
⬆ 1,40m  
⬆ 38W



←  
with  
led red  
rope light



124072.B2

⬆ 1,20m  
⬆ 1,55m  
⬆ 58W



124071.B2

⬆ 1,15m  
⬆ 1,60m  
⬆ 70W



ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

B2



**121467.B2**

± 1,40m  
± 1,60m  
LED 60W



**12800.B2**

± 1,30m  
± 0,80m  
LED 35W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs


Illumination  
&  
Decoration

All motifs  
can be made  
in any size




**124028.B2.02**

↕	2,50m	↔	2m
↔	0,78m	↕	0,65m
LEB	69W	LEB	51W



**123539.B2.02**

↕	2,50m	↔	2m
↔	0,90m	↕	0,75m
LEB	44W	LEB	28W



**12837.B2.02**

↕	2,20m
↔	1m
LEB	21W



**124043.B2.02**

↕	2,50m	↔	2m
↔	0,89m	↕	0,70m
LEB	81W	LEB	65W



**123540.B2.02**

↕	2,50m	↔	2m
↔	0,73m	↕	0,80m
LEB	49W	LEB	42W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.




HEIGHT



LENGTH



LED POWER



**12302.B2.02**

⊕	2,30m
⊕	0,95m
⊕	52W



**124045.B2.02**

⊕	2,50m	⊕	2m
⊕	0,77m	⊕	0,63m
⊕	82W	⊕	66W



**124018.B2.02**

⊕	2,50m	⊕	2m
⊕	0,80m	⊕	0,65m
⊕	96W	⊕	76W



**12317.B2.02**

⊕	2,30m
⊕	0,88m
⊕	47W



**124009.B2.02**

⊕	2,30m
⊕	0,75m
⊕	49W



**124014.B2.02**

⊕	2,50m	⊕	2m
⊕	0,65m	⊕	0,55m
⊕	71W	⊕	51W



**124010.B2.02**

⊕	2,50m	⊕	2m
⊕	0,65m	⊕	0,55m
⊕	82W	⊕	57W



**124030.B2.02**

⊕	2,50m	⊕	2m
⊕	0,65m	⊕	0,55m
⊕	67W	⊕	51W

**PATENTED**

ISO 9001 IP44 CE




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123533.B2.02**

⬆️ 2,50m	⬆️ 2m
⬆️ 1,20m	⬆️ 0,95m
⬆️ 43W	⬆️ 34W



**124049.B2.02**

⬆️ 2,50m	⬆️ 2m
⬆️ 0,88m	⬆️ 0,70m
⬆️ 73W	⬆️ 54W



**12386.B2.02**

⬆️ 2,50m	⬆️ 2m
⬆️ 0,80m	⬆️ 0,80m
⬆️ 40W	



**124017.B2.02**

⬆️ 2,50m	⬆️ 2m
⬆️ 0,70m	⬆️ 0,56m
⬆️ 65W	⬆️ 50W



**124020.B2.02**

⬆️ 2,50m	⬆️ 2m
⬆️ 0,80m	⬆️ 0,67m
⬆️ 65W	⬆️ 49W



**124022.B2.02**


⬆️ 2,50m	⬆️ 2m
⬆️ 0,75m	⬆️ 0,60m
⬆️ 66W	⬆️ 50W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT    ⬆️ LENGTH    ⬆️ LED POWER

**B2**

**12352.B2.02**

2,30m  
 1,10m  
 48W

**12387.B2.02**

2,50m  
 0,80m  
 40W

**12398.B2.02**

2,30m  
 0,80m  
 53W

**PATENTED**

ISO 9001 IP44 CE

**124027.B2.02**

2,50m  
 0,95m  
 48W

**12303.B2.02**


2m  
 0,80m  
 56W

**123542.B2.02**

2,50m  
 0,80m  
 43W

**123560.B2.02**

2,50m  
 1,15m  
 72W

**12801.B2.02**

2,25m  
 0,95m  
 78W



FOTODIESTASI®  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



12802.B2.02

⬆ 2,25m  
⬅ 0,70m  
⚡ 48W



12307.B2.02

⬆ 2,30m  
⬅ 1,15m  
⚡ 60W



12803.B2.02

⬆ 2m  
⬅ 1m  
⚡ 52W



12804.B2.02

⬆ 2,25m  
⬅ 0,80m  
⚡ 55W



123515.B2.02

⬆ 2,50m  
⬅ 0,73m  
⚡ 35W

⬆ 2m  
⬅ 0,60m  
⚡ 23W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆ HEIGHT

⬅ LENGTH

⚡ LED POWER

B2

**122125.B2.02**

⊕	2,50m
⊖	1,10m
⊞	48W

**123588.B2.02**

⊕	2,50m	⊖	2m
⊖	0,75m	⊞	0,60m
⊞	48W	⊞	36W

**124025.B2.02**

⊕	2,50m	⊖	2m
⊖	0,97m	⊞	0,77m
⊞	60W	⊞	45W

**12358.B2.02**

⊕	2m
⊖	1,10m
⊞	67W

**PATENTED**  
ISO 9001 IP44 CE**12805.B2.02**

⊕	2,25m
⊖	0,70m
⊞	75W

**123522.B2.02**

⊕	2,50m
⊖	0,82m
⊞	38W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123525.B2.02**

⬆ 2,50m  
⬅ 1m  
⚡ 76W



**12341.B2.02**

⬆ 2,30m  
⬅ 0,70m  
⚡ 35W



**123528.B2.02**

⬆ 2,50m  
⬅ 0,85m  
⚡ 34W



**123530.B2.02**

⬆ 2,30m  
⬅ 1,10m  
⚡ 43W



**123541.B2.02**

⬆ 2,50m  
⬅ 1,10m  
⚡ 58W



**123508.B2.02**

⬆ 2,30m  
⬅ 1,10m  
⚡ 54W



**123547.B2.02**

⬆ 2,50m  
⬅ 1,10m  
⚡ 43W



**123570.B2.02**

⬆ 2,50m  
⬅ 1,10m  
⚡ 72W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆ HEIGHT

⬅ LENGTH

⚡ LED POWER

**B2**




**12355.B2.02**

⊕ 2,30m  
 ⊕ 0,90m  
 LED 45W



**12356.B2.02**

⊕ 2m  
 ⊕ 0,75m  
 LED 47W



**124006.B2.02**

⊕ 2,50m    ⊕ 2m  
 ⊕ 0,68m    ⊕ 0,70m  
 LED 62W    LED 46W



**PATENTED**  
ISO 9001 IP44 CE



**12399.B2.02**

⊕ 2,30m  
 ⊕ 0,90m  
 LED 56W



**121338.B2.02**

⊕ 2,30m  
 ⊕ 0,90m  
 LED 65W





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**12806.B2.02**

↕	1,70m
↔	0,95m
LED	60W



**122189.B2.02**

↕	2,20m
↔	1,10m
LED	58W



**122168.B2.02**

↕	2,30m
↔	1,20m
LED	88W



**124021.B2.02**

↕	2,50m	↕	2m
↔	1,05m	↔	0,85m
LED	65W	LED	49W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**121926.B2.02**

± 2,50m  
± 1,25m  
LED 65W

**12007.B2.02**

± 2,50m  
± 0,80m  
LED 51W

**124029.B2.02**

± 2,50m  
± 0,94m  
LED 65W

± 2m  
± 0,75m  
LED 52W

**123509.B2.02**

± 2,50m  
± 1,10m  
LED 72W

**122102.B2.02**

± 2m  
± 1,45m  
LED 74W

**12808.B2.02**

± 2,50m  
± 0,80m  
LED 42W

**123586.B2.02**

± 2,30m  
± 1,10m  
LED 82W

**121933.B2.02**

± 2,50m  
± 1,35m  
LED 86W

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**121947.B2.02**

⬆️ 2,20m  
⬅️ 1,40m  
Ⓜ️ 89W



**121927.B2.02**

⬆️ 2,30m  
⬅️ 1,25m  
Ⓜ️ 78W



**122165.B2.02**

⬆️ 2m  
⬅️ 1m  
Ⓜ️ 85W




**122144.B2.02**

⬆️ 2m  
⬅️ 1,40m  
Ⓜ️ 91W



**122161.B2.02**

⬆️ 2m  
⬅️ 1,30m  
Ⓜ️ 68W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬆️ HEIGHT

⬅️ LENGTH

Ⓜ️ LED POWER



**122148.B2.02**

⬇️ 2,20m  
⬅️ 1,20m  
💡 69W




**12810.B2.02**

⬇️ 2,25m  
⬅️ 0,60m  
💡 40W



**122107.B2.02**

⬇️ 2m  
⬅️ 1,30m  
💡 90W



**122122.B2.02**

⬇️ 2,50m  
⬅️ 1,20m  
💡 86W



**122115.B2.02**

⬇️ 2,50m  
⬅️ 1,15m  
💡 65W



**12811.B2.02**

⬇️ 2,25m  
⬅️ 1m  
💡 60W

FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



121912.B2.02

↕ 2,50m  
↔ 1,50m  
LED 58W



121944.B2.02

↕ 2m  
↔ 1,35m  
LED 76W



123523.B2.02

↕ 2,30m  
↔ 1,10m  
LED 62W



121914.B2.02

↕ 2,50m  
↔ 1,50m  
LED 58W



121870.B2.02

↕ 2,30m  
↔ 1,30m  
LED 76W



ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

↕ HEIGHT   ↔ LENGTH   LED LED POWER

B2

**121905.B2.02**

⊕ 2,50m  
⊕ 1,15m  
⊕ 91W

**122124.B2.02**

⊕ 2,30m  
⊕ 1,30m  
⊕ 86W

**121908.B2.02**

⊕ 2,20m  
⊕ 1,20m  
⊕ 84W

**121915.B2.02**

⊕ 2,50m  
⊕ 1,50m  
⊕ 80W

**121920.B2.02**

⊕ 2,50m  
⊕ 1m  
⊕ 86W

**121910.B2.02**

⊕ 2,50m  
⊕ 1,20m  
⊕ 73W

**PATENTED**  
ISO 9001 IP44 CE

FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size




12392.B2.02

⬆ 2,30m  
⬅ 0,83m  
⚡ 52W



12410.B2.02

⬆ 2,30m  
⬅ 0,75m  
⚡ 47W



12330.B2.02

⬆ 2,30m  
⬅ 0,83m  
⚡ 57W




12394.B2.02

⬆ 2,30m  
⬅ 1m  
⚡ 62W



12403.B2.02

⬆ 2m  
⬅ 0,70m  
⚡ 50W



12390.B2.02

⬆ 2,30m  
⬅ 0,83m  
⚡ 54W



B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**124053.B2.02**

⬇ 2,30m  
⬇ 0,97m  
⬇ 53W



**121937.B2.02**

⬇ 2,25m  
⬇ 1,20m  
⬇ 67W



**123501.B2.02**

⬇ 2,50m  
⬇ 1,10m  
⬇ 48W



**12318.B2.02**

⬇ 2,30m  
⬇ 0,95m  
⬇ 35W



**123521.B2.02**

⬇ 2m  
⬇ 1m  
⬇ 43W



**123567.B2.02**

⬇ 2m  
⬇ 1,10m  
⬇ 19W



**123563.B2.02**

⬇ 2m  
⬇ 1,10m  
⬇ 53W



**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**123526.B2.02**

⬇ 2,50m	⬇ 2m
⬅ 0,80m	⬅ 0,65m
⚡ 46W	⚡ 36W



**123562.B2.02**

⬇ 2,50m
⬅ 1m
⚡ 59W



**123532.B2.02**

⬇ 2,50m
⬅ 1m
⚡ 53W



**122141.B2.02**

⬇ 2,50m
⬅ 1,25m
⚡ 85W



**123576.B2.02**

⬇ 2m
⬅ 0,95m
⚡ 43W



**123568.B2.02**

⬇ 2,50m
⬅ 1m
⚡ 53W



**123531.B2.02**

⬇ 2m
⬅ 1,10m
⚡ 41W



**12382.B2.02**

⬇ 2,50m
⬅ 0,90m
⚡ 42W

**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**PATENTED**

ISO 9001 IP44 CE

**123556.B2.02**


⊕ 2m  
⊖ 1,25m  
LED 65W

**12396.B2.02**

⊕ 2,30m  
⊖ 1,15m  
LED 59W

**12357.B2.02**

⊕ 2,30m  
⊖ 0,80m  
LED 78W

**124034.B2.02**

⊕ 2,50m  
⊖ 0,70m  
LED 58W

⊕ 2m  
⊖ 0,55m  
LED 48W

**123599.B2.02**

⊕ 2,30m  
⊖ 1,15m  
LED 34W

**12325.B2.02**

⊕ 2,50m  
⊖ 0,90m  
LED 53W

**12336.B2.02**

⊕ 2,30m  
⊖ 0,62m  
LED 38W




**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**124038.B2.02**

⬇️ 2m  
⬅️ 1,20m  
⚡ 48W



**122140.B2.02**

⬇️ 2,20m  
⬅️ 1,20m  
⚡ 61W



**121938.B2.02**

⬇️ 2m  
⬅️ 1,20m  
⚡ 65W



**123506.B2.02**

⬇️ 2,50m    ⬇️ 2m  
⬅️ 1,10m    ⬅️ 0,90m  
⚡ 65W        ⚡ 49W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**B2**



**123520.B2.02**

⬆ 2,30m  
⬆ 1m  
⬇ 58W





**123548.B2.02**

⬆ 2m  
⬆ 1m  
⬇ 46W



**123519.B2.02**

⬆ 2,50m  
⬆ 1,10m  
⬇ 58W



**123574.B2.02**

⬆ 2,50m  
⬆ 1,10m  
⬇ 72W



**12839.B2.02**

⬆ 2,50m  
⬆ 0,65m  
⬇ 67W

⬆ 2m  
⬆ 0,50m  
⬇ 46W



**123535.B2.02**

⬆ 2,50m  
⬆ 0,97m  
⬇ 54W

⬆ 2m  
⬆ 0,77m  
⬇ 40W



**124031.B2.02**

⬆ 2,50m  
⬆ 0,65m  
⬇ 62W

⬆ 2m  
⬆ 0,55m  
⬇ 46W



**123511.B2.02**

⬆ 2,50m  
⬆ 1,10m  
⬇ 81W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**121379.B2.02**

↕ 2,50m  
↔ 0,90m  
LED 41W



**123549.B2.02**

↕ 2,50m  
↔ 0,95m  
LED 53W



**123550.B2.02**

↕ 2,50m  
↔ 1,10m  
LED 43W



**121941.B2.02**

↕ 2,50m  
↔ 1,15m  
LED 70W



**123505.B2.02**

↕ 2,50m  
↔ 1,10m  
LED 54W



**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.





**121414.B2.02**

⬇️ 2m  
⬇️ 0,90m  
⬇️ 32W



**121410.B2.02**

⬇️ 2m  
⬇️ 1m  
⬇️ 34W



**123536.B2.02**

⬇️ 2m  
⬇️ 1,05m  
⬇️ 53W



**121901.B2.02**

⬇️ 2,50m  
⬇️ 1,10m  
⬇️ 62W



**12629.B2.02**

⬇️ 2m  
⬇️ 0,55m  
⬇️ 25W



FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



121401.B2.02

↕	2m
↔	1m
LEB	34W



12397.B2.02

↕	2,30m
↔	0,65m
LEB	36W



12612.B2.02

↕	2m
↔	0,75m
LEB	34W



124051.B2.02

↕	2,50m	↕	2m
↔	0,85m	↔	0,68m
LEB	60W	LEB	40W



123585.B2.02

↕	2,50m	↕	2m
↔	0,85m	↔	0,70m
LEB	51W	LEB	41W



123516.B2.02

↕	2,50m	↕	2m
↔	0,84m	↔	0,67m
LEB	48W	LEB	38W



123579.B2.02

↕	2,50m	↕	2m
↔	0,83m	↔	0,68m
LEB	56W	LEB	35W



12353.B2.02

↕	2m
↔	0,78m
LEB	35W

B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.




HEIGHT



LENGTH



LED POWER



installed  
all around  
the pole

3D



12412.B2.02

2,20m  
1,10m  
142W



12614.B2.02

2m  
0,50m  
23W



12385.B2.02

2m  
0,60m  
30W



124032.B2.02

2,50m  
0,79m  
38W

1,80m  
0,60m  
29W

PATENTED  
ISO 9001 IP44 CE





FOTODIESTASI®

Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



123566.B2.02

⬇️ 2,50m	⬇️ 2m
⬅️ 0,92m	⬅️ 0,75m
⚡ 56W	⚡ 35W



12379.B2.02

⬇️ 2,50m
⬅️ 0,90m
⚡ 49W



123569.B2.02

⬇️ 2,50m
⬅️ 0,85m
⚡ 59W



123559.B2.02

⬇️ 2,50m	⬇️ 2m
⬅️ 0,75m	⬅️ 0,60m
⚡ 41W	⚡ 31W



123573.B2.02

⬇️ 2,50m	⬇️ 2m
⬅️ 0,95m	⬅️ 0,75m
⚡ 46W	⚡ 36W



12334.B2.02

⬇️ 2,30m
⬅️ 0,60m
⚡ 32W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

B2

**PATENTED**

ISO 9001 IP44 CE

**124007.B2.02**

↔	2,50m	↕	2m
↔	0,85m	↕	0,70m
⚡	62W	⚡	48W

**123578.B2.02**


↔	2,50m	↕	2m
↔	1m	↕	0,80m
⚡	53W	⚡	38W

**124008.B2.02**

↔	2,50m	↕	2m
↔	1,15m	↕	0,95m
⚡	67W	⚡	53W

**12615.B2.02**

↔	2,25m
↔	0,80m
⚡	51W

**12300.B2.02**

↔	2,50m
↔	0,90m
⚡	62W

**123524.B2.02**

↔	2,50m
↔	1m
⚡	62W

**124037.B2.02**

↔	2,50m	↕	2m
↔	0,90m	↕	0,70m
⚡	47W	⚡	38W

**123583.B2.02**

↔	2,50m	↕	2m
↔	1,20m	↕	0,95m
⚡	78W	⚡	57W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**124047.B2.02**

⬆ 2,50m	⬆ 2m
⬅ 0,65m	⬅ 0,50m
⚡ 67W	⚡ 46W



**122120.B2.02**

⬆ 2,20m
⬅ 1,30m
⚡ 75W



**123502.B2.02**

⬆ 2,50m	⬆ 2m
⬅ 1m	⬅ 0,80m
⚡ 38W	⚡ 29W




**123580.B2.02**

⬆ 2,50m	⬆ 2m
⬅ 0,85m	⬅ 0,68m
⚡ 38W	⚡ 29W



**124052.B2.02**

⬆ 2m
⬅ 1,05m
⚡ 43W



**12354.B2.02**

⬆ 2m
⬅ 0,60m
⚡ 21W



**12400.B2.02**

⬆ 2,30m
⬅ 0,80m
⚡ 45W



**12402.B2.02**

⬆ 2m
⬅ 0,55m
⚡ 30W

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**B2**



**123527.B2.02**

↕	2,50m	↕	2m
↔	1,05m	↔	0,85m
Ⓛ	34W	Ⓛ	29W



**123537.B2.02**

↕	2,50m	↕	2m
↔	0,85m	↔	0,68m
Ⓛ	43W	Ⓛ	34W



**12344.B2.02**

↕	2,30m
↔	0,80m
Ⓛ	32W



**PATENTED**

ISO 9001 IP44 CE



FOTODIESTASI®

Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



123557.B2.02

↕ 3m	↕ 2,50m
↔ 1m	↔ 0,83m
LED 62W	LED 48W



123503.B2.02

↕ 3m	↕ 2,50m
↔ 0,95m	↔ 0,80m
LED 76W	LED 56W



121296.B2.02

↕ 3m	↕ 1,10m
↔ 1,10m	↔ 0,80m
LED 64W	



122104.B2.02

↕ 3m	↕ 1,25m
↔ 1,25m	↔ 0,82m
LED 89W	



123561.B2.02

↕ 3m	↕ 2,50m
↔ 1m	↔ 0,82m
LED 67W	LED 48W

B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**PATENTED**  
ISO 9001 IP44 CE



**121222.B2.02**

3m  
1,20m  
LED 90W



**121302.B2.02**

3m  
1,15m  
LED 80W



**121281.B2.02**

3m  
1,80m  
LED 99W



**124035.B2.02**

3m  
0,80m  
LED 48W



**123543.B2.02**

3m  
1,10m  
LED 77W



**124005.B2.02**

3m  
1m  
LED 58W




**FOTODIESTASI®**  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



**123517.B2.02**

3m  
0,85m  
LED 34W



**123572.B2.02**

3m 2,50m  
0,95m 0,78m  
LED 82W LED 67W



**121299.B2.02**

3m  
1,40m  
LED 65W



# B2

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER



**121326.B2.02**

⬆ 3m  
 ⬆ 2m  
 ⬆ 72W



**123594.B2.02**

⬆ 3m  
 ⬆ 1,40m  
 ⬆ 82W



**121291.B2.02**

⬆ 3m  
 ⬆ 1m  
 ⬆ 82W



**121205.B2.02**

⬆ 3m  
 ⬆ 1,60m  
 ⬆ 122W



**121286.B2.02**

⬆ 3m  
 ⬆ 1,60m  
 ⬆ 122W



**PATENTED**  
ISO 9001 IP44 CE





**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



\*with or without  
crystal chain

**123590.B2.02**

↕ 1,85m  
↔ 1,07m  
⚡ 33W



**121347.B2.02**

↕ 1,55m  
↔ 0,86m  
⚡ 51W



\*with or without  
crystal chain

**123589.B2.02**

↕ 1,75m  
↔ 1,03m  
⚡ 44W



**12830.B2.02**

↕ 1,80m  
↔ 0,85m  
⚡ 47W



↕ HEIGHT

↔ LENGTH

⚡ LED POWER

**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



**123577.B2.02**

⊕ 1,55m  
⊖ 0,75m  
LED 38W



**122133.B2.02**

⊕ 1,80m  
⊖ 1,40m  
LED 78W



**12631.B2.02**

⊕ 1,50m  
⊖ 0,85m  
LED 72W



**12633.B2.02**

⊕ 1,55m  
⊖ 1m  
LED 68W



**123507.B2.02**

⊕ 1,70m  
⊖ 0,95m  
LED 38W



**12834.B2.02**

⊕ 1,80m  
⊖ 0,85m  
LED 42W



**122180.B2.02**

⊕ 1,70m  
⊖ 1,05m  
LED 60W



**123565.B2.02**

⊕ 1,70m  
⊖ 1,05m  
LED 43W

**PATENTED**  
ISO 9001 IP44 CE



**FOTODIAGNOSI®**  
 Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
 &  
 Decoration*

*All motifs  
 can be made  
 in any size*



**122711.B2.02**

⬇ 1,50m  
 ⬇ 1,15m  
 LED 56W



**122716.B2.02**

⬇ 1,30m  
 ⬇ 1,30m  
 LED 56W



**122714.B2.02**

⬇ 1,30m  
 ⬇ 1,30m  
 LED 56W



**122719.B2.02**

⬇ 1,50m  
 ⬇ 1,20m  
 LED 40W



*small motifs*



**124061.B2.02**

⬇ 1,50m  
 ⬇ 1,35m  
 LED 84W



**123504.B2.02**

⬇ 1,50m  
 ⬇ 1,20m  
 LED 48W



**123500.B2.02**

⬇ 1,80m  
 ⬇ 1m  
 LED 40W



**123514.B2.02**

⬇ 1,55m  
 ⬇ 1m  
 LED 52W



*small*  
**B2**

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇ HEIGHT    ⬇ LENGTH    LED LED POWER



**121433.B2.02**

± 1,20m  
± 1,10m  
LED 34W



**124058.B2.02**

± 1,30m  
± 1,30m  
LED 38W



**121434.B2.02**

± 1m  
± 0,90m  
LED 24W



**121435.B2.02**

± 1m  
± 0,95m  
LED 24W



**121448.B2.02**

± 0,71m  
± 0,75m  
LED 19W



**121432.B2.02**

± 1,20m  
± 1,10m  
LED 34W



**12370.B2.02**

± 1,20m  
± 1,10m  
LED 30W



**123575.B2.02**

± 1,70m  
± 0,95m  
LED 38W



**121904.B2.02**

± 1,80m  
± 1m  
LED 64W



**121452.B2.02**

± 1,10m  
± 1,07m  
LED 29W



**121417.B2.02**

± 1,50m  
± 0,75m  
LED 24W



**124062.B2.02**

± 1,50m  
± 1,35m  
LED 29W

± 1,10m  
± 1m  
LED 19W

**FOTODIESTASI®**  
Festive Illumination Manufacturer

**Column Motifs**

*Illumination  
&  
Decoration*

*All motifs  
can be made  
in any size*



**Small Christmas Motifs**



**121442.B2.02**

⬇ 1,20m  
⬅ 0,68m  
LED 29W



**121438.B2.02**

⬇ 1,08m  
⬅ 0,65m  
LED 20W



**121455.B2.02**

⬇ 1,10m  
⬅ 0,73m  
LED 20W



**121440.B2.02**

⬇ 1,01m  
⬅ 0,64m  
LED 25W



**121441.B2.02**

⬇ 1,04m  
⬅ 0,61m  
LED 21W



**121456.B2.02**

⬇ 1m  
⬅ 0,80m  
LED 19W



**121439.B2.02**

⬇ 1m  
⬅ 0,71m  
LED 16W



**121427.B2.02**

⬇ 1,20m  
⬅ 0,80m  
LED 18W



**121451.B2.02**

⬇ 0,80m  
⬅ 1m  
LED 26W

**121426.B2.02**

⬇ 1m  
⬅ 0,95m  
LED 34W



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇ HEIGHT ⬅ LENGTH LED LED POWER

small  
**B2**



**124066.B2.02**

⊕ 1,40m  
⊕ 1,15m  
⊕ 43W



**124064.B2.02**

⊕ 1m  
⊕ 0,60m  
⊕ 14W



**124063.B2.02**

⊕ 1,20m  
⊕ 0,52m  
⊕ 22W



**124067.B2.02**

⊕ 1,40m  
⊕ 0,75m  
⊕ 25W



**124065.B2.02**

⊕ 1m  
⊕ 0,55m  
⊕ 14W



**12367.B2**

⊕ 1,50m  
⊕ 1,10m  
⊕ 40W

**124060.B2.02**

⊕ 1,40m  
⊕ 1m  
⊕ 28W



**124059.B2.02**

⊕ 1,40m  
⊕ 1,40m  
⊕ 67W



FOTODIESTASI®  
Festive Illumination Manufacturer

## Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



124074.B2

↑ 1,75m  
↔ 1,40m  
LED 58W



121476.B2

↑ 1,35m  
↔ 1,80m  
LED 60W




121466.B2

↑ 1,40m  
↔ 1,40m  
LED 43W



## Column Motifs



12835.B2

↑ 0,85m  
↔ 1m  
LED 18W



121463.B2

↑ 1,40m  
↔ 1,40m  
LED 70W



121472.B2

↑ 1,40m  
↔ 2m  
LED 80W

B2

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



LENGTH



LED POWER

**12836.B2**

⊕ 1,75m  
⊖ 1,70m  
LED 64W

**123603.B2**

⊕ 1m  
⊖ 1,20m  
LED 38W

**124070.B2**

⊕ 1,35m  
⊖ 1,60m  
LED 48W



*with  
led yellow  
rope light*

**121464.B2**


⊕ 1,20m  
⊖ 1,30m  
LED 38W

**121474.B2**

⊕ 1m  
⊖ 1,20m  
LED 29W

**123602.B2**

⊕ 0,75m  
⊖ 1,20m  
LED 19W



**PATENTED**  
ISO 9001 IP44 CE





FOTODIESTASI®  
Festive Illumination Manufacturer

Column Motifs

Illumination  
&  
Decoration

All motifs  
can be made  
in any size



121371.B2

⬇️ 0,60m  
⬅️ 0,36m  
LED 5W



124077.B2

⬇️ 0,70m  
⬅️ 0,31m  
LED 14W



121956.B2

⬇️ 0,63m  
⬅️ 0,27m  
LED 5W



121955.B2

⬇️ 0,56m  
⬅️ 0,45m  
LED 5W



121370.B2

⬇️ 0,34m  
⬅️ 0,28m  
LED 3W



121951.B2

⬇️ 0,73m  
⬅️ 0,47m  
LED 15W



121954.B2

⬇️ 0,60m  
⬅️ 0,45m  
LED 14W



121367.B2

⬇️ 0,55m  
⬅️ 0,50m  
LED 5W



121366.B2

⬇️ 0,63m  
⬅️ 0,57m  
LED 5W




121960.B2

⬇️ 0,50m  
⬅️ 0,46m  
LED 5W



121368.B2

⬇️ 0,54m  
⬅️ 0,50m  
LED 5W



B2

ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT

⬅️ LENGTH

LED LED POWER



**12371.B2**

± 0,60m  
± 0,55m  
LED 23W



**12372.B2**

± 0,60m  
± 0,55m  
LED 12W



**12373.B2**

± 0,60m  
± 0,55m  
LED 15W



**121957.B2**

± 0,65m  
± 0,37m  
LED 10W



**121958.B2**

± 0,58m  
± 0,52m  
LED 5W



**12374.B2**

± 0,90m  
± 0,80m  
LED 31W



**12375.B2**

± 0,90m  
± 0,80m  
LED 20W



**12376.B2**

± 1m  
± 0,70m  
LED 27W



**12377.B2**

± 1m  
± 0,70m  
LED 27W



## Quality control & Guarantee

- Environment protection
- Design & Innovation
- Low energy consumption
- Low heat emitting
- Long lifetime
- High luminous efficiency
- High quality LED rope light
- High quality LED light chains
- Certified & patented LED
  - Registered European Patents
  - CE European standards
  - ISO 9001 : 2008



# Electrical materials & accessories

## Contents.....

### *Rope light*

.....page 372-375

### *Led light strings 230V*

.....page 376-385

### *Led light strings 24V*

.....page 386-389

### *Led icicle lights*

.....page 390-395

### *Led curtain lights*

.....page 396-403

### *Connection Accessories and Spare parts*

.....page 404-405

### *E14, B22, E27 lampholders*

.....page 406-417

### *Led and Filament bulbs*

.....page 418-419

### *Led falling tube and snowfall*

.....page 420-421

### *Branch garland and moon garland*

.....page 422-423

### *PVC carpet and PVC garland*

.....page 424-425

### *Decorative materials*

.....page 426-435




Electrical materials  
and accessories

# SMOOTH TYPE LED ROPE LIGHT

30% BRIGHTER THAN ALL THE OTHER ROPE LIGHTS

IP44



patented



LED.RE red color



LED.WH cool white color



LED.GR green color



LED.WW warm white color



LED.YE yellow color



LED.BL blue color

## LED SMOOTH ROPE LIGHT 230V in 13mm

REF No	LED.SML.WN	LED.SML.WW	LED.SML.BL	LED.SML.GR	LED.SML.RE	LED.SML.YE	LED.SML.PI	LED.SML.PU
LED Color	cool white	warm white	blue	green	red	yellow	pink	purple
LED per meter	30	30	30	30	30	30	30	30
Cutting Unit	1,50m	1,50m	1,50m	1,50m	1,50m	1,50m	1,50m	1,50m
Max. Length with one power	99m	99m	99m	99m	99m	99m	99m	99m
Consumption	2W/m	2W/m	2W/m	2W/m	3W/m	3W/m	2W/m	2W/m
Voltage	230V	230V	230V	230V	230V	230V	230V	230V

## LED SMOOTH ROPE LIGHT 24V in 13mm and 10mm

REF No	LED.SML24.WH	LED.SML24.WW	LED.SML24.BL	LED.SML24.GR	LED.SML24.RE	LED.SML24.YE	LED.SML24.PI	LED.SML24.PU
LED Color	cool white	warm white	blue	green	red	yellow	pink	purple
LED per meter	30	30	30	30	30	30	30	30
Cutting Unit	0,20m	0,20m	0,20m	0,20m	0,33m	0,33m	0,20m	0,20m
Max. Length with one power	30m	30m	30m	30m	30m	30m	30m	30m
Consumption	1,56W/m	1,56W/m	1,56W/m	1,56W/m	1,26W/m	1,26W/m	1,56W/m	1,56W/m
Voltage	24V	24V	24V	24V	24V	24V	24V	24V

## FLASH LED SMOOTH ROPE LIGHT 230V in 13mm

REF No	LED_FLASH_SML.WW	LED_FLASH_SML.W	LED_FLASH_SML.B	LED_FLASH_SML.G	LED_FLASH_SML.R	LED_FLASH_SML.Y
Static LED color	cool white	warm white	blue	green	red	yellow
Flash LED color	cool white	cool white	cool white	cool white	cool white	cool white
LED per meter	30	30	30	30	30	30
Static LED number/m	27	27	27	27	27	27
Flash LED number/m	3	3	3	3	3	3
Cutting Unit	2m	2m	2m	2m	2m	2m
Max. Length with one power	100m	100m	100m	100m	100m	100m
Consumption	2W/m	2W/m	2W/m	2W/m	2W/m	2W/m
Voltage	230V	230V	230V	230V	230V	230V



**PATENTED**

ISO 9001 RoHS CE

**LED**



### CONTROLLERS AND ACCESSORIES FOR LED ROPE LIGHT CONNECTION



**RUBBER POWER CORD WITH 2A AC/DC CONVERTER**  
 \*COSML230...13mm / one channel  
 \*COSMM.230...10mm / one channel  
 \*COSMC.230...13mm / two channel  
 \*COSML230.A...13mm / one channel without plug



**IP55 WATERPROOF CONTROLLERS**  
 \*LED.MP1.IP55-FLASHER 1X300W  
 \*LED.MP2.IP55-TWO CHAN. 2X300W  
 \*LED.MP3.IP55-FLASHER 2X600W  
 \*LED.MP4.IP55-FOUR CHAN. 4X300W  
 \*LED.MP8.IP55-EIGHT CHAN. 8X500W



**CONNECTOR FOR 13mm ROPE LIGHT ON E27 & E23 LAMPHOLDER**  
 \*KOH.27.01 - E27 lampholder  
 \*KOH.22.01 - E23 lampholder



**ACCESSORIES FOR ROPE LIGHT**  
 \*2W-3-01...one channel 13mm  
 \*2W-3-02...one channel 10mm  
 \*PVC.10...atmosphere tube 8-10cm  
 \*KON.01...glue for rope light  
 \*2W-4...and cap 13mm  
 \*M-2W-4...and cap 10mm



**FOTODIASTASIS CONNECTOR FOR TWO ROPE LIGHTS**  
 \*SPL-2W-01...13mm - one channel 13mm  
 \*SPL-2W-02...10mm - one channel 10mm  
 \*PVC.2W.A3...one channel 13mm



**"T" CONNECTOR FOR ROPE LIGHT**  
 \*2W-T-13...one channel 13mm  
 \*2W-T-10...one channel 10mm




**CLEAR MOUNTING CLIP**  
 \*2W-5  
**SUCTION FOR ROPE LIGHT**  
 \*SC-1  
**CLEAR MOUNTING WINDOWS CLIP**  
 \*SCL-1



**CABLE TIES IN ALL COLORS**  
 \*HET 01 (100x2,5mm)  
 \*HET 02 (120x2,5mm)  
 \*HET 03 (140x2,5mm)  
 \*HET 04 (160x2,5mm)



**CLEAR CHANNEL FOR ROPE LIGHT**  
 \*CH-2W (2m length)



**FOTODIASTASI®**  
 Festive Illumination Manufacturer

Professional smooth filament rope light  
 36,000 hours uninterrupted operation

Electrical materials  
 and accessories


# SMOOTH FILAMENT ROPE LIGHT

30% BRIGHTER THAN ALL THE OTHER ROPE LIGHTS

16,4W/m



Smooth crystal clear rope light FOTODIASTASI's patent.  
 Int. Pat. No. EP 1 429 071 A2



New 100% waterproof  
 connection for rope light.



Cutting point.



FILAMENT  
 FUSE BULB

Current  
 bridge

## TECHNICAL SPECIFICATION OF SMOOTH FILAMENT ROPE LIGHT

Technical Specifications	SML2W one channel rope light	SMM3W one channel mini	SMLBL2W one channel chasing	SMC3W two channel chasing	SML24V2W one channel 24V
Diameter	13mm	10mm	13mm	13mm	13mm
Number of bulbs/m	36/m	36/m	36/m	36/m	36/m
Number of wires	2	2	2	3	2
Cutting point	1m	1m	1,50m	2m	0,33m
Max length with one power	40m	40m	40m	40m	14m
Lamp Specification	6,5V/70mA	6,5V/70mA	6,5V/70mA	6,5V/70mA	3V/70mA
Bulb Distance	2,7cm	2,7cm	2,7cm	2,7cm	2,7cm
Temperature limits	-20°C +60°C	-20°C +60°C	-20°C +60°C	-20°C +60°C	-20°C +60°C
Power consumption	16,4W/m	16,4W/m	16,4W/m	16,4W/m	11W/m
Voltage	230V	230V	230V	230V	24V
Controller	Flasher IP55 MP1.1P55	Flasher IP55 MP1.1P55	DN-2W-12 (max. 12m) DN-2W-25 (max. 25m) DN-253 (max. 100m)	MPL.2P55 MRL.2P55	-

## CONTROLLERS AND ACCESSORIES FOR LED ROPE LIGHT CONNECTION



**IP55  
WATERPROOF CONTROLLERS**  
\*MP1.1P55-FLASHER 1X300W  
\*MP2.1P55-TWO CHAN. 2X300W



**ONE CHANNEL CHASING  
PROGRAM CONTROLLER IP44**  
\*DN-2W-12 max.12m rope light  
\*DN-2W-25 max.25m rope light



**ONE CHANNEL PROFESSIONAL  
CHASING CONTROLLER**  
\*DN-203 max.100m rope light



**RUBBER POWER CORD  
WITH EUROPEAN PLUG**  
\*RUB.2W.13 - 13mm / one channel  
\*RUB.2W.10 - 10mm / one channel  
\*RUB.3W.13 - 13mm / two channel  
\*RUB.2W.A2 - 13mm / one channel  
without plug



**RUBBER POWER CORD WITH BS PLUG**  
\*RUB.2W.13.BS - 13mm / one channel  
\*RUB.2W.10.BS - 10mm / one channel  
\*RUB.3W.13.BS - 13mm / two channel



**PVC POWER CORD**  
\*PVC.2W.13 - 13mm / one channel  
\*PVC.2W.10 - 10mm / one channel  
\*PVC.3W.13 - 13mm / two channel  
\*PVC.2W.A2 - 13mm / one channel  
without plug



**CONNECTOR FOR 13mm ROPE LIGHT  
ON E27 & B22 LAMPHOLDER**  
\*KON.27.01 - E27 lampholder  
\*KON.22.01 - B22 lampholder



**ACCESSORIES FOR ROPE LIGHT**  
\*2W-3-01 .....one channel 13mm  
\*2W-3-02 .....one channel 10mm  
\*PVC.10 .....shrinkable tube 8-10cm  
\*KON.01 .....glue for rope light  
\*2W-6 .....and cap 13mm  
\*M-2W-6 .....and cap 10mm



**FOTODIASTASI'S CONNECTOR FOR  
TWO ROPE LIGHTS**  
\*SPL-2W-01 .....13mm - one channel 13mm  
\*SPL-2W-02 .....10mm - one channel 10mm  
\*PVC.2W.A3 .....one channel 13mm



**"T" CONNECTOR FOR ROPE LIGHT**  
\*2W-T-13  
\*2W-T-10



**CLEAR MOUNTING CLIP**  
\*2W-5  
SUCTION FOR ROPE LIGHT  
\*SC-1  
CLEAR MOUNTING WINDOWS CLIP  
\*SCL-1



**CABLE TIES IN ALL COLOURS**  
\*HET 01 (100X2,5)mm  
\*HET 02 (120X2,5)mm  
\*HET 03 (140X2,5)mm  
\*HET 04 (160X2,5)mm



**CLEAR CHANNEL FOR ROPE LIGHT**  
\*CH-2W (2m length)



Electrical materials and accessories

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Electrical materials  
and accessories


Extendable outdoor use light string - Unlimited life duration

**LED.FLR.10M.100.230V**

10m extendable light string with 100 LED

IP44

on rubber cable



**ATTENTION**

The above light string has total 100 led (10m cord with 100 led's).  
Can be extended  
but the total number of led should not be more than 1.500 (15 light strings)

**CO.FLRLED.230 3A AC/DC convertor**



**LED.FLR.10M.100.230V 10m light string extendable with 100 LED**

REF No	LED.FLR.100WN	LED.FLR.100WW	LED.FLR.100BL	LED.FLR.100GR	LED.FLR.100RE	LED.FLR.100YE	LED.FLR.100PI
Length	10m	10m	10m	10m	10m	10m	10m
Max. Extension	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings
LED number	100	100	100	100	100	100	100
LED color	cool white	warm white	blue	green	red	yellow	pink
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, blue, green	white, green	white, red, green	white, yellow, green	white, green
Consumption	9W	9W	9W	9W	9W	9W	9W
Voltage	230V	230V	230V	230V	230V	230V	230V

REF No: CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.10M.100 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230



Extendable outdoor use all flash light string - Unlimited life duration

**PATENTED**  
ISO 9001 RoHS CE

**LED**

## LED.FLR.ALLFLASH.10M.200.230V

IP44

10m extendable light string with 200 STROBE FLASH LED

on rubber cable

LED.FLR.ALLFLASH.10M.200.230V




female connector male connector



Female connector with end cap protection

ALL STROBE FLASH LED



## LED.FLR.ALLFLASH.20M.30.230V


IP44

20m extendable light string with 30 STROBE FLASH LED

on rubber cable

LED.FLR.ALLFLASH.20M.30.230V

ALL STROBE FLASH LED



**LED.FLR.ALLFLASH** • 10m light string extendable with 200 Strobe Flash LED  
• 20m light string extendable with 30 Strobe Flash LED

REF No	LED.FLR.ALLFLASH.10M.200W	LED.FLR.ALLFLASH.10M.200WW	LED.FLR.ALLFLASH.20M.30W	LED.FLR.ALLFLASH.20M.30WW
Length	10m	10m	20m	20m
Max. Extension	12 light strings	12 light strings	15 light strings	15 light strings
Flash LED number	200	200	30	30
Flash LED color	cool white	warm white	cool white	warm white
Rubber cable color	white, green	white, green	white, green	white, green
Consumption	18W	18W	4,5W	4,5W
Voltage	230V	230V	230V	230V

REF No: CO.FLR.LED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.ALL FLASH light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230

Electrical materials and accessories

**FOTODIESTASI®**  
Festive Illumination Manufacturer

Electrical materials  
and accessories




Extendable outdoor use light string - Unlimited life duration

**LED.FLR.10M.80.230V**

10m extendable light string with 80 LED IP44

on rubber cable



Female connector with end cap protection



**ATTENTION**

The above light string has total 80 led (10m cord with 80 led's).  
Can be extended  
but the total number of led should not be more than 1 200 (15 light strings)

**CO.FLR.LED.230 3A AC/DC converter**




**LED.FLR.10M.80.230V** 10m light string extendable with 80 LED

REF No	LED.FLR.80WH	LED.FLR.80WW	LED.FLR.80BL	LED.FLR.80RE	LED.FLR.80GR	LED.FLR.80PK	LED.FLR.80PU	LED.FLR.80MU
Length	10m	10m	10m	10m	10m	10m	10m	10m
Max. Extension	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings
LED number	80	80	80	80	80	80	80	80
LED color	cool white	warm white	blue	red	green	pink	purple	multi
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green	white, green	white, green
Consumption	9W	9W	9W	9W	9W	9W	9W	9W
Voltage	230V	230V	230V	230V	230V	230V	230V	230V

REF No : CO.FLR.LED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.80 light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230



Extendable outdoor use light string - Unlimited life duration

# LED.FLR.10M.80F.230V

10m extendable light string with 80 LED  
IP44 (72 static LED + 8 cool white strobe flash LED)

on rubber cable

**ATTENTION**

The above light string has total 80 led (10m cord with 80 led's).  
Can be extended but the total number of led should not be more than 1200 (15 light strings)

**PATENTED**  
ISO 9001 RoHS CE



**LED.FLR.10M.80F.230V FLASH LED** 10m light string extendable with 80 LED (72 static+8 strobe flash led)

REF No	LED.FLR.80F.WW	LED.FLR.80F.WW	LED.FLR.80F.BL	LED.FLR.80F.RE	LED.FLR.80F.GN	LED.FLR.80F.PI	LED.FLR.80F.MU
Length	10m	10m	10m	10m	10m	10m	10m
Max. Extension	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings
Static LED number	72	72	72	72	72	72	72
Static LED color	cool white	warm white	blue	red	green	pink	multi
Flash LED number	8	8	8	8	8	8	8
Flash LED color	cool white	cool white	cool white	cool white	cool white	cool white	cool white
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green	white, green
Consumption	9W	9W	9W	9W	9W	9W	9W
Voltage	230V	230V	230V	230V	230V	230V	230V

REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.80F light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLRLED.230



**FOTODIESTASI®**  
Active Illumination Manufacturer

Electrical materials  
and accessories



Extendable outdoor use light string - Unlimited life duration


**LED.FLR.5M.40.230V**

5m extendable light string with 40 LED IP44

on rubber cable



Female connector with end cap protection



**ATTENTION**

The above light string has total 40 led (5m cord with 40 led's). Can be extended but the total number of led should not be more than 1.200 (30 light strings)

**CO.FLR.LED.230 3A AC/DC converter**



**LED.FLR.5M.40.230V 5m light string extendable with 40 LED**

REF No	LED.FLR.40WW	LED.FLR.40WW	LED.FLR.40BL	LED.FLR.40RE	LED.FLR.40GR	LED.FLR.40PI	LED.FLR.40PB	LED.FLR.40MU
Length	5m	5m	5m	5m	5m	5m	5m	5m
Max. Extension	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings
LED number	40	40	40	40	40	40	40	40
LED color	cool white	warm white	blue	red	green	pink	purple	multi
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green	white, green	white, green
Consumption	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W
Voltage	230V	230V	230V	230V	230V	230V	230V	230V

REF No : CO.FLR.LED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.5M.40 light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230




# LED.FLR.5M.40F.230V

5m extendable light string with 40 LED  
IP44 (36 static LED + 4 cool white strobe flash LED)

## on rubber cable

### ATTENTION

The above light string has total 40 led (5m cord with 40 led's).  
Can be extended  
but the total number of led should not be more than 1.200 (30 light strings)



## LED.FLR.5M.40F.230V FLASH LED 5m light string extendable with 40 LED (36 static+4 strobe flash led)

REF No	LED.FLR.40F.WN	LED.FLR.40F.WW	LED.FLR.40F.BL	LED.FLR.40F.RL	LED.FLR.40F.GR	LED.FLR.40F.PI	LED.FLR.40F.PU
Length	5m	5m	5m	5m	5m	5m	5m
Max. Extension	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings
Static LED number	36	36	36	36	36	36	36
Static LED color	cool white	warm white	blue	red	green	pink	purple
Flash LED number	4	4	4	4	4	4	4
Flash LED color	cool white	cool white	cool white	cool white	cool white	cool white	cool white
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green	white, green
Consumption	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W
Voltage	230V	230V	230V	230V	230V	230V	230V

REF No : CO.FLR.FL.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.5M.40F light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230

PATENTED  
ISO 9001 RoHS CE

LED

**FOTODIESTASI®**  
Active Illumination Manufacturer

Electrical materials  
and accessories

Extendable outdoor use light string - Unlimited life duration

**LED.FLR.30.230V**

3m or 3.75m extendable light string with 30 LED IP44

on rubber cable



**ATTENTION**

The above light string has total 30 led (3m cord with 30 led's).  
Can be extended  
but the total number of led should not be more than 1.500 (50 light strings)

**CO.FLR.LED.230 3A AC/DC converter**



**LED.FLR.30.230V 3m or 3,75m light string extendable with 30 LED**

REF No	LED.FLR.30WN	LED.FLR.30WW	LED.FLR.30BL	LED.FLR.30RE	LED.FLR.30GR	LED.FLR.30YE
Length	3m or 3,75m	3m or 3,75m	3m or 3,75m	3m or 3,75m	3m or 3,75m	3m or 3,75m
Max. Extension	40 light strings	40 light strings	40 light strings	40 light strings	40 light strings	40 light strings
LED number	30	30	30	30	30	30
LED color	cool white	warm white	blue	red	green	yellow
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green, yellow
Consumption	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W
Voltage	230V	230V	230V	230V	230V	230V



REF No: CO.FLR.LED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.30 light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230



# LED.FLR.30F.230V

3,75m extendable light string with 30 LED  
(27 static LED + 3 cool white strobe flash LED)

IP44

## on rubber cable

### ATTENTION

The above light string has total 30 led (3,75m cord with 30 led's).  
Can be extended  
but the total number of led should not be more than 1.200 (40 light strings)

STROBE  
FLASH  
LED



## LED.FLR.30F.230V FLASH LED 3,75m light string extendable with 30 LED (27 static+3 strobe flash led)

REF No	LED.FLR.30F.WW	LED.FLR.30F.WW	LED.FLR.30F.BL	LED.FLR.30F.RE	LED.FLR.30F.GN	LED.FLR.30F.YE
Length	3,75m	3,75m	3,75m	3,75m	3,75m	3,75m
Max. Extension	40 light strings	40 light strings	40 light strings	40 light strings	40 light strings	40 light strings
Static LED number	27	27	27	27	27	27
Static LED color	cool white	warm white	blue	red	green	yellow
Flash LED number	3	3	3	3	3	3
Flash LED color	cool white	cool white	cool white	cool white	cool white	cool white
Rubber cable color	white, green, red blue, yellow	white, green, red blue, yellow	white, green, blue	white, green, red	white, green	white, green, yellow
Consumption	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W
Voltage	230V	230V	230V	230V	230V	230V

REF No: 00.FLR.LED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED.FLR.30F light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLR.LED.230


PATENTED  
ISO 9001 RoHS CE

LED



**FOTODIESTASI®**  
Festive Illumination Manufacturer

Electrical materials  
and accessories



**ATTENTION**

The above light string LED.FL.10M.100.230V has total 100 led (10m cord with 100 led's).  
Can be extended but the total number of led should not be more than 1.500 (15 light strings)  
←←←→→→←←←→→→←←←→→→←←←→→→  
The above light string LED.FL.10M.80.230V has total 80 led (10m cord with 80 led's).  
Can be extended but the total number of led should not be more than 1.200 (15 light strings)

**LED.FL.10M.80.230V**  
10m extendable light string with 80 LED

on PVC cable



	<b>LED.FL.10M.100.230V</b>		<b>LED.FL.10M.80.230V</b>		<b>10m light string extendable with 100 LED on PVC cable</b>			<b>10m light string extendable with 80 LED on PVC cable</b>	
REF No	LED.FL.100WN LED.FL.80WN	LED.FL.100WW LED.FL.80WW	LED.FL.100BL LED.FL.80BL	LED.FL.100RE LED.FL.80RE	LED.FL.100GN LED.FL.80GN	LED.FL.100YE LED.FL.80YE	LED.FL.100PI LED.FL.80PI		
Length	10m	10m	10m	10m	10m	10m	10m		
Max. Extension	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings	15 light strings		
LED number	80 or 100	80 or 100	80 or 100	80 or 100	80 or 100	80 or 100	80 or 100		
LED color	cool white	warm white	blue	red	green	yellow	pink		
PVC cable color	transparent, white, green, red, blue, yellow	transparent, gold, white, green, red, blue, yellow	transparent, white, green, blue	transparent, white, green, red	transparent, white, green	transparent, white, green, yellow	transparent, white, green		
Consumption	9W	9W	9W	9W	9W	9W	9W		
Voltage	230V	230V	230V	230V	230V	230V	230V		

REF No : CO.FLLED.230      LED.FL connection set AC to DC 230V/2,5A plug with 3A convertor

\*\*\*All LED.FL light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230



CO.FLED.230 3A AC/DC converter




230V

**LED.FL.5M.40.230V**


5m extendable light string with 40 LED

on PVC cable



**ATTENTION**

The above light string LED.FL.5M.40.230V has total 40 led (5m cord with 40 led's).  
Can be extended but the total number of led should not be more than 1.200 (30 light strings)



**PATENTED**  
ISO 9001 RoHS CE



**LED.FL.5M.40.230V** 5m light string extendable with 40 LED on PVC cable

REF No	LED.FL.40WN	LED.FL.40WW	LED.FL.40BL	LED.FL.40RE	LED.FL.40GR	LED.FL.40YE	LED.FL.40PI
Length	5m	5m	5m	5m	5m	5m	5m
Max. Extension	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings	30 light strings
LED number	40	40	40	40	40	40	40
LED color	cool white	warm white	blue	red	green	yellow	pink
PVC cable color	transparent, white, green, red, blue, yellow	transparent, gold, white, green, red, blue, yellow	transparent, white, green, blue	transparent, white, green, red	transparent, white, green	transparent, white, green	transparent, white, green
Consumption	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W	4,5W
Voltage	230V	230V	230V	230V	230V	230V	230V

REF No : CO.FLED.230 LED.FL connection set AC to DC 230V/2,5A plug with 3A converter

\*\*\*All LED.FL light strings are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLED.230

**FOTODIESTASI®**  
Active Illumination Manufacturer

Electrical materials  
and accessories


24V extendable light string - on PVC cable

**LED.FL.10M.98.24V**

24V extendable light string with 98 LED

24V

IP44



on PVC cable



**ATTENTION**

The above light string LED.FL.98.24V has total 98 led (10m cord with 98 led's).  
Can be extended but the total number of led should not be more than 588 (6 light strings)

**24V**



**LED.FL.10M.98.24V Extendable light string 24V on PVC cable**

REF No	LED.FL.98.24V.WH	LED.FL.98.24V.WW	LED.FL.98.24V.BL	LED.FL.98.24V.RE	LED.FL.98.24V.GR	LED.FL.98.24V.YE	LED.FL.98.24V.PI
Length	10m	10m	10m	10m	10m	10m	10m
Max. Extension	6 light strings	6 light strings	6 light strings	6 light strings	6 light strings	6 light strings	6 light strings
LED number	98	98	98	98	98	98	98
LED color	cool white	warm white	blue	red	green	yellow	pink
PVC cable color	white, green, red blue, transparent	white, green, red blue, transparent, gold	white, green, blue, transparent	white, green, red, transparent	white, green, transparent	white, green, transparent	white, green, transparent
Consumption	9W	9W	9W	9W	9W	9W	9W
Voltage	24V	24V	24V	24V	24V	24V	24V

TRA.24V.02  
UL TRANSFORMER 110V



TRA.24V.01  
CE TRANSFORMER 230V



TRA.24V.01  
CE TRANSFORMER 230V



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

TRA24.24W.01 Transformer AC 240V/AC 24V 24W in IP44 version without convertor

TRA24.48W.01 Transformer AC 240V/AC 24V 48W in IP44 version without convertor

TRA24.84W.01 Transformer AC 240V/AC 24V 84W in IP44 version without convertor

TRA24.120W.01 Transformer AC 240V/AC 24V 120W in IP44 version without convertor

TRANSFORMERS

\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24



IP44

24V

# LED.FL.10M.80.24V

24V extendable light string with 80 LED

**PATENTED**  
ISO 9001 RoHS CE


LED

### ATTENTION

The above light string LED.FL.10M.80.24V has total 80 led (10m cord with 80 led's). Can be extended but the total number of led should not be more than 560 (7 light strings)

# 24V

## on PVC cable



### LED.FL.10M.80.24V Extendable light string 24V on PVC cable

REF No	LED.FL.80.24V.WH	LED.FL.80.24V.WW	LED.FL.80.24V.BL	LED.FL.80.24V.RE	LED.FL.80.24V.GR	LED.FL.80.24V.PI	LED.FL.80.24V.PV
Length	10m	10m	10m	10m	10m	10m	10m
Max. Extension	7 light strings	7 light strings	7 light strings	7 light strings	7 light strings	7 light strings	7 light strings
LED number	80	80	80	80	80	80	80
LED color	cool white	warm white	blue	red	green	pink	purple
PVC cable color	white, green, red blue, transparent	white, green, red blue, transparent, gold	white, green, blue, transparent	white, green, red, transparent	white, green, transparent	white, green, transparent	white, green, transparent
Consumption	8W	8W	8W	8W	8W	8W	8W
Voltage	24V	24V	24V	24V	24V	24V	24V

TRANSFORMERS

TRA24.24W.B1 Transformer AC 240V/AC 24V 24W in IP44 version without converter

TRA24.48W.B1 Transformer AC 240V/AC 24V 48W in IP44 version without converter

TRA24.84W.B1 Transformer AC 240V/AC 24V 84W in IP44 version without converter

TRA24.120W.B1 Transformer AC 240V/AC 24V 120W in IP44 version without converter



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, converter and transformer TRA.24

**FOTODIESTASI®**  
Active Illumination Manufacturer

Electrical materials  
and accessories



24V extendable light string - on PVC cable

**LED.FL.5M.40.24V**


24V extendable light string with 40 LED

24V

IP44



on PVC cable



**ATTENTION**

The above light string LED.FL.5M.40.24V has total 40 led (5m cord with 40 led's).  
Can be extended but the total number of led should not be more than 500 (14 light strings)



**LED.FL.5M.40.24V** Extendable light string 24V on PVC cable

REF No	LED.FL.40.24V.WW	LED.FL.40.24V.WW	LED.FL.40.24V.BL	LED.FL.40.24V.RE	LED.FL.40.24V.GR	LED.FL.40.24V.PI	LED.FL.40.24V.PU
Length	5m	5m	5m	5m	5m	5m	5m
Max. Extension	14 light strings	14 light strings	14 light strings	14 light strings	14 light strings	14 light strings	14 light strings
LED number	40	40	40	40	40	40	40
LED color	cool white	warm white	blue	red	green	pink	purple
PVC cable color	white, green, red blue, transparent	white, green, red blue, transparent, gold	white, green, blue, transparent	white, green, red, transparent	white, green, transparent	white, green, transparent	white, green, transparent
Consumption	4W	4W	4W	4W	4W	4W	4W
Voltage	24V	24V	24V	24V	24V	24V	24V

TRA.24V.02  
UL TRANSFORMER 110V



TRA.24V.01  
CE TRANSFORMER 230V



TRA.24V.01  
CE TRANSFORMER 230V



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

TRA24.24W.01 Transformer AC 240V/AC 24V 24W in IP44 version without convertor

TRA24.40W.01 Transformer AC 240V/AC 24V 40W in IP44 version without convertor

TRA24.84W.01 Transformer AC 240V/AC 24V 84W in IP44 version without convertor

TRA24.120W.01 Transformer AC 240V/AC 24V 120W in IP44 version without convertor

TRANSFORMERS

\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24



# 24V LED.FL.ALLFLASH.20M.30.24V

IP44 24V extendable light string with 30 STROBE FLASH LED

on PVC cable



24V

ATTENTION

The above light string has total 30 flashing led (20m cord with 30 flashing led's). Can be extended but the total number of led should not be more than 150 (5 light strings)



## LED.FL.ALLFLASH.20M.30.24V

20m cord extendable with 30 Strobe Flash LED

REF No	LED.FL.ALLFLASH.24V.WH	LED.FL.ALLFLASH.24V.WW
Length	20m	20m
Max. Extension	5 light strings	5 light strings
Flashing LED number	30	30
Flashing LED color	cool white	warm white
PVC cable color	transparent, white, green, red, blue, yellow	transparent, white, green, red, blue, yellow
Consumption	3W	3W
Voltage	24V	24V

\*\*All LED.FL.ALL.FLASH.24V light strings are made with male and female connectors on the end and WITHOUT power cord, converter and transformer TRA.24



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

TRANSFORMERS

TRA24.24W.01	Transformer AC 240V/AC 24V 24W in IP44 version without converter
TRA24.48W.01	Transformer AC 240V/AC 24V 48W in IP44 version without converter
TRA24.84W.01	Transformer AC 240V/AC 24V 84W in IP44 version without converter
TRA24.120W.01	Transformer AC 240V/AC 24V 120W in IP44 version without converter

PATENTED  
ISO 9001 RoHS CE



**FOTODIESTASI®**  
 Festive Illumination Manufacturer

Electrical materials  
 and accessories

Professional LED icicle light for outdoor use

# LED.ICFLRS.30.230V

1m extendable icicle light with 30 LED  
 (9 strings with 30 LED lights)

IP44

on rubber cable




Female and male connector



**ATTENTION**  
 The above icicle light has total 9 strings with 30 LED. Can be extended up to 30 sets (30m)

**CO.FL.BLER.230 3A AC/DC converter**



<b>LED.ICFLRS.30.230V 1m LED Icicle light - Extendable (9 strings with 30 LED lights)</b>			
REF No	LED.ICFLRS.30WW.230V	LED.ICFLRS.30WW.230V	LED.ICFLRS.30BL.230V
Length	1m	1m	1m
Height	0,50m	0,50m	0,50m
Max. Extension	30 sets (30m)	30 sets (30m)	30 sets (30m)
LED number	30	30	30
LED color	cool white	warm white	blue
Strings per LED icicle light	9	9	9
Rubber cable color	white	white	white
Consumption	4,5W	4,5W	4,5W
Voltage	230V	230V	230V

Ref No : CO.FL.BLER.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FL.BLER.230



## ATTENTION

The above icicle light has total 9 strings with 30 LED.  
Can be extended up to 30 sets (30m)



# LED.ICFLRS.30F.230V


1m extendable Flash icicle light with 30 LED  
(27 static LED + 3 cool white strobe flash LED)

IP44

PATENTED  
ISO 9001 RoHS CE

LED

## on rubber cable



### LED.ICFLRS.30F.230V 1m Flash LED icicle light - Extendable 9 strings with 30 LED (27 static LED + 3 cool white strobe flash LED)

REF No	LED.ICFLRS.30F.WW.230V	LED.ICFLRS.30F.WM.230V	LED.ICFLRS.30F.BL.230V
Length	1m	1m	1m
Height	0,50m	0,50m	0,50m
Max. Extension	30 sets (30m)	30 sets (30m)	30 sets (30m)
Static LED number	27	27	27
Static LED color	cool white	warm white	blue
Flash LED number	3	3	3
Flash LED color	cool white	cool white	cool white
Strings per LED icicle light	9	9	9
Rubber cable color	white	white	white
Consumption	4,5W	4,5W	4,5W
Voltage	230V	230V	230V

Ref No: CO.FLRLER.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLRLER.230





**FOTODIESTASI®**  
 Festive Illumination Manufacturer

Professional LED icicle light for outdoor use

Electrical materials  
 and accessories

# LED.ICFLRS.60.230V

1m extendable icicle light with 60 LED  
 (9 strings with 60 LED lights)

IP44


on rubber cable



CO.FLILED.230  
 3A AC/DC converter



**ATTENTION**  
 The above icicle light has  
 total 9 strings with 60 LED.  
 Can be extended up to 30 sets (30m)



## LED.ICFLRS.60.230V 1m LED Icicle light - Extendable (9 strings with 60 LED lights)

REF No	LED.ICFLRS.60WW.230V	LED.ICFLRS.60WW.230V	LED.ICFLRS.60BL.230V
Length	1m	1m	1m
Height	1m	1m	1m
Max. Extension	30 sets (30m)	30 sets (30m)	30 sets (30m)
LED number	60	60	60
LED color	cool white	warm white	blue
Strings per LED icicle light	9	9	9
Rubber cable color	white	white	white
Consumption	4,5W	4,5W	4,5W
Voltage	230V	230V	230V

Ref No : CO.FLILED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor


\*\*\*AN LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLILED.230



**ATTENTION**

The above icicle light has total 9 strings with 60 LED.  
Can be extended up to 30 sets (30m)

Female and male connector



**STROBE  
FLASH LED**

# LED.ICFLRS.60F.230V

IP44  
1m extendable Flash Icicle light with 60 LED  
(56 static LED + 4 cool white strobe flash LED)

**on rubber cable**



**LED.ICFLRS.60F.230V** 1m Flash LED icicle light - Extendable  
9 strings with 60 LED (56 static LED + 4 cool white strobe flash LED)

REF No	LED.ICFLRS.60F.WR.230V	LED.ICFLRS.60F.WW.230V	LED.ICFLRS.60F.BI.230V
Length	1m	1m	1m
Height	1m	1m	1m
Max. Extension	30 sets (30m)	30 sets (30m)	30 sets (30m)
Static LED number	56	56	56
Static LED color	cool white	warm white	blue
Flash LED number	4	4	4
Flash LED color	cool white	cool white	cool white
Strings per LED Icicle light	9	9	9
Rubber cable color	white	white	white
Consumption	4,5W	4,5W	4,5W
Voltage	230V	230V	230V

Ref No : CO.FLMLER.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230

**PATENTED**

ISO 9001 RoHS CE

**LED**

**FOTODIESTASI®**  
Active Illumination Manufacturer

Electrical materials  
and accessories



Professional LED icicle light for outdoor use

# LED.ICFLRS.150.230V

5m extendable icicle light with 150 LED  
(45 strings with 150 LED lights)

IP44

on rubber cable

### ATTENTION


The above icicle light has total 45 strings with 150 LED.  
Can be extended up to 12 sets (60m)



CO.FLILED.230  
3A AC/DC converter



Female and male connector



## LED.ICFLRS.150.230V 5m LED icicle light - Extendable (45 strings with 150 LED lights)

REF No	LED.ICFLRS.150WH.230V	LED.ICFLRS.150WW.230V	LED.ICFLRS.150BL.230V
Length	5m	5m	5m
Height	0,50m	0,50m	0,50m
Max. Extension	12 sets (60m)	12 sets (60m)	12 sets (60m)
LED number	150	150	150
LED color	cool white	warm white	blue
Strings per LED icicle light	45	45	45
Rubber cable color	white	white	white
Consumption	13,5W	13,5W	13,5W
Voltage	230V	230V	230V

Ref No : CO.FLILED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLILED.230



# LED.ICFLRS.300.230V

5m extendable icicle light with 300 LED  
(45 strings with 300 LED lights)


IP44

## on rubber cable

### ATTENTION

The above icicle light has total 45 strings with 300 LED.  
Can be extended up to 8 set (40m)

Female and male connector



## LED.ICFLRS.300.230V 5m LED Icicle light - Extendable (45 strings with 300 LED lights)

REF No	LED.ICFLRS.300WW.230V	LED.ICFLRS.300WW.230V	LED.ICFLRS.300BL.230V
Length	5m	5m	5m
Height	1m	1m	1m
Max. Extension	8 sets (40m)	8 sets (40m)	8 sets (40m)
LED number	300	300	300
LED color	cool white	warm white	blue
Strings per LED icicle light	45	45	45
Rubber cable color	white	white	white
Consumption	22,5W	22,5W	22,5W
Voltage	230V	230V	230V

Ref No : CO.FLMEB.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FL.RLED.230

**PATENTED**  
ISO 9001 RoHS CE

**LED**

**FOTODIESTASI®**  
 Festive Illumination Manufacturer

 Electrical materials  
 and accessories

**CO.FLILED.230 3A AC/DC converter**


Extendable LED curtain light for outdoor use

# LED.FLRS.1x1.72.230V

 Extendable LED curtain light  
 (9 strings with 72 LED lights)

IP44

 Female and  
 male connector

**on rubber cable**

 Rubber cable  
 H03RNF/0,50mm<sup>2</sup>  
 with 8 led lights

## ATTENTION

 The above curtain has  
 total 72 led lights  
 (9 strings with 8 LED's in each string).  
 Can be extended ONLY in width  
 but the total number of led  
 should not be more than 2.160 (30 curtains)


## LED.FLRS.1x1.72.230V Extendable LED curtain light 230V on rubber cable

REF No	LED.FLRS.72WR.230V	LED.FLRS.72WW.230V	LED.FLRS.72BL.230V
Length	1m	1m	1m
Height	1m	1m	1m
Max. Extension	30 sets (30m)	30 sets (30m)	30 sets (30m)
LED number	72	72	72
LED color	cool white	warm white	blue
Strings per curtain	9	9	9
LED number per string	8	8	8
Rubber cable color	white, black	white, black	white, black
Consumption	4,5W	4,5W	4,5W
Voltage	230V	230V	230V

Ref No : CO.FLILED.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLILED.230





# LED.FLRS.1x2.144.230V

Extendable LED curtain light  
(9 strings with 144 LED lights)

IP44



## on rubber cable



### ATTENTION

The above curtain has total 144 led lights (9 strings with 16 LED's in each string). Can be extended ONLY in width but the total number of led should not be more than 2.880 (20 curtains)

### LED.FLRS.1x2.144.230V Extendable LED curtain light 230V on rubber cable

REF No	LED.FLRS.144WW.230V	LED.FLRS.144WW.230V	LED.FLRS.144BL.230V
Length	1m	1m	1m
Height	2m	2m	2m
Max. Extension	20 sets (20m)	20 sets (20m)	20 sets (20m)
LED number	144	144	144
LED color	cool white	warm white	blue
Strings per curtain	9	9	9
LED number per string	16	16	16
Rubber cable color	white, black	white, black	white, black
Consumption	9W	9W	9W
Voltage	230V	230V	230V

Ref No : CB.FLRS.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CB.FLRS.230



PATENTED  
ISO 9001 RoHS CE



**FOTODIAGNOSI®**  
 Festive Illumination Manufacturer

Electrical materials  
 and accessories

Extendable LED curtain light for outdoor use


# LED.FLRS.1x3.216.230V

Extendable LED curtain light  
 (9 strings with 216 LED lights)

IP44



## on rubber cable



### ATTENTION

The above curtain has total 216 led lights (9 strings with 24 LED's in each string). Can be extended **ONLY** in width but the total number of led should not be more than 2.160 (10 curtains)

Rubber cable H03RNF/0,50mm<sup>2</sup> with 24 led lights



### LED.FLRS.1x3.216.230V Extendable LED curtain light 230V on rubber cable

REF No	LED.FLRS.210WW.230V	LED.FLRS.210WW.230V	LED.FLRS.210BL.230V
Length	1m	1m	1m
Height	3m	3m	3m
Max. Extension	10 sets (10m)	10 sets (10m)	10 sets (10m)
LED number	216	216	216
LED color	cool white	warm white	blue
Strings per curtain	9	9	9
LED number per string	24	24	24
Rubber cable color	white, black	white, black	white, black
Consumption	13,5W	13,5W	13,5W
Voltage	230V	230V	230V


Ref No : CO.FLILED.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLILED.230



**ATTENTION**  
 The above curtain has total 555 led lights (15 strings with 37 LED's in each string).  
 Can be extended in height and width but the total number of led should not be more than 2,775 (5 curtains)

Rubber cable | HD3RNF/0.50mm<sup>2</sup> with 37 led lights



# LED.FLRS.2x3.555.230V

Extendable LED curtain light (15 strings with 555 LED lights)

IP44



on rubber cable



## LED.FLRS.2x3.555.230V Extendable LED curtain light 230V on rubber cable

REF No	LED.FLRS.555WW.230V	LED.FLRS.555WW.230V	LED.FLRS.555BL.230V
Length	2m	2m	2m
Height	3m	3m	3m
Max. Extension	5 sets (10m)	5 sets (10m)	5 sets (10m)
LED number	555	555	555
LED color	cool white	warm white	blue
Strings per curtain	15	15	15
LED number per string	37	37	37
Rubber cable color	white, black	white, black	white, black
Consumption	72W	72W	72W
Voltage	230V	230V	230V

Ref No : CO.FLRL.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLRL.230



**FOTODIAGNOSI®**  
Exotic Illumination Manufacturer

Electrical materials  
and accessories

Extendable LED curtain light for indoor use

# LED.FLS.2x1.240.230V

Extendable LED curtain light  
(16 strings with 240 LED lights)

PVC  
cable

Female and male connector



CO.FLLED.230 3A AC/DC converter




### ATTENTION

The above curtain has  
total 240 led lights  
(16 strings with 15 LED's  
in each string).

Can be extended ONLY in width  
but the total number of led  
should not be  
more than 2.400 (10 curtains)

PVC  
cable 0,50mm<sup>2</sup>  
with 15 led lights

on PVC cable



## LED.FLS.2x1.240.230V Extendable LED curtain light 230V on PVC cable

REF No	LED.FLS.240WH.230V	LED.FLS.240WW.230V	LED.FLS.240BL.230V
Length	2m	2m	2m
Height	1m	1m	1m
Max. Extension	10 sets (20m)	10 sets (20m)	10 sets (20m)
LED number	240	240	240
LED color	cool white	warm white	blue
Strings per curtain	16	16	16
LED number per string	15	15	15
PVC cable color	transparent	transparent, gold	transparent
Consumption	18W	18W	18W
Voltage	230V	230V	230V

Ref No : CO.FLLED.230 LED.FLS connection set AC to DC 230V/IP44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLLED.230





**PVC**  
cable




**ATTENTION**

The above curtain has total 368 led lights (16 strings with 23 LED's in each string).  
Can be extended ONLY in width but the total number of led should not be more than 1.640 (5 curtains)

**LED.FLS.2x1,5.368.230V**

Extendable LED curtain light  
(16 strings with 368 LED lights)

on PVC cable



**LED.FLS.2x1,5.368.230V** Extendable LED curtain light 230V on PVC cable

REF No	LED.FLS.368WW.230V	LED.FLS.368WW.230V	LED.FLS.368BL.230V
Length	2m	2m	2m
Height	1,50m	1,50m	1,50m
Max. Extension	5 sets (10m)	5 sets (10m)	5 sets (10m)
LED number	368	368	368
LED color	cool white	warm white	blue
Strings per curtain	16	16	16
LED number per string	23	23	23
PVC cable color	transparent	transparent, gold	transparent
Consumption	36W	36W	36W
Voltage	230V	230V	230V

Ref No : CO.FLEB.238 LED.FL connection set AC to DC 230V/IP44 European plug with 3A converter



**PATENTED**  
ISO 9001 RoHS CE



\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLEB.230

**FOTODIAGNOSIS**  
Festive Illumination Manufacturer

Electrical materials  
and accessories

Extendable LED curtain light for indoor use

# LED.FLS.2x2.480.230V

Extendable LED curtain light  
(16 strings with 480 LED lights)

IP44

**PVC**  
cable




## on PVC cable

**ATTENTION**  
The above curtain has total 480 led lights (16 strings with 30 LED's in each string).  
Can be extended ONLY in width but the total number of led should not be more than 2.400 (5 curtains)



PVC cable 0,50mm<sup>2</sup> with 30 led lights





**LED.FLS.2x2.480.230V** Extendable LED curtain light 230V on PVC cable

REF No	LED.FLS.480WW.230V	LED.FLS.480WW.230V	LED.FLS.480BL.230V
Length	2m	2m	2m
Height	2m	2m	2m
Max. Extension	5 sets (10m)	5 sets (10m)	5 sets (10m)
LED number	480	480	480
LED color	cool white	warm white	blue
Strips per curtain	16	16	16
LED number per string	30	30	30
PVC cable color	transparent	transparent, gold	transparent
Consumption	36W	36W	36W
Voltage	230V	230V	230V




Ref No : CO.FLEB.230 LED.FLS connection set AC to DC 230V/1P44 European plug with 3A converter

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and converter CO.FLEB.230

Electrical materials  
and accessories

# ACCESSORIES

## LED CURTAIN LIGHT ACCESSORIES



**T.CONNECTOR**

**T.CONNECTOR PVC**

"T" connector for PVC cable light string

**T.CONNECTOR RUBBER**

"T" connector for rubber cable light string



**RUB.CUR120.07** 1,20m cord with 7 connectors



**RUB.CUR240.14** 2,40m cord with 14 connectors



**RUB.CUR360.21** 3,60m cord with 21 connectors



**EXTE.CUR.06** 0,93m cord with 6 connectors




**EXTE.CUR.11** 1,55m cord with 11 connectors



**EXTE.CUR.21** 2,80m cord with 21 connectors

## E27 & B22 CONNECTOR WITH FEMALE LIGHT STRING CONNECTOR



**KON.E27.FLR**

E27 connector with female light string connector for rubber cable

**KON.E27.FL**

E27 connector with female light string connector for PVC cable



**KON.B22.FLR**

B22 connector with female light string connector for rubber cable

**KON.B22.FL**

B22 connector with female light string connector for PVC cable



**EXTE.FLR.LED.30.WH**

30cm extension for rubber cable light string

**EXTE.FL.LED.150.WH**

150cm extension for PVC cable light string

**EXTE.FLR.LED.300.WH** or **GREEN**

300cm extension for rubber cable light string

**EXTE.FL.LED.30.WH**

30cm extension for PVC cable light string

**EXTE.FL.LED.150.WH**

150cm extension for PVC cable light string

**EXTE.FL.LED.300.WH** or **GREEN**


300cm extension for PVC cable light string

**EXTE.FL.LED.400.WH**

400cm extension for PVC cable light string

**EXTE.FL.LED.500.WH**

500cm extension for PVC cable light string



**FEMALE.FLR.30.WH**

30cm Female-Female connector for rubber cable light string

**FEMALE.FL.30.WH**

30cm Female-Female connector for PVC cable light string



**MALE.FLR.30.WH**

30cm Male-Male connector for rubber cable light string

**MALE.FL.30.WH**

30cm Male-Male connector for PVC cable light string



**FLR.CORD.30.WH**

30cm rubber power cord with female connector

**FLR.CORD.100.WH** or **BLACK**

1m rubber power cord with female connector

**FL.CORD.100.WH** or **BLACK**


1m PVC power cord with female connector

**FL.CORD.300.WH** or **BLACK**

3m PVC power cord with female connector

**FL.CORD.500.WH** or **BLACK**

5m PVC power cord with female connector



**SMI.FLR.FEMALE.50**

Female connector with rope light connector for rubber cable

**SMI.FL.FEMALE.50**

Female connector with rope light connector for PVC cable



**SMI.FLR.MALE.50**

Male connector with rope light connector for rubber cable

**SMI.FL.MALE.50**

Male connector with rope light connector for PVC cable







**CONVERTOR.LED.FLR 3A** converter with male and female connectors on white or black rubber cable  
**CONVERTOR.LED.FL 3A** converter with male and female connectors on white or black PVC cable



**CO.FLR.LED.230V 3A** converter for LED light string connection set AC to DC 230V with IP44 European plug  
**CO.FL.LED.230V 3A** converter for LED light string connection set AC to DC 230V with 16A plug




**CONVERTOR.LED.SMI.FLR 3A** converter with female connector and rope light connector for rubber cable  
**CONVERTOR.LED.SMI.FL 3A** converter with female connector and rope light connector for PVC cable



**EXTE.BOX3**

Easy Fix box with 3 outputs for rubber cable light string  
\*For LED, use only with the reference CONVERTOR.LED.FL



**EXTE.BOX5**

Easy Fix box with 5 outputs for rubber cable light string  
\*For LED, use only with the reference CONVERTOR.LED.FL



**EXTE.FOT.BOX6**

Easy Fix box with 6 outputs for rubber cable light string  
\*For LED, use only with the reference CONVERTOR.LED.FL



**6W.RING.FL**

Easy Fix box with 6 outputs for PVC cable light string  
\*For LED, use only with the reference CONVERTOR.LED.FL



**CO.FL.24V.4A.PVC 4A** converter for 24V LED light string on PVC cable with male and female connectors



**CO.FL.24V.4A.RUBBER 4A** converter for 24V LED light string on rubber cable with female connector

## TRANSFORMERS



**TRA24.24W.01**  
Transformer AC 240V/AC 24V 24W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.48W.01**  
Transformer AC 240V/AC 24V 48W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.84W.01**  
Transformer AC 240V/AC 24V 84W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.120W.01**  
Transformer AC 240V/AC 24V 120W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.48W.02**  
Transformer AC 110V/AC 24V 48W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.84W.02**  
Transformer AC 110V/AC 24V 84W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



**TRA24.120W.02**  
Transformer AC 110V/AC 24V 120W  
in IP44 version with one output  
For LED, use on every output  
the reference CONVERTOR.LED.FL



Electrical materials and accessories

**FOTODIASTASI®**  
Active Illumination Manufacturer

E14 waterproof lampholder for outdoor use



Electrical materials  
and accessories

**NM14**

**E14 WATERPROOF  
LAMPHOLDER  
FOR OUTDOOR USE**

**24V or 230V**

**IP65**

**NEW**



**IP65**

**E14** **24V or 230V**  
**LAMPHOLDER**

*for outdoor use*

**PATENTED**  
ISO 9001 RoHS CE

**LED**



**NM14 STANDARD GARLANDS USING E14 LAMPHOLDER AND PLUG**

REF No	NM14.10.06	NM14.10.09	NM14.15.15	NM14.50.50	NM14.10.50	NM14.10.01	NM14.20.01	NM14.30.01
Length	6m (4,50+1,50)m	9m (7,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	50	100	100	200	300
Consumption with 0,5W LED lamps	5W	5W	7,5W	25W	50W	50W	100W	150W
package	1	1	1	1	1	1	1	1





Electrical materials and accessories

**FOTODIASTASI®**  
Festive Illumination Manufacturer

Crystal light with E14 lampholder

Electrical materials  
and accessories

# CRYSTAL LIGHT

WITH E14 LAMPHOLDERS FOR OUTDOOR USE

IP44




24V or 230V

Retail package



Patent No:  
2002079/07-05-1998



# CRYSTAL LIGHT lampholders 24V or 230V IP44

PATENTED  
ISO 9001 RoHS CE

LED



Embodied plug  
made in Greece

End cap - Pat. No:  
2002079/07-05-1998



## STANDARD GARLANDS USING CRYSTAL LIGHT AND PLUG

REF No	KPY.10.06	KPY.10.09	KPY.15.15	KPY.30.15	KPY.50.50	KPY.10.50	KPY.10.01	KPY.20.01
Length	6m (4,50+1,50)m	9m (7,50+1,50)m	15m (13,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	30	50	100	100	200
Consumption with 0.5W/€14 LED lamps	5W	5W	7,5W	15W	25W	50W	50W	100W
package	1	1	1	1	1	1	1	1



Electrical materials and accessories

**FOTODIASTASI®**  
Festive Illumination Manufacturer

Astra Light with E14 lampholder

Electrical materials  
and accessories

**ASTRA LIGHT**

WITH E14 LAMP HOLDERS FOR OUTDOOR USE

**IP44**

**RoHS**  
COMPLIANT



**24V or 230V**



Retail package



Patent No:

2002079/07-05-1998

**IP44**  
**ASTRA LIGHT**  
**24V or 230V**



End cap - Pat.No:  
2002079/07-05-1996



Embodied plug  
made in Greece



**ASTRA LIGHT**

**PATENTED**  
ISO 9001 RoHS CE

**LED**



**STANDARD GARLANDS USING ASTRA LIGHT AND PLUG**

REF No	APY.10.06	APY.10.09	APY.15.15	APY.30.15	APY.50.50	APY.10.50	APY.10.01	APY.20.01
Length	6m (4,50+1,50)m	9m (7,50+1,50)m	15m (13,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	30	50	100	100	200
Consumption with 0,5W/E14 LED lamps	5W	5W	7,5W	15W	25W	50W	50W	100W
package	1	1	1	1	1	1	1	1



Electrical materials and accessories

**FOTODIASTASI®**  
Active Illumination Manufacturer

Prisma Ball Light with E14 lampholders

Electrical materials  
and accessories

**PRISMA BALL LIGHT**  
WITH E14 LAMP HOLDERS FOR OUTDOOR USE

**IP44**


**RoHS**  
COMPLIANT



Patent No:  
2002079/07-05-1998



**24V or 230V**



Retail package


# PRISMA BALL LIGHT

IP44

24V or 230V

PATENTED  
ISO 9001 RoHS CE

LED



End cap - Pat.No:  
2002079/07-05-1998

Embedded plug  
made in Greece



## STANDARD GARLANDS USING PRISMA BALL LIGHT AND PLUG

REF No	PBA.10.06	PBA.10.09	PBA.15.15	PBA.30.15	PBA.50.50	PBA.10.50	PBA.10.01	PBA.20.01
Length	6m (4,50+1,50)m	9m (7,50+1,50)m	15m (13,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	30	50	100	100	200
Consumption with 6,5W/E14 LED lames	5W	5W	7,5W	15W	25W	50W	50W	100W
package	1	1	1	1	1	1	1	1



Electrical materials and accessories

**FOTODIAGNOSI**  
Festive Illumination Manufacturer

Electrical materials  
and accessories

B22 waterproof lampholder for outdoor use

**B22** WATERPROOF LAMPHOLDER  
FOR OUTDOOR USE

**IP54**



**24V or 230V**





**IP54**

**B22 WATERPROOF LAMPHOLDER**

24V or 230V

**PATENTED**  
ISO 9001 RoHS CE

**LED**



End cap - Pat. No: 2002079/07-05-1998



Embodied plug made in Greece



Retail package



**STANDARD GARLANDS USING B22 LAMPHOLDER AND PLUG**

REF No	N22.10.06	N22.10.09	N22.15.15	N22.30.15	N22.50.50	N22.10.50	N22.10.01	N22.20.01
Length	6m (4,50+1,50)m	8m (7,50+1,50)m	15m (13,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	30	50	100	100	200
Consumption with TW LED lamps	10W	10W	15W	30W	50W	100W	100W	200W
package	1	1	1	1	1	1	1	1





Electrical materials and accessories

**FOTODIASTASI®**  
Exotic Illumination Manufacturer

E27 waterproof lampholder for outdoor use


Electrical materials  
and accessories

**E27 WATERPROOF LAMPHOLDER  
FOR OUTDOOR USE**

**24V or 230V**



Retail package



ACCORDING TO THE  
FOLLOWING NORMS  
EN 60238/1998  
EN 60238/A1/1999  
EN 60598/2000  
EN 60598-2-20/1997  
EN 60598-2-20/A1/1998

Product No:  
IP 1322330782/16-17-2003





**IP54**

**E27 WATERPROOF LAMPHOLDER**

**24V or 230V**

**PATENTED**  
ISO 9001 RoHS CE

**LED**



End cap - Pat.No: 2002079/07-05-1998



Embodied plug made in Greece



**STANDARD GARLANDS USING E27 LAMPHOLDER AND PLUG**

REF No	N27.10.06	N27.10.09	N27.15.15	N27.30.15	N27.50.50	N27.10.50	N27.10.01	N27.20.01
Length	6m (4,50+1,50)m	8m (7,50+1,50)m	15m (13,50+1,50)m	15m (13,50+1,50)m	50m (48,50+1,50)m	50m (48,50+1,50)m	100m (98,50+1,50)m	100m (98,50+1,50)m
Number of lampholder	10	10	15	30	50	100	100	200
Consumption with TW LED lamps	10W	10W	15W	30W	50W	100W	100W	200W
package	1	1	1	1	1	1	1	1



**FOTODIASTASI®**  
Tertier Illumination Manufacturer

E14, E27, B22 Filament lamps and E27, B22 strobo flash bulbs-240V

Electrical materials and accessories

# FILAMENT 240V



## E27



E27.01.CI-240V/15W  
E27.02.CI-240V/10W

E27.01.YE-240V/15W  
E27.02.YE-240V/10W



E27.01.BI-240V/15W  
E27.02.BI-240V/10W

E27.01.RE-240V/15W  
E27.02.RE-240V/10W

E27.01.GR-240V/15W  
E27.02.GR-240V/10W

## B22



B22.01.CI-240V/15W  
B22.02.CI-240V/10W

B22.01.YE-240V/15W  
B22.02.YE-240V/10W



B22.01.BI-240V/15W  
B22.02.BI-240V/10W

B22.01.RE-240V/15W  
B22.02.RE-240V/10W

B22.01.GR-240V/15W  
B22.02.GR-240V/10W

## E14 FILAMENT



E14.01CI-240V/10W

## STROBO FLASH BULBS



STR.22.00-240V/3W

B22

STR.27.00-240V/3W

E27



# E14 LED LAMPS

240V  
or  
24V

## CRYSTAL TYPE



LED.E14.03.WH - 240V/0.5W  
LED.E14.03.WW - 240V/0.5W  
LED.E14.03.RE - 240V/0.5W  
LED.E14.03.BL - 240V/0.5W  
LED.E14.03.GR - 240V/0.5W  
LED.E14.03.YE - 240V/0.5W

## CANDLE TYPE



LED.E14.04.WH - 240V/0.5W  
LED.E14.04.WW - 240V/0.5W  
LED.E14.04.RE - 240V/0.6W  
LED.E14.04.BL - 240V/0.5W  
LED.E14.04.GR - 240V/0.5W

# E14 LED FLASH BULBS

230V

STR.14.01  
230V/0.3W

E14

STR.14.02-24V/0.3W

E14

24V

\*Available in all colors

# E27 LED

240V or 24V



LED.E27.06.WW-240V/1W



LED.E27.06.WH-240V/1W



LED.E27.06.YE-240V/1W



LED.E27.06.BL-240V/1W



LED.E27.06.RE-240V/1W



LED.E27.06.GR-240V/1W

# B22 LED

240V or 24V



LED.B22.06.WW-240V/1W



LED.B22.06.WH-240V/1W



LED.B22.06.YE-240V/1W



LED.B22.06.BL-240V/1W



LED.B22.06.RE-240V/1W



LED.B22.06.GR-240V/1W

# LED STROBO FLASH BULBS

LED.STR.22.09  
240V/1.5W

B22



LED.STR.27.09  
240V/1.5W

E27

LED



# LED FALLING TUBE

**85-265V**

**DOUBLE  
 SIDED**




Double sided Falling tube **LED.FT.500** and **LED.FT.300**

REF No	LED.E27.FT.500	LED.B22.FT.500	LED.E14.FT.500	LED.E27.FT.300	LED.B22.FT.300	LED.E14.FT.300
Type of socket	E27	B22	E14	E27	B22	E14
Height of tube	50cm	50cm	50cm	30cm	30cm	30cm
Number of LED's	96	96	96	64	64	64
LED color	white	white	white	white	white	white
Power consumption per tube	6W	6W	6W	4W	4W	4W
Voltage	85-265V	85-265V	85-265V	85-265V	85-265V	85-265V

Protection grade : IP54 if they will be used with IP54 waterproof lampholders. Upon request can be produced in any color and size.





**SNOWFALL™ LED-SF single sided or LED-SFD double sided**

REF No	SF.165 (single sided)	SF.516 (single sided)	SF.1000 (single sided)	SFD.500 (double sided)	SFD.1000 (double sided)
Number of snowfall Tubes per box	5	5	5	5	5
Dimension of tube	(165x12x12)mm	(510x12x12)mm	(1000x40x40)mm	(500x40x40)mm	(1000x40x40)mm
Number of LED's	20 LED per tube	60 LED per tube	120 LED per tube	120 LED per tube	240 LED per tube
LED color	white	white	white	white	white
Power consumption per box	1,40W	1,65W	7,5W	7,5W	8,75W
Transformer	230V/6V 3VA	230V/6V 3VA	230V/12V 12VA	230V/12V 12VA	230V/12V 12VA
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz

Protection grade : IP44 for the connectors, for the transformer and tubes.

\*\*\*All LED-SF and LED-SFD snowfall, include power cord with Euro plug and transformer.



**FOTODIASTASI®**  
Festive Illumination Manufacturer

Electrical materials  
and accessories



# BRANCH GARLAND

Decorative mat and metallic branch garland

**UV**  
FIREPROOF  
B1 Certificate



METALLIC BRANCH GARLAND **MET**



MAT BRANCH GARLAND **MAT**



<b>MAT BRANCH GARLAND</b>	
REF No	BRANCH.500.30.MAT
Length	5m
Diameter	30cm
Number of tips	380 tips
Color	green, white, red, blue

<b>METALLIC BRANCH GARLAND</b>	
REF No	BRANCH.500.30.MET
Length	5m
Diameter	30cm
Number of tips	380 tips
Color	silver, gold, blue, red



# MOON GARLAND

Decorative mat and metallic moon garland



MAT MOON GARLAND		
<b>MAT COLOR</b>	REF No	MOON.270.40.MAT
	Length	2,70m
	Diameter	40cm
	Number of tips	950 tips
	Color	green, white, red, blue

METALLIC MOON GARLAND		
<b>METALLIC COLOR</b>	REF No	MOON.270.40.MET
	Length	2,70m
	Diameter	40cm
	Number of tips	950 tips
	Color	silver, gold, blue, red



Electrical materials  
and accessories

# CARPET PVC CARPET FOR OUTDOOR USE



## Metallic carpet



### METALLIC COLOR CARPET

METALLIC COLOR	REF No	NET.60.SN	NET.60.RN	NET.60.BN	NET.60.BRN	NET.60.BLM	NET.60.GRN	
	Height	60cm	60cm	60cm	60cm	60cm	60cm	
	Color	silver metallic	gold metallic	red metallic	blue metallic	bronze metallic	black metallic	green metallic
	Roll	25m	25m	25m	25m	25m	25m	25m

## Mat carpet



### MAT COLOR CARPET

MAT COLOR	REF No	NET.15	NET.30	NET.60	NET.90
	Height	15cm	30cm	60cm	90cm
	Color	G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white	G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white	G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white	G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white
	Roll	25m	25m	25m	25m



# GARLAND PVC GARLAND FOR OUTDOOR USE



## METALLIC GARLAND

### METALLIC COLOR PVC GARLAND

REF No	NIP.80.GM	NIP.100.SM	NIP.100.RM	NIP.100.BM	NIP.100.GM	NIP.100.BM
Diameter	80mm	100mm	100mm	100mm	100mm	100mm
Color	gold	silver	red	blue	green	gold
Package	50m	200m	200m	200m	200m	200m



## MAT GARLAND

### MAT COLOR PVC GARLAND

REF No	NIP.80.R	NIP.80.B	NIP.80.G	NIP.80.Y	NIP.80.P	NIP.80.V	NIP.80.W
Diameter	80mm	80mm	80mm	80mm	80mm	80mm	80mm
Color	green	red	blue	yellow	pink	purple	white
Package	50m	50m	50m	50m	50m	50m	50m

**FOTODIASTASI®**  
 Teraju Illumination Manufacturer

 Electrical materials  
 and accessories

## 3D SHINY PLASTIC BALLS



REF No	BALL-40.SN	BALL-60.SN	BALL-80.SN	BALL-100.SN	BALL-120.SN	BALL-150.SN	BALL-200.SN	BALL-250.SN	BALL-300.SN
DESCRIPTION	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball	3D shiny decorative ball
COLORS	silver, gold, red, blue, green, bronze, black	silver, gold, red, blue, green, bronze, black	silver, gold, red, blue, green, bronze, black	silver, gold, red, blue, green, bronze, black	silver, gold, red, blue, green, bronze, black	silver, gold, red, blue, green, black	silver, gold, red, blue, green, black	silver, gold, red, blue, green, black	silver, gold, red, blue, green, black
DIAMETER	40mm	60mm	80mm	100mm	120mm	150mm	200mm	250mm	300mm
PACKAGE	1,800 pcs	720 pcs	384 pcs	144 pcs	60 pcs	32 pcs	27 pcs	18 pcs	12 pcs

## 3D PEARL PLASTIC BALLS



3D balls



REF No	BALL-40.SN	BALL-60.SN	BALL-80.SN	BALL-100.SN	BALL-120.SN	BALL-150.SN	BALL-200.SN	BALL-250.SN	BALL-300.SN
DESCRIPTION	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball	3D pearl decorative ball
COLORS	white, bronze	white, bronze	white, bronze	white, bronze	white, bronze	white, bronze	white, bronze	white, bronze	white, bronze
DIAMETER	40mm	60mm	80mm	100mm	120mm	150mm	200mm	250mm	300mm
PACKAGE	1,800 pcs	720 pcs	384 pcs	144 pcs	60 pcs	32 pcs	27 pcs	18 pcs	12 pcs

# 3D PLASTIC BALLS



## 3D GLITTER PLASTIC BALLS


REF	DESCRIPTION	COLORS	Ø	PACKAGE
BALL3D15GL	3D glitter decorative ball	silver, gold, red, blue, black, bronze, green, purple	15cm	24 pcs
BALL3D30GL	3D glitter decorative ball	silver, gold, red, blue, black, bronze, green, purple	30cm	4 pcs

## 3D MAT PLASTIC BALLS

REF	DESCRIPTION	COLORS	HEIGHT	WIDTH	PACKAGE
BALL20	3D mat decorative ball	silver, gold, red	20cm	7cm	24 pcs



3D MAT PLASTIC BALLS



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK

**FOTODIASTASI®**  
Festive Illumination Manufacturer

Electrical materials  
and accessories

## 2D & 3D GLITTER DECORATIVE STARS

3D

2D



### 3D GLITTER DECORATIVE BETHLEHEM STARS

REF	DESCRIPTION	COLORS	HEIGHT	PACKAGE
BE.STAR.40	3D glitter Bethlehem star 40cm	silver, gold, red	40cm	8 pcs

### 2D GLITTER DECORATIVE STARS

REF	DESCRIPTION	COLORS	HEIGHT	PACKAGE
STAR.36	2D glitter star 36cm	silver, gold, red	36cm	48 pcs

# 2D GLITTER DECORATIVE SNOWFLAKES



## 2D GLITTER DECORATIVE SNOWFLAKE

REF	DESCRIPTION	COLORS	HEIGHT	PACKAGE
SNOW.46	2D glitter snowflake 46cm	silver, gold, red	46cm	24 pcs

# 3D DECORATIVE BOW



## 3D DECORATIVE BOW

REF	DESCRIPTION	COLORS	HEIGHT	PACKAGE
BOW.46	3D decorative bow 46cm	red with gold	46cm	6 pcs

## PLEXI GLASS ORNAMENTS

Can be made in any color and size



PLX001.WH ⬇️ 30cm ⬅️ 26cm

PLX001.WH ⬇️ 40cm ⬅️ 35cm

PLX001.WH ⬇️ 60cm ⬅️ 52cm

PLX001.WH ⬇️ 90cm ⬅️ 78cm



PLX001.PI ⬇️ 30cm ⬅️ 26cm

PLX001.PI ⬇️ 40cm ⬅️ 35cm

PLX001.PI ⬇️ 60cm ⬅️ 52cm

PLX001.PI ⬇️ 90cm ⬅️ 78cm



PLX001.PU ⬇️ 30cm ⬅️ 26cm

PLX001.PU ⬇️ 40cm ⬅️ 35cm

PLX001.PU ⬇️ 60cm ⬅️ 52cm

PLX001.PU ⬇️ 90cm ⬅️ 78cm



PLX001.OR ⬇️ 30cm ⬅️ 26cm

PLX001.OR ⬇️ 40cm ⬅️ 35cm

PLX001.OR ⬇️ 60cm ⬅️ 52cm

PLX001.OR ⬇️ 90cm ⬅️ 78cm



PLX001.BL ⬇️ 30cm ⬅️ 26cm

PLX001.BL ⬇️ 40cm ⬅️ 35cm

PLX001.BL ⬇️ 60cm ⬅️ 52cm

PLX001.BL ⬇️ 90cm ⬅️ 78cm



PLX002.WH ⬇️ 30cm ⬅️ 26cm

PLX002.WH ⬇️ 40cm ⬅️ 35cm

PLX002.WH ⬇️ 60cm ⬅️ 52cm

PLX002.WH ⬇️ 90cm ⬅️ 78cm



PLX002.PI ⬇️ 30cm ⬅️ 26cm

PLX002.PI ⬇️ 40cm ⬅️ 35cm

PLX002.PI ⬇️ 60cm ⬅️ 52cm

PLX002.PI ⬇️ 90cm ⬅️ 78cm



PLX002.PU ⬇️ 30cm ⬅️ 26cm

PLX002.PU ⬇️ 40cm ⬅️ 35cm

PLX002.PU ⬇️ 60cm ⬅️ 52cm

PLX002.PU ⬇️ 90cm ⬅️ 78cm



PLX002.BL ⬇️ 30cm ⬅️ 26cm

PLX002.BL ⬇️ 40cm ⬅️ 35cm

PLX002.BL ⬇️ 60cm ⬅️ 52cm

PLX002.BL ⬇️ 90cm ⬅️ 78cm

## ATTENTION

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.



HEIGHT



WIDTH



DIAMETER

# PLEXI GLASS ORNAMENTS

*Can be made in any color and size*



PLX003.WH ⊕ 30cm ⊕ 26cm

PLX003.WH ⊕ 40cm ⊕ 35cm

PLX003.WH ⊕ 60cm ⊕ 52cm

PLX003.WH ⊕ 90cm ⊕ 78cm



PLX003.RE ⊕ 30cm ⊕ 26cm

PLX003.RE ⊕ 40cm ⊕ 35cm

PLX003.RE ⊕ 60cm ⊕ 52cm

PLX003.RE ⊕ 90cm ⊕ 78cm



PLX003.PU ⊕ 30cm ⊕ 26cm

PLX003.PU ⊕ 40cm ⊕ 35cm

PLX003.PU ⊕ 60cm ⊕ 52cm

PLX003.PU ⊕ 90cm ⊕ 78cm



PLX003.BL ⊕ 30cm ⊕ 26cm

PLX003.BL ⊕ 40cm ⊕ 35cm

PLX003.BL ⊕ 60cm ⊕ 52cm

PLX003.BL ⊕ 90cm ⊕ 78cm



PLX003.OR ⊕ 30cm ⊕ 26cm

PLX003.OR ⊕ 40cm ⊕ 35cm

PLX003.OR ⊕ 60cm ⊕ 52cm

PLX003.OR ⊕ 90cm ⊕ 78cm



PLX004.WH ⊕ 30cm ⊕ 27cm

PLX004.WH ⊕ 40cm ⊕ 36cm

PLX004.WH ⊕ 60cm ⊕ 54cm

PLX004.WH ⊕ 90cm ⊕ 81cm



PLX004.RE ⊕ 30cm ⊕ 27cm

PLX004.RE ⊕ 40cm ⊕ 36cm

PLX004.RE ⊕ 60cm ⊕ 54cm

PLX004.RE ⊕ 90cm ⊕ 81cm





# PLEXI GLASS ORNAMENTS



PLX005.PI ⬇️ 30cm ⬅️ 27cm  
 PLX005.PI ⬇️ 40cm ⬅️ 36cm  
 PLX005.PI ⬇️ 60cm ⬅️ 54cm  
 PLX005.PI ⬇️ 90cm ⬅️ 81cm



PLX005.PV ⬇️ 30cm ⬅️ 27cm  
 PLX005.PV ⬇️ 40cm ⬅️ 36cm  
 PLX005.PV ⬇️ 60cm ⬅️ 54cm  
 PLX005.PV ⬇️ 90cm ⬅️ 81cm



PLX005.OR ⬇️ 30cm ⬅️ 27cm  
 PLX005.OR ⬇️ 40cm ⬅️ 36cm  
 PLX005.OR ⬇️ 60cm ⬅️ 54cm  
 PLX005.OR ⬇️ 90cm ⬅️ 81cm



PLX005.BL ⬇️ 30cm ⬅️ 27cm  
 PLX005.BL ⬇️ 40cm ⬅️ 36cm  
 PLX005.BL ⬇️ 60cm ⬅️ 54cm  
 PLX005.BL ⬇️ 90cm ⬅️ 81cm



PLX006.RE ⬇️ 30cm ⬅️ 27cm  
 PLX006.RE ⬇️ 40cm ⬅️ 36cm  
 PLX006.RE ⬇️ 60cm ⬅️ 54cm  
 PLX006.RE ⬇️ 90cm ⬅️ 81cm



PLX006.PI ⬇️ 30cm ⬅️ 27cm  
 PLX006.PI ⬇️ 40cm ⬅️ 36cm  
 PLX006.PI ⬇️ 60cm ⬅️ 54cm  
 PLX006.PI ⬇️ 90cm ⬅️ 81cm



PLX006.PV ⬇️ 30cm ⬅️ 27cm  
 PLX006.PV ⬇️ 40cm ⬅️ 36cm  
 PLX006.PV ⬇️ 60cm ⬅️ 54cm  
 PLX006.PV ⬇️ 90cm ⬅️ 81cm



PLX006.OR ⬇️ 30cm ⬅️ 27cm  
 PLX006.OR ⬇️ 40cm ⬅️ 36cm  
 PLX006.OR ⬇️ 60cm ⬅️ 54cm  
 PLX006.OR ⬇️ 90cm ⬅️ 81cm



PLX006.BL ⬇️ 30cm ⬅️ 27cm  
 PLX006.BL ⬇️ 40cm ⬅️ 36cm  
 PLX006.BL ⬇️ 60cm ⬅️ 54cm  
 PLX006.BL ⬇️ 90cm ⬅️ 81cm

**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

⬇️ HEIGHT    ⬅️ WIDTH    ⊗ DIAMETER

# PLEXI GLASS ORNAMENTS

*Can be made in any color and size*



PLX007.RE ⊕ 30cm ⊖ 30cm

PLX007.RE ⊕ 40cm ⊖ 40cm

PLX007.RE ⊕ 60cm ⊖ 60cm

PLX007.RE ⊕ 90cm ⊖ 90cm



PLX007.PI ⊕ 30cm ⊖ 30cm

PLX007.PI ⊕ 40cm ⊖ 40cm

PLX007.PI ⊕ 60cm ⊖ 60cm

PLX007.PI ⊕ 90cm ⊖ 90cm



PLX007.PU ⊕ 30cm ⊖ 30cm

PLX007.PU ⊕ 40cm ⊖ 40cm

PLX007.PU ⊕ 60cm ⊖ 60cm

PLX007.PU ⊕ 90cm ⊖ 90cm



PLX007.OR ⊕ 30cm ⊖ 30cm

PLX007.OR ⊕ 40cm ⊖ 40cm

PLX007.OR ⊕ 60cm ⊖ 60cm

PLX007.OR ⊕ 90cm ⊖ 90cm



PLX007.BL ⊕ 30cm ⊖ 30cm

PLX007.BL ⊕ 40cm ⊖ 40cm

PLX007.BL ⊕ 60cm ⊖ 60cm

PLX007.BL ⊕ 90cm ⊖ 90cm



PLX008.RE ⊕ 30cm ⊖ 31cm

PLX008.RE ⊕ 40cm ⊖ 41cm

PLX008.RE ⊕ 60cm ⊖ 61cm

PLX008.RE ⊕ 90cm ⊖ 91cm



PLX008.PI ⊕ 30cm ⊖ 31cm

PLX008.PI ⊕ 40cm ⊖ 41cm

PLX008.PI ⊕ 60cm ⊖ 61cm

PLX008.PI ⊕ 90cm ⊖ 91cm



PLX008.PU ⊕ 30cm ⊖ 31cm

PLX008.PU ⊕ 40cm ⊖ 41cm

PLX008.PU ⊕ 60cm ⊖ 61cm

PLX008.PU ⊕ 90cm ⊖ 91cm



PLX008.OR ⊕ 30cm ⊖ 31cm

PLX008.OR ⊕ 40cm ⊖ 41cm

PLX008.OR ⊕ 60cm ⊖ 61cm

PLX008.OR ⊕ 90cm ⊖ 91cm



PLX008.BL ⊕ 30cm ⊖ 31cm

PLX008.BL ⊕ 40cm ⊖ 41cm

PLX008.BL ⊕ 60cm ⊖ 61cm

PLX008.BL ⊕ 90cm ⊖ 91cm

Electrical materials  
 and accessories

# PLEXI GLASS ORNAMENTS



- PLX009.RE ⌀ 30cm
- PLX009.RE ⌀ 40cm
- PLX009.RE ⌀ 60cm
- PLX009.RE ⌀ 90cm




- PLX009.PI ⌀ 30cm
- PLX009.PI ⌀ 40cm
- PLX009.PI ⌀ 60cm
- PLX009.PI ⌀ 90cm



- PLX009.PU ⌀ 30cm
- PLX009.PU ⌀ 40cm
- PLX009.PU ⌀ 60cm
- PLX009.PU ⌀ 90cm



- PLX009.OR ⌀ 30cm
- PLX009.OR ⌀ 40cm
- PLX009.OR ⌀ 60cm
- PLX009.OR ⌀ 90cm



**ATTENTION**

All our motifs are protected by the OBI or by the WIPO (World Intellectual Property Organization).  
 Copy or any kind of reproduction in full or part without the written authorization from us is strictly forbidden.

HEIGHT  
 WIDTH  
 DIAMETER

*New*

PLEXI GLASS ORNAMENTS

*Merry Christmas*

Create your sign in ... any size  
... any language  
... any color  
... any font

*Happy New Year*

**2013**

**2013**





*First Christmas  
by Rosenau*







"First Christmas"  
by Rosenau



Park.Clopp



- This catalogue is the property of FOTODIASTASI - I.Palechorinos Fotistika ABEE.
- Any reproduction, including partial reproduction, without the written permission of FOTODIASTASI is strictly prohibited.
- The photographs and information contained in this catalogue have no contractual force and the technical information on our products is indicative only.
- We accept no liability for inaccuracies, errors or omissions relating to the information contained in this catalogue.
- We advise the reader to check the information by other means, for example by contacting FOTODIASTASI.
- Thanks to everybody who contributed with pictures and the right to use them.
- The CO2 emission arising from the production of this catalogue were 100% compensated.
- Paper used for the printing of this catalogue is FSC certified.

All rights reserved.  
All our products are protected through OBI and WIPO.  
All specifications relate to the motifs are given for your information  
and some changes may occur.

© 2018 by FOTODIASTASI ILLUMINATION  
I. PALECHORINOS FOTISTIKA ABEE



**FOTODIASTASI®**

*Festive illumination manufacturer since 1987...*

[www.fotodiasiasi.com](http://www.fotodiasiasi.com)

